

Harriet Bravo & Varanus Island Well Intervention Activities Bridging Document Summary

EA-60-RI-10151

REV	DATE	DESCRIPTION	BY	СНК
А	07/10/16	Internal Review	LM	SM
0	12/10/16	Submission to DMP	LM	SM
1	25/10/16	Submission to DMP following DMP comments	LM	SM

Holders of Controlled Copies:

Perth Library

Any hard copy of this document, other than those identified above, are uncontrolled. Please refer to the Quadrant Energy intranet site for the latest revision.



CONTENTS

1. INTRODUCTION	3
1.1 Compliance	3
2. LOCATION	3
3. DESCRIPTION OF THE RECEIVING ENVIRONMENT	5
3.1 Physical and biological environment	5
3.2 Environmental Management	5
3.2.1 Socio-economic environment	5
4. ACTIVITY DESCRIPTION	5
4.1 Schedule	5
4.2 Activity outline	6
4.2.1 Harriet Bravo Scope	6
4.2.2 Varanus Island Scope	6
4.3 Equipment and vessels	6
5. CHEMICAL DISCLOSURE	6
5.1 Chemicals	6
5.2 Hydrocarbons	7
6. ENVIRONMENTAL HAZARDS AND CONTROLS	7
6.1 Risk assessment	7
7. MANAGEMENT APPROACH	7
8. CONSULTATION	8
9. CONTACT DETAILS	8
10. REFERENCES	8
TABLES	
Table 2-1: Location of the Harriet Alpha platform	3
FIGURES	
FIGURES Figure 2-1: Location of Harriet Alpha platform and surrounding sensitive habitats.	4

APPENDIX

Appendix A: Chemical Disclosure

Appendix B: SDS



1. INTRODUCTION

Quadrant Energy proposes to carry out well intervention activities on the Harriet Bravo platform and onshore Varanus Island using a slickline intervention package. These facilities are located in Western Australian (WA) State waters as part of the Varanus Island (VI) hub, under the Department of Mines and Petroleum (DMP) approved *Generic Well Suspension and Well Abandonment EP* (GWSWA EP; EA-00-RI-10027, Revision 3). The objective of the activity is to:

The objective of the activity on the Harriet Bravo platform is to:

- Re-instate functionality of the Surface Controlled Sub Surface Valve (SCSSV) on Bambra-7H
- Re-instate tubing to annulus integrity on Bambra-8H
- Perform some remedial work on the wellheads of Harriet Bravo-1H and Harriet Bravo-5H

1.1 Compliance

The Harriet Bravo & Varanus Island Well Intervention Activities Bridging Document (BD) was prepared to meet the requirements of Regulation 11(1) of the *Petroleum (Submerged Lands) (Environment) Regulations 2012* (P(SL)(E) Regulations). The proposed campaign will be conducted in accordance with all applicable legislation and regulations and specifically to meet the requirements of the Petroleum (Submerged Lands) Act 1982 (WA), Petroleum Pipelines Act 1969 (WA) and its regulations as relevant.

The proposed intervention activity will be managed in accordance with the accepted *Generic Well Suspension* and *Well Abandonment* EP (GWSWA EP) (EA-00-RI-10027), the *Varanus Island Hub Operations Oil Spill Contingency Plan* (EA-60-RI-186.2, Revision 4) and the Harriet Bravo & Varanus Island Well Intervention Activities BD as they cover the expected environmental risks and control measures to be undertaken.

2. LOCATION

The Harriet Bravo platform is located in production licence TL/1, in a water depth of 24 metres (m). The planned activities on the Harriet Bravo platform will be taking place within the 500m exclusion zone as marked on navigational charts. The works conducted on the Tanami-1 and Alkimos-1 wells will be conducted from Varanus Island onshore, located in pipeline licence PL/12.

The surface location of the Harriet Bravo platform and VI is shown in **Figure 2-1**, with co-ordinates provided in **Table 2-1**.

	Latitude	Longitude
Harriet Bravo platform (TL/1)	20° 34′ 31″S	115° 38′ 15″E
Varanus Island	20° 39' 07″S	115° 34' 41″
Tanami-1 (PL/12)	20° 39′ 17.32″S	115° 34′ 47.29″E
Alkimos-1 (PL/12)	20° 39′ 17.57″S	115° 34′ 41.92″E

Table 2-1: Location of the Harriet Alpha platform






Figure 2-1: Location of Harriet Alpha platform and surrounding sensitive habitats



3. DESCRIPTION OF THE RECEIVING ENVIRONMENT

3.1 Physical and biological environment

The Harriet Bravo platform and VI are located in the North-West Marine Region (DEWHA, 2008) which lies primarily on the continental shelf between North West Cape and Cape Bougainville. The area has a dynamic oceanographic environment, influenced by strong tides, cyclonic storms, long-period swell and internal tides. Regional surveys on the NWS indicate the seafloor composition is uniform throughout the area, but with spatial variation in the grain size and origin of the surface sediments. Regionally, the seafloor tends to be flat, unconsolidated and sedimentary with occasional calcarenite rock outcrops. The seabed surrounding the Harriet Bravo platform is similarly flat and featureless with medium to coarse sand with some gravel.

Vegetation on VI is broadly described as 'desertic' dominated by hummock grasslands (*Triodia* spp.). There are no defined watercourses or wetlands on Varanus Island. No native mammals are found on VI or AI but a number of terrestrial reptiles have been recorded.

Some protected and/or migratory marine fauna may be present in the area. Environment Protection and Biodiversity Conservation Act 1999 (EPBC) and/or Wildlife Conservation Act 1950 listed species include 14 marine species listed as threatened and 23 species listed as migratory which includes sharks and rays, marine mammals and marine reptiles. Other fauna may include plankton, pelagic and benthic invertebrates and fish. Terrestrial and subterranean fauna identified as potentially being in the area include 12 threatened species as well as various bird species located adjacent to offshore and onshore VI infrastructure.

3.2 Environmental Management

The proposed activities will occur in November/December, although activities could occur on VI (after the initial Harriet Bravo scope) in Q1/Q2 2017 dependent upon suitable weather window and availability of equipment and personnel. This timing overlaps with a number of key ecological events including coral spawning, dugong breeding, whale migration and turtle nesting (as described in the GWSWA EP (EA-00-RI-10027). It is not expected that the marine environment or their sensitive features will be impacted from these activities given the distance from these sensitive receptors and migration corridors, and the short term nature of discharges.

3.2.1 Socio-economic environment

The existing 500m exclusion zone to non-Quadrant Energy vessels will be maintained around the Harriet Bravo platform and Varanus Island during the activities. Therefore the proposed activities are not expected to interfere with other users of the sea.

4. ACTIVITY DESCRIPTION

4.1 Schedule

Mobilisation of equipment to the Harriet Bravo platform is expected to commence in early November 2016 and the proposed intervention activities will take up to 30 days to complete, dependent on weather, scheduling and well conditions. Activities will be completed in daylight hours only on Harriet Bravo.

The proposed activities on Varanus Island will commence following cessation of the activities on Harriet Bravo platform. Alternatively, the activities on VI may not commence until Q1 2017. Well intervention activities on Varanus Island are expected to take up to 15 days to complete. If activities are completed during the night (i.e. 24 hours activities), no additional lighting will be required over and above the current lighting at the facility.



4.2 Activity outline

4.2.1 Harriet Bravo Scope

This activity will consist of intervention activities on both BM07 and BM08 as well as P-seal remediation and wellhead cavity testing on Harriet Bravo-1H and Harriet Bravo-5H.

On completion of the Harriet Bravo scope the equipment will be de-mobilized to Varanus Island.

4.2.2 Varanus Island Scope

The Varanus Island scope will consist of wire line intervention and verification of the internal condition of the completion tubing on both Tanami-1 and Alkimos-1 wells. Internal condition assessment of the completion tubing on both Alkimos-1 and Tanami-1 will be done via slickline or wireline deployed technology. It is proposed that there will also be some remediation work conducted to restore full well integrity to the surface tree and wellhead systems on both wells.

At the completion of the intervention activities, all mobile equipment, containers and residual chemicals will be returned to the mainland by support vessel.

4.3 Equipment and vessels

Specialist contract personnel hired from third party service providers will be secured for the campaign. The team will work under direct supervision of an approved Quadrant Energy Well Services Supervisor who will be responsible for the safe offshore execution of the activity. Activities undertaken from Harriet Bravo platform will require personnel to be transported to the work location each day and demobilised to Varanus Island each night utilising a vessel. In all cases, intervention personnel will access the platform daily for the campaign duration using a vessel. Activities will be carried out during daylight hours only.

The separate activity on Varanus Island to complete the Tanami-1 and Alkimos-1 intervention will consist of the crew being based on the island, i.e. no daily transfer of personnel via vessel will be required.

An infield support vessel will be used to offload and on-load equipment to the Harriet Bravo platform. To assist with maintaining vessel position, mooring buoys, along with anchors or clump weights may be placed at the Harriet Bravo platform.

5. CHEMICAL DISCLOSURE

5.1 Chemicals

During the proposed intervention, seawater and CRW24830 will be required on any well when top-filling or flushing is required. The chemical CRW24830 is a blend that provides the benefits of a corrosion inhibitor, biocide and oxygen scavenger. A 15% hydrochloric acid solution will be used to dissolve any build-up of calcium carbonate (calcite) scale that is expected to be in and around the failed flapper on the Bambra-7H safety valve. It may also be used on Bambra-8H to assist with the removal of a stuck gas lift valve.

The acid volume pumped down the well will be flowed back to Varanus Island through the production pipeline, separated along with produced water and the injected into a water injector well (as described in the accepted *Varanus Island Hub Operations Environment Plan* (EA-60-RI-186) Revision 6). The acid will be spent from dissolving with downhole scale and will be significantly diluted from the volume of inhibited seawater in the pipeline as well as the volume of produced water that is separated from the oil within the process system.

The volumes disclosed are based on the planned well activities and some contingency volumes in the event of any problems on the well. Full chemical disclosure is provided in **Appendix A** with details of the Safety Data Sheets in **Appendix B**.

There is no planned discharge of any fluid system overboard to the marine environment during the proposed activities on the Harriet Bravo platform or Varanus Island.



5.2 Hydrocarbons

If hydrocarbons are spilt on-board they will be cleaned up immediately and the soiled clean-up materials collected in plastic bags for disposal to the mainland. In the unlikely event that a significant hydrocarbon spill occurs during activities, Quadrant Energy's emergency response procedures are in place to cover such an occurrence. These include:

- Varanus Island Hub Operations Oil Spill Contingency Plan (OSCP; EA-60-RI-186.2);
- Varanus Island Hub Incident Response Plan (AE-00-ZF-044);
- Incident Command and Management Manual (AE-00-ZF-025);
- NWS Operations Consolidated Cyclone Response Plan (AE-91-IF-010); and
- Emergency response reported as per the Incident Reporting and Investigation Procedure (QE-91-IF-00002).

6. ENVIRONMENTAL HAZARDS AND CONTROLS

6.1 Risk assessment

An environmental risk assessment was conducted on 30th September 2016 and no additional environmental risks to those identified in the GWSWA EP were identified. A review of the GWSWA EP has identified the potential for a loss of well control at Harriet Bravo which was not described in the GWSWA EP. Despite the fact that the wells could not flow against surface pressure when operational (as described in the GWSWA EP), additional spill scenarios were identified as credible compared to that described in the GWSWA EP. In the event of loss of well control at the surface at the Harriet Bravo platform during the intervention activity, the well may have potential to flow naturally, given that it would be flowing to surface pressure. For all wireline activities, a minimum of two barrier envelopes are required to be in place at all times. Risks to well integrity have been reviewed and assessed to demonstrate that all risks are ALARP as described in the risk assessment included in the approved *Well Management Plan* revision (Doc ref:DR-91-ZG-10023 Revision 1).

A loss of well control at Varanus Island is not identified as a credible risk. The water injector wells do not build-up pressure to surface and routine build up tests are conducted to re-verify this performance standard.

As the activities occur over 6km from the nearest turtle nesting beaches and the platform will be unmanned at night, there are no additional controls required for management of platform lighting.

As the proposed activities will be carried out during daylight only, it is not expected that the marine environment or their sensitive features will be impacted from these activities. Besides the disposal of vessel discharges (e.g. treated sewage, grey water), and raw seawater (from pumping spread overflow), no other discharges to the marine environment are planned to occur during the activities.

7. MANAGEMENT APPROACH

The proposed activities will be carried out under the GWSWA EP (EA-00-RI-10027), and the Harriet Bravo and VI Well Intervention BD (EA-60-RI-10151).

The primary goal of the environmental guidelines and commitments outlined in the EP and the BD are to direct, review and manage activities so that environmental impacts and risks are continually being reduced to ALARP.

In the event of a chemical or hydrocarbon spill on the platform, the spill will be contained, reported, cleaned up and all wastes correctly disposed of according to Quadrant Energy's Waste Management Plan.

In the extremely unlikely event of an oil spill to the ocean, Quadrant Energy's Varanus Island Hub OSCP will be activated. The oil spill response strategies, resources and arrangements identified in the VI Hub OSCP are deemed to be adequate to mitigate a worst case hydrocarbon release during the planned Activity to ALARP. A Quadrant Energy Oil Spill Response Vessel, the Monte Belle, and spill containment and recovery equipment are maintained on Varanus Island and in Dampier as documented in Quadrant Energy's Varanus Island Hub OSCP.



Some performance standards outlined in the GWSWA EP are not applicable to the activity due to some elements not being conducted (e.g. flushing activities), the distance of the activity from shorelines (e.g. lighting management), or there are performance standards which are not relevant to vessel-specific activities. These performance standards have therefore been disregarded for this activity and will not be reported against in the end of activity report.

8. CONSULTATION

Quadrant considers that consultation with key stakeholders for this activity has been adequate; all stakeholders and relevant parties have been actively engaged by Quadrant regarding its activities on the NW Shelf (including this activity) by means of a *Quarterly Consultation Update* circulated in September 2016. No objections or concerns have been raised by stakeholders via this method of consultation.

9. CONTACT DETAILS

Further information about these activities can be obtained from Ashlee Crabbe on (08) 6218 7100 or email Consultation@quadrantenergy.com.au.

10. REFERENCES

DEWHA (2008). The North-west Marine Bioregional Plan: Bioregional profile, a description of the ecosystems, conservation values and uses of the north-west marine region. Department of the Environment Water, Heritage and the Arts, Canberra, Australia.



Appendix A: Chemical Disclosure



A. System Details:

OPERATOR:	Quadrant Energy Limited		
PROJECT / WELL:	Harriet Bravo Platform BM07		
SYSTEM:	15% HCl		
TOTAL VOLUME OF SYSTEM (LITRES)	4000 L		

B. Product List

Fluid name (and volume)	Product name	Supplier	Purpose	Product in system (conc %)	Toxicity and Ecotoxicity data	MSDS attached
Fluid (4000 L)	Water	Locally sourced	Base fluid	43.5%	Naturally occurring – exempted under chemical disclosure guidelines	N/A
	Acetic Acid - 60%	Halliburton	Buffer	1.45%	Acute Mammalian Toxicity Component 1 (≤ 60%): Oral LD50: 3310 mg/kg (Rat) Oral LD50: 600 mg/kg (Rabbit) Oral LD50: 4960 mg/kg (Mouse) Dermal LD50: 1060 mg/kg (Rabbit) LC50 Inhalation: 11.4 mg/L (Rat) 4h Chronic Toxicity Prolonged, excessive exposure may cause erosion of the teeth Effect concentrations in the aquatic environment are attributable to a change in pH value.	Yes
					Acute Aquatic Toxicity Component 1 (≤ 60%) Freshwater Acute Crustacean Toxicity 48h EC50: 65 mg/L (Daphnia magna) [US EPA HPVIS]; Freshwater Acute Cyanobacteria Toxicity 72h EC50: 55.22 mg/L (Anabaena flos-aquae) [ECHA]; Freshwater Acute Fish Toxicity 96h LC50: 75 mg/L (Lepomis macrochirus) [US EPA HPVIS]; OSPAR PLONOR listed. Biodegradation/Bioaccumulation Bioaccumulation Log Kow: -0.17 [ECHA]; Freshwater Biodegradation 7d: 99 % [US EPA HPVIS].	
					Component 2 (≤ 40%): Naturally occurring – exempt from chemical disclosure guidelines.	
	FE-2	Halliburton	Buffer	0.274%	Acute Mammalian Toxicity Component 1 (≤ 100%) Oral LD50: 5400 mg/Kg (Rat) Oral LD50: 5790 mg/kg (Mouse) Dermal LD50: >2000 mg/kg (Rabbit)	Yes



Fluid name (and	Product name	Supplier	Purpose	Product in system	Toxicity and Ecotoxicity data	MSDS attached
volume)				(conc %)		
					<u>Chronic Toxicity</u>	
					No data available to indicate product or	
					components present at greater than 0.1% are chronic health hazards	
					0.1% are chronic health hazards	
					Acute Aquatic Toxicity	
					Component 1 (≤ 100%)	
					Freshwater Acute Crustacean Toxicity	
					48h EC50: > 50 mg/L (<i>Daphnia magna</i>)	
					[ECHA];	
					Freshwater Acute Fish Toxicity 96h	
					LC50: > 100 mg/L (Pimephales promelas)	
					[ECHA];	
					Freshwater Acute Plant Toxicity 72h EC50: 990 mg/L (<i>Lactuca sativa</i>) [ECHA];	
					OSPAR PLONOR listed.	
					OSPAK FLONOK listed.	
					Biodegradation/Bioaccumulation	
					Component 1 (≤ 100%)	
					Bioaccumulation BCF: 3.2 [ECHA];	
					Freshwater Biodegradation 28d: 97 %	
					[ECHA].	
	DCA-17004	Halliburton	Corrosion	0.148%	Naturally occurring product	Yes
			Inhibitor		REACH ANNEX V: Exempt for OSPAR	
					OCNS Group E	
					CEFAS Registration Number 25119	
	Hydrochloric	Halliburton	Acid	30.8%	Acute Mammalian Toxicity	Yes
	Acid - 32%				Component 1 (≤ 60%)	
					No mammalian toxicity data available	
					Chronic Toxicity	
					Prolonged, excessive exposure may	
					cause erosion of the teeth	
					Acute Aquatic Toxicity	
					Component 1 (≤ 60%)	
					Freshwater Acute Algae Toxicity 72h	
					EC50 (based on pH): 4.5 (<i>Chlorella vulgaris</i>) [ECHA];	
					Freshwater Acute Crustacean Toxicity	
					48h EC50 (based on pH): 4.92 (<i>Daphnia</i> magna) [ECHA];	
					Freshwater Acute Fish Toxicity 96h LC50	
					(based on pH): 3.5 (<i>Lepomis</i>	
					macrochirus) [ECHA].	
					Biodegradation/Bioaccumulation	
					Component 1 (≤ 60%)	
					Substance is inorganic - bioaccumulation is not applicable.	
					Substance is inorganic - biodegradation	
					is not applicable.	



Fluid name (and	Product name	Supplier	Purpose	Product in system	Toxicity and Ecotoxicity data	MSDS attached
volume)				(conc %)		
					Component 2 (≤ 40%):	
					Naturally occurring – exempt from	
					chemical disclosure guidelines	
	DCA-32009	Halliburton	HT wetting	0.181%	Acute Mammalian Toxicity	Yes
			Surfactant		Component 1 (≤ 60%)	
					Oral LD50: 470 mg/kg (Rat)	
					Dermal LD50:100 mg (Rabbit)	
					Inhalation LC50: 2.174 mg/L (Rat) 4h	
					Component 2(≤ 30%)	
					Naturally occurring – exempt from chemical disclosure guidelines	
					Component 3(≤ 30%)	
					No mammalian toxicity data available.	
					Component 4(≤ 30%)	
					Oral LD50: >2000 mg/kg	
					Dermal LD50: 1980 mg/kg	
					Inhalation LC50: 1.45 mg/L (Rat) 4h	
					Component 5(≤ 10%)	
i					Oral LD50: 4396 mg/kg (rat)	
					Oral LD50: 3600 mg/kg (mouse) Dermal LD50: 6,280 mg/kg (Rabbit)	
					Inhalation LC50: 72.6 mg/L (Rat) 4h	
					initialation Ecot. 72.0 Hig/E (Nat) 411	
					Chronic Toxicity	
					No data available to indicate product or	
					components present at greater than 0.1% are chronic health hazards	
					0.1% are emonic nearth nazards	
					Acute Aquatic Toxicity	
					Component 1 (≤ 60%)	
i					Freshwater Acute Algae Toxicity 72h	
					EC50: 911 mg/L (Pseudokirchneriella subcapitata) [ECHA];	
					Freshwater Acute Crustacean Toxicity	
					48h EC50: 1800 mg/L (Daphnia magna) [ECHA];	
					Freshwater Acute Fish Toxicity 96h	
					LC50: 1474 mg/L (<i>Oncorhynchus mykiss</i>) [ECHA];	
					Seawater Acute Algae Toxicity 72hr	
					EC50 = 839.56mg/L (Skeletonema	
					costatum) (HES internal);	
					Seawater Acute Crustacean Toxicity	
					48hr LC50 = 2051mg/L (Acartia tonsa) (HES Internal);	
					Seawater Acute Fish Toxicity 96hr LC50	
					= >1000mg/L (Scophthalmus maximus)	
					(HES Internal).	
					Component 2(≤ 30%)	
					Naturally occurring – exempt from	
					chemical disclosure guidelines	



Fluid name	Product	Supplier	Purpose	Product in	Toxicity and Ecotoxicity data	MSDS
(and volume)	name			system (conc %)		attached
					Component 2/< 20%)	
					Component 3(≤ 30%) No aquatic toxicity data available.	
					No aquatic toxicity data available.	
					Component 4(≤ 30%)	
					Freshwater Acute Algae Toxicity 72h	
					EC50: 11.5 mg/L (Desmodesmus subspicatus) [ECHA];	
					Freshwater Acute Crustacean Toxicity 48h EC50: 39 mg/L (<i>Daphnia magna</i>) [ECHA];	
					Freshwater Acute Fish Toxicity 96h LC50: 17.1 mg/L (<i>Leuciscus idus</i> melanotus) [ECHA];	
					Seawater Acute Algae Toxicity 72hr	
					EC50 = 57.42mg/L (Skeletonema costatum) (HES Internal);	
					Seawater Acute Crustacean Toxicity	
					48hr LC50 = 160.0mg/L (<i>Acartia tonsa</i>) HES Internal);	
					Seawater Acute Fish Toxicity 96hr LC50	
					= 21mg/L (<i>Scophthalmus maximus</i>) (HES Internal).	
					Component 5(≤ 10%)	
					Freshwater Acute Algae Toxicity 72h EC50: > 1000 mg/L (Scenedesmus subspicatus) [IUCLID];	
					Freshwater Acute Crustacean Toxicity 24h EC50: > 10000 mg/L (<i>Daphnia</i> magna) [ECHA];	
					Freshwater Acute Fish Toxicity 96h LC50: 9640 mg/L (<i>Pimephales promelas</i>)	
					[ECHA]; OSPAR PLONOR listed.	
					Biodegradation/Bioaccumulation	
					Component 1 (≤ 60%):	
					Bioaccumulation Log Kow: 0.8 [OECD SIDS];	
					Freshwater Biodegradation 28d: 90.4% [ECHA];	
					Biodegradation 85% @ 28days Marine BODIS.	
					Component 2(≤ 30%)	
					Naturally occurring – exempt from	
					chemical disclosure guidelines	
					Component 3(≤ 30%)	
					No research data available.	
					Component 4(≤ 30%):	
					Bioaccumulation BCF: 25.33 [ECHA];	
					Freshwater Biodegradation 28d: 100%	
					[ECHA];	



Fluid name (and volume)	Product name	Supplier	Purpose	Product in system (conc %)	Toxicity and Ecotoxicity data	MSDS attached
volume				(conc 70)	Marine Biodegradation 62.4% @ 21days (OECD 306) (HES Internal).	
					Component 5(≤ 10%): Bioaccumulation Log Pow: 0.15 [IUCLID]; Freshwater Biodegradation 14d: 83% [HSDB].	
	DCA-14003	Halliburton	pH Buffer	22.6%	Acute Mammalian Toxicity Acute Oral toxicity – LD 50 = 4220mg/Kg bw (rat) Acute Dermal toxicity – no data available Acute Inhalation LC50 = >4.74mg/L (rat) Chronic Toxicity No known carcinogenic properties or chronic impacts. Acute Aquatic Toxicity Freshwater Algae Toxicity 120hr EC50 = 650mg/L (Nitzchia linearis)(IUCLID data file) Seawater Crustacean Toxicity 48hr LC50 = >1000mg/L (Mysidopsis bahia) (ECHA) Seawater Fish Toxicity 96hr LC50 = >2000mg/L (Cyprinodon variegatus) (US EPA Ecotox) Biodegradation/Bioaccumulation No research data available	Yes
	DCA-17001	Halliburton	Corrosion Inhibitor	1.000%	Acute Mammalian Toxicity Component 1 (30-60%) Oral LD50: 12,565 - 19,600 mg/kg (Rat) Dermal LD50: 11,890 - 13,300 mg/kg (Rabbit) Inhalation LC50: > 4.6 mg/L 4h (Rat) Component 2 (30-60%) Oral LD50: 2200 mg/kg (Rat) Oral LD50: 340 mg/kg (Guinea pig) Oral LD50: 1160 ng/kg (Rat) Oral LD50: 1600 mg/kg (Rat) Dermal LD50: 2000 mg/kg (Rabbit) Dermal LD50: 1260 mg/kg (Rabbit) Dermal LD50: 1260 mg/kg (Rabbit) Inhalation LC50: QSAR 68.86 ppm (Rat) 4h Chronic Toxicity No known carcinogenic properties or chronic impacts.	Yes



Fluid name (and volume)	Product name	Supplier	Purpose	Product in system (conc %)	Toxicity and Ecotoxicity data	MSDS attached
					Acute Aquatic Toxicity	
					Component 1 (30-60%)	
					TGK (8d) 2700 mg/L (Algae - Scenedesmus quadricauda)	
					LC50 75200 mg/L (Fish - <i>Pimephales</i> promelas)	
					EC50 84000 mg/L (Daphnia magna)	
					Component 2 (30-60%)	
					EC50 0.13 mg/L (Algae - <i>Chlorella</i> vulgaris)	
					LC50 (47h) 122 mg/L (Fish - Cyprinus carpio)	
					IC50 (48h) 131.2 mg/L (Tetrahymena pyriformis)	
					LC50 (48h) 107 mg/L (<i>Daphnia magna</i>)	
					Biodegradation/Bioaccumulation	
					Component 1 (30-60%)	
					Biodegradation: Readily biodegradable (90-100% @28d)	
					Bioaccumulation: BCF: 100 (<i>Leuciscus</i> idus melanotus)	
					Component 2 (30-60%)	
					Biodegradation: Predicted to be readily	
					biodegradable	
					Bioaccumulation: 1.83. BCF: 8 (calculated)	
	Total F	luid		~100%		



Appendix B: SDS

HALLIBURTON

MATERIAL SAFETY DATA SHEET

Product Trade Name: ACETIC ACID (50-80%)

Revision Date: 20-Dec-2012

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Statement of Hazardous Nature Hazardous according to the criteria of NOHSC, Dangerous Goods according to the

criteria of ADG.

Manufacturer/Supplier Halliburton/Baroid Australia Pty. Ltd.

15 Marriott Road

Jandakot WA 6164 Australia

ACN Number: 009 000 775

Telephone Number: 61 (08) 9455 8300 Fax Number: 61 (08) 9455 5300

Product Emergency Telephone

Australia: 08-64244950

Papua New Guinea: 05 1 281 575 5000

New Zealand: 06-7559274

Fire, Police & Ambulance - Emergency Telephone

Australia: 000

Papua New Guinea: 000 New Zealand: 111

Identification of Substances or Preparation

Product Trade Name: ACETIC ACID (50-80%)

Synonyms: None

Chemical Family: Organic acid
UN Number: , UN2790

Dangerous Goods Class:8Subsidiary Risk:NoneHazchem Code:2PPoisons Schedule:S6Application:Additive

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances CAS Number PERCENT Australia New Zealand ACGIH TLV-TWA

NOHSC WES

ACETIC ACID (50-80%) Page 1 of 6

COMPOSITION/INFORMATION ON INGREDIENTS Acetic acid TWA: 10 ppm STEL: 15 ppm TWA: 10 ppm TWA: 25 mg/m³ STEL: 37 mg/m³ STEL: 15 ppm STEL: 15 ppm TWA: 10 ppm STEL: 37 mg/m³ TWA: 25 mg/m³

Non-Hazardous Substance to Total of 100%

HAZARDS IDENTIFICATION

Hazard Overview May cause eye, skin, and respiratory burns. May be harmful if swallowed.

Combustible.

Risk Phrases R10 Flammable.

R34 Causes burns.

HSNO Classification Not Determined

FIRST AID MEASURES

Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation

develops or if breathing becomes difficult.

In case of contact, immediately flush skin with plenty of soap and water for at least 15 Skin

minutes. Get medical attention. Remove contaminated clothing and launder before

reuse.

In case of contact, or suspected contact, immediately flush eyes with plenty of water Eyes

for at least 15 minutes and get medical attention immediately after flushing.

Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek Ingestion

medical attention. Never give anything by mouth to an unconscious person.

Not Applicable **Notes to Physician**

FIRE FIGHTING MEASURES

Suitable Extinguishing Media Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must None known.

not be used for safety reasons

Use water spray to cool fire exposed surfaces. Decomposition in fire may produce **Special Exposure Hazards**

toxic gases. Do not allow runoff to enter waterways.

Fire-Fighters

Special Protective Equipment for Full protective clothing and approved self-contained breathing apparatus required for

fire fighting personnel.

ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment.

Environmental Precautionary

Measures

Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning /

Absorption

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials.

Neutralize with lime slurry, limestone, or soda ash. Scoop up and remove.

ACETIC ACID (50-80%) Page 2 of 6

7. HANDLING AND STORAGE

Handling Precautions Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after

use. Launder contaminated clothing before reuse.

Storage Information Store away from alkalis. Store away from oxidizers. Store in a cool well ventilated

area. Keep container closed when not in use.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering ControlsUse in a well ventilated area. Local exhaust ventilation should be used in areas

without good cross ventilation.

Respiratory Protection Organic vapor/acid gas respirator.

Hand Protection Impervious rubber gloves.

Skin Protection Full protective chemical resistant clothing.

Eye Protection Chemical goggles; also wear a face shield if splashing hazard exists.

Other Precautions Eyewash fountains and safety showers must be easily accessible.

9. PHYSICAL AND CHEMICAL PROPERTIES

 Physical State:
 Liquid

 Color:
 Clear

 Odor:
 Acrid

 pH:
 < 1</td>

 Specific Gravity @ 20 C (Water=1):
 1.05

 Density @ 20 C (kg/l):
 1.048

Bulk Density @ 20 C (kg/m³): Not Determined

Boiling Point/Range (C): 117
Freezing Point/Range (C): 16

Pour Point/Range (C): Not Determined

Flash Point/Range (C): 42

Flash Point Method:

Autoignition Temperature (C):

Flammability Limits in Air - Lower (g/m³):

Not Determined

Not Determined

Flammability Limits in Air - Lower (%): 5.4

Flammability Limits in Air - Upper (g/m³): Not Determined

Flammability Limits in Air - Upper (%): 16
Vapor Pressure @ 20 C (mmHg): 11.7
Vapor Density (Air=1): 2.07
Percent Volatiles: 100

Evaporation Rate (Butyl Acetate=1): Not Determined

Solubility in Water (g/100ml): Soluble

Solubility in Solvents (g/100ml):

VOCs (g/l):

Viscosity, Dynamic @ 20 C (centipoise):

Viscosity, Kinematic @ 20 C (centistokes):

Partition Coefficient/n-Octanol/Water:

Not Determined

Not Determined

Molecular Weight (g/mole): 60.6

Decomposition Temperature (C):Not Determined

10. STABILITY AND REACTIVITY

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

ACETIC ACID (50-80%) Page 3 of 6 **Conditions to Avoid** Keep away from heat, sparks and flame.

Incompatibility (Materials to

Avoid)

Strong alkalis.

Hazardous Decomposition

Products

Toxic fumes. Carbon monoxide and carbon dioxide.

Additional Guidelines Not Applicable

11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure Eye or skin contact, inhalation.

Sympotoms related to exposure

Inhalation Causes severe respiratory irritation.

Skin Contact Causes severe burns.

Eye Contact May cause eye burns.

Ingestion Causes burns of the mouth, throat and stomach.

Aggravated Medical Conditions Skin disorders.

Chronic Effects/Carcinogenicity Prolonged, excessive exposure may cause erosion of the teeth.

Other Information None known.

Toxicity Tests

Oral Toxicity: LD50: 3310 mg/kg (Rat)

Dermal Toxicity:Not determinedInhalation Toxicity:Not determined

Primary Irritation Effect: Not determined

Carcinogenicity Not determined

Genotoxicity: Not determined

Reproductive /

Not determined

Developmental Toxicity:

12. ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air) Not determined

Persistence/Degradability BOD(10 Day); 88% of COD

Bio-accumulation Not determined

Ecotoxicological Information

Acute Fish Toxicity: TLM96: 88 mg/l (Pimephales promelas)
Acute Crustaceans Toxicity: TLM48: 32 mg/l (Daphnia magna)

Acute Algae Toxicity: Not determined

Chemical Fate Information Not determined

ACETIC ACID (50-80%) Page 4 of 6 Other Information Not applicable

13. DISPOSAL CONSIDERATIONS

Disposal MethodDisposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging Follow all applicable national or local regulations.

14. TRANSPORT INFORMATION

Land Transportation

ADR

UN2790, Acetic Acid Solution, 8, II

Air Transportation

ICAO/IATA

UN2790, Acetic Acid Solution, 8, IIRQ (Acetic Acid - 2841 kg.)

Sea Transportation

IMDG

UN2790, Acetic Acid Solution, 8, IIRQ (Acetic Acid - 2841 kg.) EmS F-A, S-B

Other Transportation Information

Labels: Corrosive

15. REGULATORY INFORMATION

Chemical Inventories

Australian AICS Inventory New Zealand Inventory of

Chemicals

US TSCA Inventory EINECS Inventory

All components listed on inventory or are exempt. All components listed on inventory or are exempt.

All components listed on inventory or are exempt.

This product, and all its components, complies with EINECS

Classification C - Corrosive.

Risk Phrases R10 Flammable.

R34 Causes burns.

Safety Phrases S23 Do not breathe gas, fumes, vapour or spray.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S45 In case of accident or if you feel unwell, seek medical advice immediately.

S1/2 Keep locked up and out of reach of children.

ACETIC ACID (50-80%) Page 5 of 6

16. OTHER INFORMATION

The following sections have been revised since the last issue of this SDS Not applicable

Contact

Australian Poisons Information Centre

24 Hour Service: - 13 11 26

Police or Fire Brigade: - 000 (exchange): - 1100

New Zealand National Poisons Centre

0800 764 766

Additional Information For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Safety Data Sheet for this or other Halliburton products,

contact Chemical Compliance at 1-580-251-4335.

Disclaimer Statement This information is furnished without warranty, expressed or implied, as to accuracy

or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of

the user.

END OF MSDS

HALLIBURTON

SAFETY DATA SHEET

DCA-14003

Revision Date: 27-Sep-2016 Revision Number: 11

1. Product Identifier & Identity for the Chemical

Statement of Hazardous Nature Non-Hazardous according to the criteria of the 3rd Revised Edition of the Globally

Harmonised System of Classification and Labelling of Chemicals (GHS), Non-Dangerous

Goods according to the criteria of ADG.

1.1. Product Identifier

Product Name DCA-14003

Other means of Identification

Synonyms None

Hazardous Material Number: HM007651

Recommended use of the chemical and restrictions on use

Recommended Use Buffer

Uses advised against No information available

Supplier's name, address and phone number

Manufacturer/Supplier Halliburton Australia Pty. Ltd.

15 Marriott Road, Jandakot, WA 6164

Australia

ACN Number: 009 000 775

Telephone Number: + 61 1 800 686 951 Fax Number: 61 (08) 9455 5300

E-mail Address fdunexchem@halliburton.com

Emergency phone number

+ 61 1 800 686 951

Australian Poisons Information Centre

24 Hour Service: - 13 11 26

Police or Fire Brigade: - 000 (exchange): - 1100

2. Hazard Identification

Statement of Hazardous Nature Non-Hazardous according to the criteria of the 3rd Revised Edition of the Globally

Harmonised System of Classification and Labelling of Chemicals (GHS), Non-Dangerous

Goods according to the criteria of ADG.

Classification of the hazardous chemical

Not classified

Label elements, including precautionary statements

Hazard pictograms

Signal Word Not Hazardous

Hazard Statements: Not Classified

Precautionary Statements

PreventionNoneResponseNoneStorageNoneDisposalNone

Contains

Substances CAS Number

Contains no hazardous substances in concentrations above NA

cut-off values according to the competent authority

Other hazards which do not result in classification

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).

This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

For the full text of the H-phrases mentioned in this Section, see Section 16

3. Composition/information on Ingredients

Substances	CAS Number	PERCENT (w/w)	GHS Classification - Australia
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	60 - 100%	Not Applicable

4. First aid measures

Description of necessary first aid measures

Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory

irritation develops or if breathing becomes difficult.

Eyes In case of contact, immediately flush eyes with plenty of water for at least 15

minutes and get medical attention if irritation persists.

Skin Wash with soap and water. Get medical attention if irritation persists. **Ingestion** Under normal conditions, first aid procedures are not required.

Symptoms caused by exposure
No significant hazards expected.

Medical Attention and Special Treatment

Notes to Physician Treat symptomatically

5. Fire Fighting Measures

Suitable extinguishing equipment

Suitable Extinguishing Media

All standard fire fighting media

Extinguishing media which must not be used for safety reasons

None known.

Specific hazards arising from the chemical

Special exposure hazards in a fire

None anticipated

Special protective equipment and precautions for fire fighters

Special protective equipment for firefighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid creating and breathing dust. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Scoop up and remove.

7. Handling and storage

7.1. Precautions for safe handling

Handling Precautions

Avoid creating or inhaling dust. Ensure adequate ventilation. Avoid contact with eyes, skin, or clothing. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Information

Store away from acids. Store in a dry location.

Other Guidelines

No information available

8. Exposure Controls/Personal Protection

Control parameters - exposure standards, biological monitoring

Exposure Limits

Substances	CAS Number	Australia NOHSC	ACGIH TLV-TWA
Contains no hazardous substances in	NA	Not applicable	Not applicable
concentrations above cut-off values according to			
the competent authority			

Appropriate engineering controls

Engineering Controls A well ventilated area to control dust levels. Local exhaust ventilation should be used in

areas without good cross ventilation.

Personal protective equipment (PPE)

Personal Protective Equipment If engineering controls and work practices cannot prevent excessive exposures, the

selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this

product.

Respiratory Protection Not normally needed. But if significant exposures are possible then the following respirator

is recommended:

Dust/mist respirator. (N95, P2/P3)

Hand Protection Normal work gloves.

Skin Protection Normal work coveralls.

Eye Protection Wear safety glasses or goggles to protect against exposure.

Other Precautions None known.

Environmental Exposure Controls Do not allow material to contaminate ground water system

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Solid Color White

Odor: Odorless Odor Threshold: No information available

Property Values

Remarks/ - Method

pH: 8

Freezing Point / Range
Melting Point / Range
No data available
Boiling Point / Range
No data available
Flash Point
No data available
Evaporation rate
No data available
Vapor Pressure
No data available
Vapor Density
No data available

Specific Gravity 1.87

Water SolubilitySoluble in waterSolubility in other solventsNo data availablePartition coefficient: n-octanol/waterNo data availableAutoignition TemperatureNo data availableDecomposition TemperatureNo data availableViscosityNo data available

Explosive PropertiesNo information available **Oxidizing Properties**No information available

9.2. Other information

VOC Content (%) No data available

10. Stability and Reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

Will Not Occur

10.4. Conditions to avoid

None anticipated

10.5. Incompatible materials

Strong acids.

10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide.

11. Toxicological Information

Information on routes of exposure

Principle Route of Exposure Eye or skin contact, inhalation.

Symptoms related to exposure

Most Important Symptoms/Effects

No significant hazards expected.

Numerical measures of toxicity

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Contains no hazardous substances in	NA	No data available	No data available	No data available
concentrations above cut-off values according				
to the competent				

Immediate, delayed and chronic health effects from exposure

Inhalation May cause mild respiratory irritation.

Eye Contact May cause mechanical irritation to eye.

Skin Contact None known. Ingestion None known.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 0.1%

are chronic health hazards.

Exposure Levels

No data available

Interactive effects

None known.

Data limitations

No data available

12. Ecological Information

Ecotoxicity Product Ecotoxicity Data

No data available

Substance Ecotoxicity Data

Oubstance Ecotoxicity	Data				
Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to	Toxicity to Invertebrates
				Microorganisms	
Contains no	NA	No information available	No information available	No information available	No information available
hazardous substances					
in concentrations					
above cut-off values					
according to the					
competent authority					

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Contains no hazardous substances in	NA	No information available
concentrations above cut-off values according to		
the competent authority		

12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Contains no hazardous substances in	NA	No information available
concentrations above cut-off values according to		
the competent authority		

12.4. Mobility in soil

Substances	CAS Number	Mobility
Contains no hazardous substances in concentrations	NA	No information available
above cut-off values according to the competent authority		

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

13. Disposal Considerations

Safe handling and disposal methods

Bury in a licensed landfill according to federal, state, and local regulations.

Disposal of any contaminated packaging

Follow all applicable national or local regulations.

Environmental regulations

Not applicable

14. Transport Information

Transportation Information

Australia ADG

UN Number
UN proper shipping name:
Transport Hazard Class(es):
Packing Group:
Not applicable
Environmental Hazards:
Not applicable
Not applicable

IMDG/IMO

UN Number
UN proper shipping name:
Not restricted
Not restricted
Not applicable
Packing Group:
Not applicable
Not applicable
Not applicable

IATA/ICAO

UN Number
UN proper shipping name:
Transport Hazard Class(es):
Packing Group:
Not applicable
Not applicable
Not applicable
Not applicable

Special precautions during transport

None

HazChem Code

None Allocated

15. Regulatory Information

Safety, health and environmental regulations specific for the product

International Inventories

Australian AICS Inventory

All components are listed on the AICS or are subject to a relevant exemption, permit, or

assessment certificate.

New Zealand Inventory of All components are listed on the NZIoC or are subject to a relevant exemption, permit, or

Chemicals assessment certificate.

EINECS (European Inventory of

This product, and all its components, complies with EINECS

Existing Chemical Substances)

US TSCA Inventory

All components listed on inventory or are exempt.

Canadian Domestic Substances List All components listed on inventory or are exempt.

(DSL)

Poisons Schedule number

None Allocated

International Agreements

Montreal Protocol - Ozone Depleting Substances:Does not applyStockholm Convention - Persistent Organic Pollutants:Does not applyRotterdam Convention - Prior Informed Consent:Does not applyBasel Convention - Hazardous Waste:Does not apply

16. Other information

Date of preparation or review

Revision Date: 27-Sep-2016

Revision Note

SDS sections updated: 2

Full text of H-Statements referred to under sections 2 and 3

None

Additional information For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact

Chemical Stewardship at 1-580-251-4335.

Key abreviations or acronyms used

bw - body weight

CAS - Chemical Abstracts Service

EC50 - Effective Concentration 50%

LC50 – Lethal Concentration 50%

LD50 - Lethal Dose 50%

LL50 - Lethal Loading 50%

mg/kg - milligram/kilogram

mg/L - milligram/liter

NOEC - No Observed Effect Concentration

OEL - Occupational Exposure Limit

PBT - Persistent Bioaccumulative and Toxic

ppm - parts per million

STEL - Short Term Exposure Limit

TWA - Time-Weighted Average

vPvB - very Persistent and very Bioaccumulative

h - hour

mg/m³ - milligram/cubic meter

mm - millimeter

mmHg - millimeter mercury

w/w - weight/weight

d - day

Key literature references and sources for data

www.ChemADVISOR.com/

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet

HALLIBURTON

SAFETY DATA SHEET

DCA-17001

Revision Date: 31-May-2016 Revision Number: 12

1. Product Identifier & Identity for the Chemical

Statement of Hazardous Nature Hazardous according to the criteria of the 3rd Revised Edition of the Globally Harmonised

System of Classification and Labelling of Chemicals (GHS), Dangerous Goods according to

the criteria of ADG.

1.1. Product Identifier

Product Name DCA-17001

Other means of Identification

Synonyms None

Hazardous Material Number: HM007659

Recommended use of the chemical and restrictions on use
Recommended Use Corrosion Inhibitor
Uses advised against No information available

Supplier's name, address and phone number

Manufacturer/Supplier Halliburton Australia Pty. Ltd.

15 Marriott Road

Jandakot WA 6164 Australia

ACN Number: 009 000 775

Telephone Number: + 61 1 800 686 951

Fax Number: 61 (08) 9455 5300

E-mail Address fdunexchem@halliburton.com

Emergency phone number

+ 61 1 800 686 951

Australian Poisons Information Centre

24 Hour Service: - 13 11 26

Police or Fire Brigade: - 000 (exchange): - 1100

2. Hazard Identification

Statement of Hazardous Nature Hazardous according to the criteria of the 3rd Revised Edition of the Globally Harmonised

System of Classification and Labelling of Chemicals (GHS), Dangerous Goods according to

the criteria of ADG.

Classification of the hazardous chemical

Acute Oral Toxicity	Category 4 - H302
Skin Corrosion/Irritation	Category 2 - H315
Serious Eye Damage/Irritation	Category 1 - H318
Skin Sensitization	Category 1 - H317
Reproductive Toxicity	Category 1B - H360
Specific Target Organ Toxicity - (Single Exposure)	Category 1 - H370
Specific Target Organ Toxicity - (Repeated Exposure)	Category 2 - H373
Acute Aquatic Toxicity	Category 2 - H401

Flammable liquids. Category 3 - H226

Label elements, including precautionary statements

Hazard pictograms



Signal Word Danger

Hazard Statements: H226 - Flammable liquid and vapor

H302 - Harmful if swallowed H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H318 - Causes serious eye damage

H360 - May damage fertility or the unborn child

H370 - Causes damage to organs

H373 - May cause damage to organs through prolonged or repeated exposure

H401 - Toxic to aquatic life

Precautionary Statements

Storage

Prevention P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P233 - Keep container tightly closed

P240 - Ground/Bond container and receiving equipment

P241 - Use explosion-proof electrical/ventilating/lighting/equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P272 - Contaminated work clothing should not be allowed out of the workplace

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P281 - Use personal protective equipment as required

Response P301+ P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

unwell

P330 - Rinse mouth

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P362 - Take off contaminated clothing and wash before reuse

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician

P307 + P311 - IF exposed: Call a POISON CENTER or doctor/physician

P314 - Get medical attention/advice if you feel unwell
P370 + P378 - In case of fire: Use water spray for extinction

P403 + P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up

1 400 Giore locked up

Disposal

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations

Contains

Substances CAS Number Diethylene glycol 111-46-6 104-55-2 Cinnamaldehyde Amine oxides, cocoalkyldimethyl 61788-90-7 Methanol 67-56-1 Benzaldehyde 100-52-7 Alcohols, C12-16, ethoxylated 68551-12-2 Sodium iodide 7681-82-5

<u>Other hazards which do not result in classification</u>
This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

For the full text of the H-phrases mentioned in this Section, see Section 16

3. Composition/information on Ingredients

Substances	CAS Number	PERCENT (w/w)	GHS Classification - Australia
Diethylene glycol	111-46-6	30 - 60%	Acute Tox. 4 (H302) STOT RE 2 (H373)
Cinnamaldehyde	104-55-2	30 - 60%	Acute Tox. 4 (H312) Skin Irrit. 2 (H315) Skin Sens. 1 (H317) Aquatic Acute 2 (H401)
Amine oxides, cocoalkyldimethyl	61788-90-7	10 - 30%	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Corr. 1 (H318) Aquatic Acute 1 (H400)
Methanol	67-56-1	10 - 30%	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) Repr. 1B (H360) STOT SE 1 (H370) Flam. Lig. 2 (H225)
Benzaldehyde	100-52-7	5 - 10%	Acute Tox. 4 (H302) Acute Tox. 4 (H332) Aquatic Acute 2 (H401) Flam. Liq. 4 (H227)
Alcohols, C12-16, ethoxylated	68551-12-2	1 - 5%	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Corr. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 3 (H412)
Sodium iodide	7681-82-5	1 - 5%	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335) STOT RE 1 (H372)

4. First aid measures

Description of necessary first aid measures

Inhalation

If inhaled, move victim to fresh air and seek medical attention.

Eyes

Skin

In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing. In case of contact, immediately flush skin with plenty of soap and water for at least

15 minutes. Get medical attention. Remove contaminated clothing and launder

before reuse.

Ingestion

Get immediate medical attention. Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical attention.

Symptoms caused by exposure

Causes severe eye irritation which may damage tissue. Causes skin irritation. May cause allergic skin reaction. Harmful if swallowed. May cause damage to internal organs. Prolonged or repeated exposure may cause damage to organs. Potential reproductive hazard. May cause birth defects.

Medical Attention and Special Treatment

Notes to Physician

Treat symptomatically

5. Fire Fighting Measures

Suitable extinguishing equipment

Suitable Extinguishing Media

Carbon dioxide, dry chemical, foam.

Extinguishing media which must not be used for safety reasons

None known.

Specific hazards arising from the chemical

Special exposure hazards in a fire

May be ignited by heat, sparks or flames Use water spray to cool fire exposed surfaces. Closed containers may explode in fire. Decomposition in fire may produce harmful gases. Runoff to sewer may cause fire or explosion hazard.

Special protective equipment and precautions for fire fighters

Special protective equipment for firefighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove sources of ignition. Use appropriate protective equipment. Wear self-contained breathing apparatus in enclosed areas. Avoid breathing vapors. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Remove ignition sources and work with non-sparking tools. Contain spill with sand or other inert materials. Scoop up and remove.

7. Handling and storage

7.1. Precautions for safe handling

Handling Precautions

Remove sources of ignition. Ensure adequate ventilation. Avoid breathing vapors. Avoid contact with eyes, skin, or clothing. Wash hands after use. Launder contaminated clothing before reuse. Ground and bond containers when transferring from one container to another. Use appropriate protective equipment.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Information

Store away from oxidizers. Keep from heat, sparks, and open flames. Store in a well ventilated area. Store locked up. Keep container closed when not in use. Product has a shelf life of 60 months.

Other Guidelines

No information available

8. Exposure Controls/Personal Protection

Control parameters - exposure standards, biological monitoring

Exposure Limits

Substances	CAS Number	Australia NOHSC	ACGIH TLV-TWA
Diethylene glycol	111-46-6	TWA: 23 ppm TWA: 100 mg/m ³	Not applicable
Cinnamaldehyde	104-55-2	Not applicable	Not applicable
Amine oxides, cocoalkyldimethyl	61788-90-7	Not applicable	Not applicable
Methanol	67-56-1	TWA: 200 ppm TWA: 262 mg/m ³ STEL: 250 ppm STEL: 328 mg/m ³	TWA: 200 ppm STEL: 250 ppm
Benzaldehyde	100-52-7	Not applicable	Not applicable
Alcohols, C12-16, ethoxylated	68551-12-2	Not applicable	Not applicable
Sodium iodide	7681-82-5	Not applicable	0.01 ppm

Appropriate engineering controls

Engineering Controls

Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

Personal protective equipment (PPE)

Personal Protective Equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this

product.

Respiratory Protection

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional.

Positive pressure self-contained breathing apparatus if methanol is released.

Hand Protection

Chemical-resistant protective gloves (EN 374) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Butyl rubber gloves. (>= 0.7 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced. Manufacturer's directions for use should be observed because of great

diversity of types.

Skin Protection

Rubber apron.

Eye Protection
Other Precautions
Environmental Exposure Controls

Chemical goggles; also wear a face shield if splashing hazard exists. Eyewash fountains and safety showers must be easily accessible. Do not allow material to contaminate ground water system

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid Color Yellow-orange

Odor: Cinnamon Odor Threshold: No information available

<u>Property</u> <u>Values</u>

Remarks/ - Method

pH:

6.85 (10%)

Freezing Point / Range -21 °C

Melting Point / Range No data available

Boiling Point / Range
No data available
Flash Point
28.9 °C / 84 °F PMCC

Evaporation rate No data available

Vapor PressureNo data availableVapor DensityNo data available

Specific Gravity 1.015

Water Solubility Soluble in water Solubility in other solvents No data available Partition coefficient: n-octanol/water No data available **Autoignition Temperature** No data available No data available **Decomposition Temperature** Viscosity No data available **Explosive Properties** No information available No information available **Oxidizing Properties**

9.2. Other information

VOC Content (%) No data available

10. Stability and Reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

Will Not Occur

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong oxidizers.

10.6. Hazardous decomposition products

Ammonia. Oxides of nitrogen. Hydrocarbons. Carbon monoxide and carbon dioxide.

11. Toxicological Information

Information on routes of exposure

Principle Route of Exposure Eye or skin contact, inhalation.

Symptoms related to exposure

Most Important Symptoms/Effects

Causes severe eye irritation which may damage tissue. Causes skin irritation. May cause allergic skin reaction. Harmful if swallowed. May cause damage to internal organs. Prolonged or repeated exposure may cause damage to organs. Potential reproductive hazard. May cause birth defects.

Numerical measures of toxicity

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Diethylene glycol	111-46-6	12565 - 19600 mg/kg (Rat)	11890 - 13300 mg/kg (Rabbit)	> 4.6 mg/L (Rat) 4h
Cinnamaldehyde	104-55-2	2200 mg/kg (Rat) 340 mg/kg (Guinea pig) 1160 ng/kg (Rat) 1600 mg/kg (Rat)	2000 mg/kg (Rabbit) 2000 mg/kg (Rat) 1260 mg/kg (Rabbit)	QSAR: 68.86 ppm (Rat) 4h 68.88 ppm (Rat) 4h (QSAR)
Amine oxides, cocoalkyldimethyl	61788-90-7	846 - 3873 mg/kg (Rat) 1000-1250 mg/kg (Rat)	4290 mg/kg (Rabbit)	No data available
Methanol	67-56-1	300 mg/kg-bw (human) < 790 to 13,000 mg/kg (rat)	1000 mg/kg-bw (human) 17,100 mg/kg (rabbit)	10 mg/L (human, vapor, 4h)
Benzaldehyde	100-52-7	800 mg/kg (Rat) 1375 mg/kg (Rat)	>1250 mg/kg (Rabbit) >20000 mL/kg (Guinea Pig)	1 - 5 mg/L (Rat) 4h
Alcohols, C12-16, ethoxylated	68551-12-2	1600 mg/kg	No data available	No data available
Sodium iodide	7681-82-5	4340 mg/kg (Rat) 3118 mg/kg (Rats) (Similar	No data available	LCLo: 50000 mg/m³ (Mouse) 2h

substance)

Immediate, delayed and chronic health effects from exposure

Product Information Based on the collective toxicity of product ingredients, the mixture should be considered to

cause the following:

May cause respiratory irritation. May cause central nervous system depression including Inhalation

headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech,

giddiness and unconsciousness.

Causes severe eye irritation which may damage tissue. **Eye Contact Skin Contact** Causes skin irritation. May cause an allergic skin reaction.

Harmful if swallowed. May cause central nervous system depression including headache, Ingestion

dizziness, drowsiness, muscular weakness, incoordination, slowed reaction time, fatigue blurred vision, slurred speech, giddiness, tremors and convulsions. May cause liver and

kidney damage.

Chronic Effects/Carcinogenicity Prolonged or repeated exposure may cause reproductive system damage. Prolonged or repeated exposure may cause embryo and fetus toxicity.

Exposure Levels

No data available

Interactive effects

Skin disorders. Eye ailments.

Data limitations

No data available

Substances	CAS Number	Skin corrosion/irritation
Diethylene glycol	111-46-6	Non-irritating to the skin (Rabbit)
Cinnamaldehyde	104-55-2	Causes severe irritation and or burns (human)
Amine oxides,	61788-90-7	Skin, rabbit: Causes moderate skin irritation.
cocoalkyldimethyl		
Methanol	67-56-1	Non-irritating to the skin (Rabbit)
Benzaldehyde	100-52-7	Non-irritating to the skin (Rabbit)
Alcohols, C12-16,	68551-12-2	Causes skin irritation.
ethoxylated		
Sodium iodide	7681-82-5	Moderate dermal irritant (Rabbit)

Substances	CAS Number	Serious eye damage/irritation
Diethylene glycol	111-46-6	Non-irritating to the eye (Rabbit)
Cinnamaldehyde	104-55-2	Mild eye irritant. (human) (8 % solution)
Amine oxides, cocoalkyldimethyl	61788-90-7	Corrosive to eyes
Methanol	67-56-1	Non-irritating to the eye (Rabbit)
Benzaldehyde	100-52-7	Non-irritating to the eye (Rabbit)
Alcohols, C12-16, ethoxylated	68551-12-2	Causes severe eye irritation which may damage tissue.
Sodium iodide	7681-82-5	Moderately irritating to the eyes (Rabbit)

Substances	CAS Number	Skin Sensitization
Diethylene glycol	111-46-6	Did not cause sensitization on laboratory animals (guinea pig)
Cinnamaldehyde	104-55-2	Skin sensitizer in guinea pig.
Amine oxides, cocoalkyldimethyl	61788-90-7	No information available
Methanol	67-56-1	Did not cause sensitization on laboratory animals (guinea pig)
Benzaldehyde	100-52-7	Not sensitizing in Guinea Pigs (Guinea Pig Maximisation Test and Open Epicutaneous Test, Sensitizing in Draize Test and Freund's Complete Adjuvant Test)
Alcohols, C12-16, ethoxylated	68551-12-2	Did not cause sensitization on laboratory animals
Sodium iodide	7681-82-5	Patch test on human volunteers did not demonstrate sensitization properties

Substances	CAS Number	Respiratory Sensitization
Diethylene glycol	111-46-6	No information available
Cinnamaldehyde	104-55-2	No information available

Amine oxides, cocoalkyldimethyl	61788-90-7	No information available
Methanol	67-56-1	No information available
Benzaldehyde	100-52-7	No information available
Alcohols, C12-16, ethoxylated	68551-12-2	No information available
Sodium iodide	7681-82-5	No information available

Substances	CAS Number	Mutagenic Effects		
Diethylene glycol	111-46-6	In vitro tests did not show mutagenic effects. In vivo tests did not show mutagenic effects.		
Cinnamaldehyde	104-55-2	In vitro tests did not show mutagenic effects.		
Amine oxides, cocoalkyldimethyl	61788-90-7	In vitro tests did not show mutagenic effects. In vivo tests did not show mutagenic effects. (similar substances)		
Methanol	67-56-1	ne weight of evidence from available in vitro and in vivo studies indicates that this substance is no expected to be mutagenic.		
Benzaldehyde	100-52-7	Not mutagenic in AMES Test. Negative in the chromosomal aberration assay In vitro tests have sh nutagenic effects In vivo tests did not show mutagenic effects.		
Alcohols, C12-16, ethoxylated	68551-12-2	Not regarded as mutagenic.		
Sodium iodide	7681-82-5	In vitro tests did not show mutagenic effects. (similar substances)		

Substances	CAS Number	Carcinogenic Effects		
Diethylene glycol	111-46-6	oid not show carcinogenic effects in animal experiments (Rat)		
Cinnamaldehyde	104-55-2	No information available		
Amine oxides, cocoalkyldimethyl	61788-90-7	information available		
Methanol	67-56-1	data of sufficient quality are available.		
Benzaldehyde		old not show carcinogenic effects in animal experiments (Rat) There was some evidence of arcinogenic activity in the forestomachs of mice.		
Alcohols, C12-16, ethoxylated	68551-12-2	Not regarded as carcinogenic.		
Sodium iodide	7681-82-5	No information available		

Substances	CAS Number	Reproductive toxicity		
Diethylene glycol		Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments.		
Cinnamaldehyde	104-55-2	Did not show teratogenic effects in animal experiments.		
Amine oxides, cocoalkyldimethyl		d not show teratogenic effects in animal experiments. When tested at maternally toxic doses, no verse effects on teratogenicity or development were observed.		
Methanol	67-56-1	speriments have shown reproductive toxicity effects on laboratory animals		
Benzaldehyde		Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments. (similar substances)		
Alcohols, C12-16, ethoxylated	68551-12-2	Not regarded as a reproductive and developmental toxicant.		
Sodium iodide	7681-82-5	Animal testing did not show any effects on fertility.		

Substances	CAS Number	STOT - single exposure	
Diethylene glycol	111-46-6	No significant toxicity observed in animal studies at concentration requiring classification.	
Cinnamaldehyde	104-55-2	No information available	
Amine oxides, cocoalkyldimethyl	61788-90-7	ay cause respiratory irritation.	
Methanol	67-56-1	lay cause disorder and damage to the Central Nervous System (CNS)	
Benzaldehyde	100-52-7	ay cause respiratory irritation.	
Alcohols, C12-16, ethoxylated	68551-12-2	No significant toxicity observed in animal studies at concentration requiring classification.	
Sodium iodide	7681-82-5	No information available	

Substances	CAS Number	STOT - repeated exposure	
Diethylene glycol		Causes damage to organs through prolonged or repeated exposure: (Kidney)	
Cinnamaldehyde	104-55-2	No significant toxicity observed in animal studies at concentration requiring classification.	
	61788-90-7	No data of sufficient quality are available.	
cocoalkyldimethyl			
Methanol	67-56-1	No data of sufficient quality are available.	
Benzaldehyde		lo significant toxicity observed in animal studies at concentration requiring classification.	
Alcohols, C12-16,	68551-12-2	No significant toxicity observed in animal studies at concentration requiring classification.	
ethoxylated			
Sodium iodide	7681-82-5	Causes damage to organs through prolonged or repeated exposure: (Thyroid)	

Substances	CAS Number	Aspiration hazard
Diethylene glycol	111-46-6	No information available
Cinnamaldehyde	104-55-2	Not applicable
Amine oxides,	61788-90-7	No information available
cocoalkyldimethyl		
Methanol	67-56-1	Not applicable
Benzaldehyde	100-52-7	Not applicable
Alcohols, C12-16,	68551-12-2	Not applicable
ethoxylated		
Sodium iodide	7681-82-5	Not applicable

12. Ecological Information

Toxicity to

Toxicity to Invertebrates

Ecotoxicity Product Ecotoxicity Data No data available

Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish
Diethylene glycol	111-46-6	TGK (8d) 2700 mg/L	LC50 75200 mg/L

				Microorganisms	
Diethylene glycol	111-46-6	TGK (8d) 2700 mg/L (Scenedesmus	LC50 75200 mg/L (Pimephales promelas)	EC20 (30m) > 1995 mg/L (domestic activated	EC50 84000 mg/L (Daphnia magna)
		quadricauda)	(i iiiiopiiaiso proiiioias)	sludge)	EC50 >10000 mg/L
		4			(Daphnia magna)
Cinnamaldehyde	104-55-2	EC50 0.13 mg/L	LC50 (47h) 122 mg/L	IC50 (48h) 131.2 mg/L	LC50 (48h) 107 mg/L
, , , , , , , , , , , , , , , , , , , ,		(Chlorella vulgaris)	(Cyprinus carpio)	(Tetrahymena pyriformis)	(Daphnia magna)
Amine oxides,	61788-90-7	ErC50 (72h) 0.29 mg/L	LC50 (96h) 1.0-3.4 mg/L	EC50 (3h) 240 mg/L	EC50 (48h) 2.9 mg/L
cocoalkyldimethyl		(Selenastrum	(Brachydanio rerio)	(Pseudomonas putida)	(Daphnia magna)
, ,		capricornutum)	LC50 (96h) 13.0 (Salmo	EC50 (3h) 13 mg/L	EC50 (48h) 0.083 mg/L
		ErC50 (72h) 0.0235 mg/L	gairdneri)	(Activated sludge)	(Daphnia magna) (similar
		(Scendesmus	LC50 (96h) 0.1-1 mg/L		substance)
		subspicatus) (similar	(Brachydanio rerio)		
	07.50.4	substance)	1.050 (00.1) 45.400 #	1050 (01) 1000 #	5050 (00 1) 40000 #
Methanol	67-56-1	EC50 (96 h) =22000 mg/L			EC50 (96 h) =18260 mg/L
		(Pseudokirchnerella subcapitata)	(Lepomis macrochirus) EC50 (200 h) =14536	(activated sludge)	(Dapnia magna) NOEC (21 d) =208 mg/L
		NOEC (8 d) =8000 mg/L	mg/L (Oryzias latipes)		(Dapnia magna)
		(Scenedesmus	I Trig/L (Oryzias latipes)		(Dapilia Illaglia)
		quadricauda)			
Benzaldehyde	100-52-7	NOEC (8d) 20 mg/L	LC50: 10.6 - 11.8 mg/L	IC50 (3h) 740 mg/L	EC50: 50 mg/L (Daphnia
Derizalderiyae	100 02 7	(Microcystis aeruginosa)	(Oncorhynchus mykiss)	1000 (6.1) / 10 111g/L	magna)
		NOEC (8d) 132 mg/L	LC50 (96h) 12.4 mg/L		g,
		, ,	(Pimephales promelas)		
			LC50 (96h) 11.2 mg/L		
			(Salmo gairdneri)		
			LC50 (96h) 13.8 mg/L		
			(Carassius auratus)		
			LC50 (96h) 5.39 mg/L		
			(Ictalurus punctatus)		
			LC50 (96h) 1.07 mg/L (Lepomis macrochirus)		
Alaahala C12 16	68551-12-2	EC50 0.7 mg/L	No information available	No information available	0.39 mg/L (Daphnia
Alcohols, C12-16,	00001-12-2	(Selenastrum	No iniornation available	No iniormation available	Magna)
ethoxylated		capricornutum)			iviagria)
Sodium iodide	7681-82-5	7 d Tox threshold: 2370	LC50(96h): 3780 mg/L	No information available	EC50(48h): 1.27 mg/L
	7001-02-3	mg/L (Scenedesmus	(Oncorhynchus mykiss)	140 miormation available	(Daphnia magna)
		quadricauda, biomass)	LC50(96h): > 100 mg/L		EC50(48h): 575 mg/L
		EC50(72h): 2588.7 mg/L	(Scopthalmus maximus)		(Acartia tonsa)
		(Skeletonema costatum)	[` '		'

12.2. Persistence and degradability

No data is available on the product itself

Substances	CAS Number	Persistence and Degradability
Diethylene glycol	111-46-6	Readily biodegradable (90-100% @ 28d)
Cinnamaldehyde	104-55-2	Predicted to be readily biodegradable.
Amine oxides, cocoalkyldimethyl	61788-90-7	Readily biodegradable (81% @ 28d)

Methanol	67-56-1	(95-97% @ 20d)
Benzaldehyde	100-52-7	Readily biodegradable (>=95% @ 28d)
Alcohols, C12-16, ethoxylated	68551-12-2	No information available
Sodium iodide	7681-82-5	Not applicable

12.3. Bioaccumulative potential

No data is available on the product itself

Substances	CAS Number	Log Pow
Diethylene glycol	111-46-6	BCF: 100 (Leuciscus idus melanotus)
Cinnamaldehyde	104-55-2	1.83 BCF = 8 (Calculated)
Amine oxides, cocoalkyldimethyl	61788-90-7	Log Kow = 7.5
Methanol	67-56-1	-0.77 BCF = 1.0 – 4.5 (Cyprinus carpio) BCF < 10 (Leuciscus idus melanotus)
Benzaldehyde	100-52-7	No information available
Alcohols, C12-16, ethoxylated	68551-12-2	No information available
Sodium iodide	7681-82-5	-1.301

12.4. Mobility in soil

Substances	CAS Number	Mobility
Diethylene glycol	111-46-6	No information available
Cinnamaldehyde	104-55-2	No information available
Amine oxides, cocoalkyldimethyl	61788-90-7	No information available
Methanol	67-56-1	No information available
Benzaldehyde	100-52-7	No information available
Alcohols, C12-16, ethoxylated	68551-12-2	No information available
Sodium iodide	7681-82-5	No information available

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

13. Disposal Considerations

Safe handling and disposal methods

Incineration recommended in approved incinerator according to federal, state, and local regulations. Substance should NOT be deposited into a sewage facility.

Disposal of any contaminated packaging

Follow all applicable national or local regulations. Contaminated packaging may be disposed of by: rendering packaging incapable of containing any substance, or treating packaging to remove residual contents, or treating packaging to make sure the residual contents are no longer hazardous, or by disposing of packaging into commercial waste collection.

Environmental regulations

Not applicable

14. Transport Information

Transportation Information

UN Number UN1993

UN proper shipping name: Flammable Liquid, N.O.S. (Contains Methanol, Aldehydes)

Transport Hazard Class(es): 3
Packing Group: | | | |

Environmental Hazards: Not applicable

Special precautions during transport

None

HazChem Code

2WE

15. Regulatory Information

Safety, health and environmental regulations specific for the product

International Inventories

Australian AICS Inventory

All components are listed on the AICS or are subject to a relevant exemption, permit, or

assessment certificate.

New Zealand Inventory of All components are listed on the NZIoC or are subject to a relevant exemption, permit, or

Chemicals assessment certificate.

EINECS (European Inventory of Existing Chemical Substances)

This product does not comply with EINECS

US TSCA Inventory All components listed on inventory or are exempt. **Canadian Domestic Substances List** All components listed on inventory or are exempt.

(DSL)

Poisons Schedule number

None Allocated

International Agreements

Montreal Protocol - Ozone Depleting Substances:Does not applyStolkhom Convention - Persistent Organic Pollutants:Does not applyRotterdam Convention - Prior Informed Consent:Does not applyBasel Convention - Hazardous Waste:Does not apply

16. Other information

Date of preparation or review

Revision Date: 31-May-2016

Revision Note

SDS sections updated: 2

Full text of H-Statements referred to under sections 2 and 3

H225 - Highly flammable liquid and vapor

H226 - Flammable liquid and vapor

H227 - Combustible liquid

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H312 - Harmful in contact with skin

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H331 - Toxic if inhaled

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H370 - Causes damage to organs

H372 - Causes damage to organs through prolonged or repeated exposure

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H401 - Toxic to aquatic life

H412 - Harmful to aquatic life with long lasting effects

Additional information For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact

Chemical Stewardship at 1-580-251-4335.

Key abreviations or acronyms used

bw - body weight

CAS - Chemical Abstracts Service

EC50 - Effective Concentration 50%

LC50 - Lethal Concentration 50%

LD50 - Lethal Dose 50%

LL50 - Lethal Loading 50%

mg/kg - milligram/kilogram

mg/L - milligram/liter

NOEC - No Observed Effect Concentration

OEL – Occupational Exposure Limit

PBT - Persistent Bioaccumulative and Toxic

ppm - parts per million

STEL - Short Term Exposure Limit

TWA - Time-Weighted Average

vPvB - very Persistent and very Bioaccumulative

h - hour

mg/m³ - milligram/cubic meter

mm - millimeter

mmHg - millimeter mercury

w/w - weight/weight

d - day

Key literature references and sources for data

www.ChemADVISOR.com/ NZ CCID

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet

HALLIBURTON

MATERIAL SAFETY DATA SHEET

Product Trade Name: DCA-17004

Revision Date: 13-Mar-2014

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Statement of Hazardous Nature Non-Hazardous according to the criteria of NOHSC, Non-Dangerous Goods

according to the criteria of ADG.

Manufacturer/Supplier Halliburton Australia Pty. Ltd.

15 Marriott Road

Jandakot WA 6164 Australia

ACN Number: 009 000 775

Telephone Number: 61 (08) 9455 8300 Fax Number: 61 (08) 9455 5300

Product Emergency Telephone

Australia: 08-64244950

Papua New Guinea: 05 1 281 575 5000

NewZealand: 06-7559274

Fire, Police & Ambulance - Emergency Telephone

Australia: 000

Papua New Guinea: 000

New Zealand: 111

Identification of Substances or Preparation

Product Trade Name: DCA-17004

Synonyms: None
Chemical Family: Blend
UN Number: None
Dangerous Goods Class: None
Subsidiary Risk: None

Hazchem Code: None Allocated
Poisons Schedule: None Allocated
Application: Corrosion Inhibitor

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

2. HAZARDS IDENTIFICATION

Statement of Hazardous Nature Non-Hazardous according to the criteria of NOHSC, Non-Dangerous Goods

according to the criteria of ADG.

Hazard Overview No significant hazards expected.

Classification None

Risk Phrases None

Safety Phrases None

HSNO Classification Non-hazardous

COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT (w/w)	Australia NOHSC	New Zealand	ACGIH TLV-TWA
				WES	
Contains no hazardous	Mixture	60 - 100%	Not applicable	Not applicable	Not applicable
substances					

Non-Hazardous Substance to Total of 100%

FIRST AID MEASURES

If inhaled, remove from area to fresh air. Get medical attention if respiratory Inhalation

irritation develops or if breathing becomes difficult.

Skin Get medical attention if irritation persists. Wash with soap and water.

In case of contact, immediately flush eyes with plenty of water for at least 15 **Eyes**

minutes and get medical attention if irritation persists.

Under normal conditions, first aid procedures are not required. Ingestion

Notes to Physician Not Applicable

FIRE FIGHTING MEASURES

Suitable Extinguishing Media

All standard fire fighting media

Extinguishing media which must not be used for safety reasons

None known.

Special Exposure Hazards Organic dust in the presence of an ignition source can be explosive in high

concentrations. Good housekeeping practices are required to minimize this

potential.

Special Protective Equipment

for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required

for fire fighting personnel.

ACCIDENTAL RELEASE MEASURES

Personal Precautionary

Measures

Use appropriate protective equipment.

Environmental Precautionary

Measures

None known.

Procedure for Cleaning /

Absorption

Scoop up and remove.

HANDLING AND STORAGE

Handling Precautions Avoid creating or inhaling dust.

Storage Information Store away from oxidizers. Store in a dry location. Product has a shelf life of 24

months.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls A well ventilated area to control dust levels.

Respiratory ProtectionNot normally needed. But if significant exposures are possible then the following

respirator is recommended:

Dust/mist respirator. (N95, P2/P3)

Hand Protection Normal work gloves.

Skin Protection Normal work coveralls.

Eye Protection Wear safety glasses or goggles to protect against exposure.

Other Precautions None known.

9. PHYSICAL AND CHEMICAL PROPERTIES

Solid **Physical State:** Color: Brown Odor: Coffee bean :Ha Not Determined Specific Gravity @ 20 C (Water=1): Not Determined Density @ 20 C (kg/l): Not Determined Bulk Density @ 20 C (kg/M3): Not Determined Boiling Point/Range (C): Not Determined Freezing Point/Range (C): Not Determined Pour Point/Range (C): Not Determined Flash Point/Range (C): Not Determined Flash Point Method: Not Determined **Autoignition Temperature (C):** Not Determined Flammability Limits in Air - Lower (g/m³): Not Determined Flammability Limits in Air - Lower (%): Not Determined Flammability Limits in Air - Upper (g/m³): Not Determined Flammability Limits in Air - Upper (%): Not Determined Vapor Pressure @ 20 C (mmHq): Not Determined Vapor Density (Air=1): Not Determined **Percent Volatiles:** Not Determined Evaporation Rate (Butyl Acetate=1): Not Determined Solubility in Water (g/100ml): Soluble Solubility in Solvents (g/100ml): Not Determined VOCs (g/l): Not Determined Viscosity, Dynamic @ 20 C (centipoise): Not Determined Viscosity, Kinematic @ 20 C (centistokes): Not Determined Partition Coefficient/n-Octanol/Water: Not Determined Molecular Weight (g/mole): Not Determined **Decomposition Temperature (C):** Not Determined

10. STABILITY AND REACTIVITY

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

Conditions to Avoid None known.

Incompatibility (Materials to

Avoid)

Strong oxidizers.

Hazardous Decomposition

Products

Carbon monoxide and carbon dioxide.

Additional Guidelines Not Applicable

11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure Eye or skin contact, inhalation.

Sympotoms related to exposure

Acute Toxicity

InhalationMay cause mild respiratory irritation.Eye ContactMay cause mild eye irritation.Skin ContactMay cause mild skin irritation.

Ingestion None known

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 1% are chronic

health hazards. Generally Recognized As Safe (GRAS)

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Contains no hazardous	Mixture	No data available	No data available	No data available
substances				

12. ECOLOGICAL INFORMATION

Ecotoxicological Information

Ecotoxicity Product

Acute Fish Toxicity: Not determined Acute Crustaceans Toxicity: Not determined Acute Algae Toxicity: Not determined

Ecotoxicity Substance

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Contains no hazardous substances	Mixture	No information available	No information available	No information available	No information available

12.2 Persistence and degradability

Product is biodegradable

12.3 Bioaccumulative potential

Does not bioaccumulate

12.4 Mobility in soil

No information available

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

13. DISPOSAL CONSIDERATIONS

Disposal Method Bury in a licensed landfill according to federal, state, and local regulations.

Contaminated Packaging Follow all applicable national or local regulations.

TRANSPORT INFORMATION

Land Transportation

ADR

Not restricted

Air Transportation

ICAO/IATA

Not restricted

Sea Transportation

IMDG

Not restricted

Other Transportation Information

Labels: None

REGULATORY INFORMATION 15.

Chemical Inventories

Australian AICS Inventory New Zealand Inventory of

Chemicals

US TSCA Inventory All components listed on inventory or are exempt.

This product, and all its components, complies with EINECS **EINECS Inventory**

Classification Not Classified

Risk Phrases None

Safety Phrases None

OTHER INFORMATION

The following sections have been revised since the last issue of this SDS

Not applicable

All components listed on inventory or are exempt. All components listed on inventory or are exempt.

Contact

Australian Poisons Information Centre

24 Hour Service: - 13 11 26

Police or Fire Brigade: - 000 (exchange): - 1100

New Zealand National Poisons Centre

0800 764 766

Additional information For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Safety Data Sheet for this or other Halliburton products,

contact Chemical Compliance at 1-580-251-4335.

Disclaimer Statement This information is furnished without warranty, expressed or implied, as to

accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the

sole responsibility of the user.

END OF MSDS

HALLIBURTON

SAFETY DATA SHEET

DCA-32009

Revision Date: 20-Nov-2015 Revision Number: 7

1. Product Identifier & Identity for the Chemical

Statement of Hazardous Nature Hazardous according to the criteria of the 3rd Revised Edition of the Globally Harmonised

System of Classification and Labelling of Chemicals (GHS), Non-Dangerous Goods

according to the criteria of ADG.

1.1. Product Identifier

Product Name DCA-32009

Other means of Identification

Synonyms: None Product Code: HM007719

Recommended use of the chemical and restrictions on use

Recommended Use Cleaner

Uses Advised Against No information available

Supplier's name, address and phone number

Manufacturer/Supplier Halliburton Australia Pty. Ltd.

15 Marriott Road Jandakot

WA 6164 Australia

ACN Number: 009 000 775

Telephone Number: + 61 1 800 686 951

Fax Number: 61 (08) 9455 5300 fdunexchem@halliburton.com

Emergency phone number

+ 61 1 800 686 951

E-Mail address:

Australian Poisons Information Centre

24 Hour Service: - 13 11 26

Police or Fire Brigade: - 000 (exchange): - 1100

2. Hazard Identification

Statement of Hazardous Nature Hazardous according to the criteria of the 3rd Revised Edition of the Globally Harmonised

System of Classification and Labelling of Chemicals (GHS), Non-Dangerous Goods

according to the criteria of ADG.

Classification of the hazardous chemical

Ciaconication of the Hazaracac chomical	
Acute Inhalation Toxicity - Dusts and Mists	Category 4 - H332
Skin Corrosion / irritation	Category 2 - H315
Serious Eye Damage / Eye Irritation	Category 2 - H319
Flammable Liquids.	Category 4 - H227

Label elements, including precautionary statements

Hazard Pictograms



Signal Word Warning

Hazard Statements H227 - Combustible liquid

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

Precautionary Statements

Prevention P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/eye protection/face protection

Response P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P332 + P313 - If skin irritation occurs: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable

for breathing

P312 - Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing P337 + P313 - If eye irritation persists: Get medical advice/attention

P370 + P378 - In case of fire: Use water spray for extinction

Storage P403 + P235 - Store in a well-ventilated place. Keep cool

Disposal P501 - Dispose of contents/container in accordance with

local/regional/national/international regulations

Contains

Substances
Ethylene glycol monobutyl ether

Oxylated alkylphenols Alkyl hexanol

Alkyl hexanol Isopropanol **CAS Number** 111-76-2

Proprietary Proprietary 67-63-0

Other hazards which do not result in classification

None known

Australia Classification

For the full text of the H-phrases mentioned in this Section, see Section 16

Classification Xn - Harmful.

Risk Phrases R20 Harmful by inhalation.

R36/38 Irritating to eyes and skin.

3. Composition/information on Ingredients

Substances	CAS Number	PERCENT (w/w)	GHS Classification - Australia
Ethylene glycol monobutyl ether	111-76-2	30 - 60%	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Flam. Liq. 4 (H227)
Oxylated alkylphenols	Proprietary	10 - 30%	Skin Irrit. 2 (H315) Eye Irrit. 2A (H319)
Alkyl hexanol	Proprietary	10 - 30%	Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2A (H319) STOT SE 3 (H335) Aquatic Acute 3 (H402) Flam. Liq. 4 (H227)
Isopropanol	67-63-0	10 - 30%	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225)

4. First aid measures

Description of necessary first aid measures

Inhalation If inhaled, move victim to fresh air and seek medical attention.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of

water for at least 15 minutes and get medical attention immediately after flushing. In case of contact, immediately flush skin with plenty of soap and water for at least

15 minutes. Get medical attention. Remove contaminated clothing and launder

before reuse. Destroy or properly dispose of contaminated shoes.

Ingestion Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical

attention.

Symptoms caused by exposure

Causes eye irritation Causes skin irritation. May be harmful if inhaled.

Medical Attention and Special Treatment

Notes to Physician Treat symptomatically

5. Fire Fighting Measures

Suitable extinguishing equipment

Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

None known.

Skin

Specific hazards arising from the chemical

Special Exposure Hazards

Use water spray to cool fire exposed surfaces. Closed containers may explode in fire. Decomposition in fire may produce harmful gases.

Special protective equipment and precautions for fire fighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment.

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Scoop up and remove.

7. Handling and storage

7.1. Precautions for Safe Handling

Handling Precautions

Avoid contact with eyes, skin, or clothing. Avoid breathing vapors.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Information

Keep from heat, sparks, and open flames. Store in a cool well ventilated area. Keep container closed when not in use. Store locked up. Product has a shelf life of 24 months.

Other Guidelines

No information available

8. Exposure Controls/Personal Protection

Control parameters - exposure standards, biological monitoring

Exposure Limits

Substances	CAS Number	Australia NOHSC	ACGIH TLV-TWA
Ethylene glycol monobutyl ether	111-76-2	TWA: 20 ppm TWA: 96.9 mg/m³ STEL: 50 ppm STEL: 242 mg/m³	Skin
Oxylated alkylphenols	Proprietary	Not applicable	Not applicable
Alkyl hexanol	Proprietary	TWA: 50 ppm TWA: 266 mg/m ³	TWA: 50 ppm
Isopropanol	67-63-0	TWA: 400 ppm TWA: 983 mg/m³ STEL: 500 ppm STEL: 1230 mg/m³	TWA: 200 ppm STEL: 400 ppm

Appropriate engineering controls

Engineering Controls Use in a well ventilated area. Local exhaust ventilation should be used in areas without

good cross ventilation.

Personal protective equipment (PPE)

Respiratory Protection Organic vapor respirator.

In high concentrations, supplied air respirator or a self-contained breathing apparatus.

Hand Protection Impervious rubber gloves.

Skin Protection Rubber apron.

Eye Protection Chemical goggles; also wear a face shield if splashing hazard exists.

Other Precautions None known.

Environmental Exposure Controls No information available

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State:LiquidColor:Clear light amberOdor:SweetOdor Threshold:No information available

<u>Property</u> <u>Values</u>

Remarks/ - Method

pH: 8

Freezing Point/RangeNo data availableMelting Point/RangeNo data availableBoiling Point/Range136 °C / 278 °F

Flash Point 79 °C / 175 °F PMCC

upper flammability limit 10.6% lower flammability limit 1.5%

Evaporation rateNo data availableVapor Pressure0.8 mmHgVapor DensityNo data available

Specific Gravity 0.92

Water Solubility
Soluble in water
Solubility in other solvents
No data available
Partition coefficient: n-octanol/water
No data available
Autoignition Temperature
No data available
Decomposition Temperature
No data available
No data available
No data available

Explosive Properties

No information available
Oxidizing Properties

No information available

9.2. Other information

VOC Content (%) No data available

10. Stability and Reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical Stability

Stable

10.3. Possibility of Hazardous Reactions

Will Not Occur

10.4. Conditions to Avoid

Keep away from heat, sparks and flame.

10.5. Incompatible Materials

Strong oxidizers. Strong alkalis. Amphoteric metals such as aluminum, magnesium, lead, tin, or zinc.

10.6. Hazardous Decomposition Products

Toxic fumes. Carbon monoxide and carbon dioxide.

11. Toxicological Information

Information on routes of exposure

Principle Route of Exposure Eye or skin contact, inhalation.

Symptoms related to exposure

Most Important Symptoms/Effects

Causes eye irritation Causes skin irritation. May be harmful if inhaled.

Numerical measures of toxicity

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethylene glycol	111-76-2	470 mg/kg (Rat)	220 mg/kg (Rabbit)	450 mg/L (Rat) 4h
monobutyl ether		1414 mg/kg (Guinea pig)	2270 mg/kg (Rat)	2.174 mg/L (Rat) 4h
1		1746 mg/kg (Rat)	200 mg/kg (Guinea pig)	2.21 mg/L (Rat) 4h
		320 mg/kg (Rabbit)	>2000 mg/kg (Rabbit)	450-486 mg/L (Rat) 4h
		530 mg/kg (Rat)	841 mg/kg (Rabbit)	925 mg/L (Rat) 4h
		560 mg/kg (Rat)	435 mg/kg (Rabbit)	>633 mg/L (Guinea pig) 1h
		3000 mg/kg (Rat)	>2000 mg/kg (Guinea pig)	
		2400 mg/kg (Rat)	>2000 mg/kg (Rat)	
			100 mg/kg (Rabbit)	
			207 mg/kg (Guinea pig)	
			400-500 mg/kg (Rabbit)	
Oxylated alkylphenols	Proprietary	No data available	No data available	No data available

Alkyl hexanol	Proprietary	> 2000 mg/kg	1980 mg/kg	1.45 mg/L (Rat) 4h
Isopropanol	67-63-0	4396 mg/kg (Rat)	12,800 mg/kg (Rat)	72.6 mg/L (Rat) 4h
		5840 mg/kg (Rat)	12,870 mg/kg (Rabbit)	> 10,000 mg/L (Rat) 6h
		3600 mg/kg (Mouse)	6280 mg/kg (Rabbit)	

Immediate, delayed and chronic health effects from exposure

Product Information Under certain conditions of use, some of the product ingredients may cause the following: Inhalation

Harmful if inhaled. May cause mild respiratory irritation. May cause central nervous system depression including headache, dizziness, drowsiness, incoordination, slowed reaction

time, slurred speech, giddiness and unconsciousness.

Eye Contact Causes moderate eye irritation. **Skin Contact** Causes moderate skin irritation.

Ingestion May cause abdominal pain, vomiting, nausea, and diarrhea.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 0.1%

are chronic health hazards.

Exposure Levels

No data available

Interactive effects

Skin disorders. Eye ailments.

Data limitations

No data available

Substances	CAS Number	Skin corrosion/irritation
Ethylene glycol monobutyl	111-76-2	Causes moderate skin irritation. (Rabbit)
ether		
Oxylated alkylphenols		Irritating to skin. (Rabbit)
Alkyl hexanol		Causes moderate skin irritation. (Rabbit)
Isopropanol	67-63-0	Non-irritating to the skin (Rabbit)

Substances	CAS Number	Eye damage/irritation
Ethylene glycol monobutyl	111-76-2	Causes moderate eye irritation. (Rabbit)
ether		
Oxylated alkylphenols		Irritating to eyes. (Rabbit)
Alkyl hexanol		Causes moderate eye irritation. (Rabbit)
Isopropanol	67-63-0	Causes moderate eye irritation. (Rabbit)

Substances	CAS Number	Skin Sensitization
Ethylene glycol monobutyl	111-76-2	Did not cause sensitization on laboratory animals (guinea pig)
ether		
Oxylated alkylphenols		No information available
Alkyl hexanol		Did not cause sensitization on laboratory animals (guinea pig)
Isopropanol	67-63-0	Did not cause sensitization on laboratory animals (guinea pig)

Substances	CAS Number	Respiratory Sensitization
Ethylene glycol monobutyl	111-76-2	No information available
ether		
Oxylated alkylphenols		No information available
Alkyl hexanol		Not regarded as a sensitizer.
Isopropanol	67-63-0	No information available

Substances	CAS Number	Mutagenic Effects	
Ethylene glycol monobutyl	111-76-2	In vivo tests did not show mutagenic effects. In vitro tests did not show mutagenic effects	
ether			
Oxylated alkylphenols		Not regarded as mutagenic.	
Alkyl hexanol		In vitro tests did not show mutagenic effects.	
Isopropanol	67-63-0	In vitro tests did not show mutagenic effects. In vivo tests did not show mutagenic effects.	

Substances	CAS Number Carcinogenic Effects	
------------	---------------------------------	--

Ethylene glycol monobutyl ether	111-76-2	Not regarded as carcinogenic.	
Oxylated alkylphenols		No information available.	
Alkyl hexanol		Did not show carcinogenic effects in animal experiments	
Isopropanol	67-63-0	Did not show carcinogenic effects in animal experiments	

Substances	CAS Number	Reproductive toxicity	
Ethylene glycol monobutyl	111-76-2	nimal testing did not show any effects on fertility. Did not show teratogenic effects in animal	
ether		experiments.	
Oxylated alkylphenols		No information available	
Alkyl hexanol		Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal	
		experiments.	
Isopropanol	67-63-0	No significant toxicity observed in animal studies at concentration requiring classification.	

Substances	CAS Number	STOT - single exposure
Ethylene glycol monobutyl	111-76-2	No data of sufficient quality are available.
ether		
Oxylated alkylphenols		No significant toxicity observed in animal studies at concentration requiring classification.
Alkyl hexanol		May cause respiratory irritation.
Isopropanol	67-63-0	May cause headache, dizziness, and other central nervous system effects.

Substances	CAS Number	STOT - repeated exposure
Ethylene glycol monobutyl	111-76-2	No data of sufficient quality are available.
ether		
Oxylated alkylphenols		No significant toxicity observed in animal studies at concentration requiring classification.
Alkyl hexanol		No significant toxicity observed in animal studies at concentration requiring classification.
Isopropanol	67-63-0	No significant toxicity observed in animal studies at concentration requiring classification. (similar
		substances)

Substances	CAS Number	Aspiration hazard	
Ethylene glycol monobutyl	111-76-2	adverse health effects are expected from swallowing.	
ether			
Oxylated alkylphenols		Not applicable	
Alkyl hexanol		Not applicable	
Isopropanol	67-63-0	Not applicable	

12. Ecological Information

Ecotoxicity Product Ecotoxicity Data

No data available

Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to	Toxicity to Invertebrates
			-	Microorganisms	-
Ethylene glycol	111-76-2	EC50 839.56 mg/L	LC50 > 1000 mg/L	TT/EC3 (48h) 463 mg/L	No information available
monobutyl ether		(Skeletonema costatum)	(Scophthalmus maximus,	(Uronema parduzci)	
1		EbC50 (72h) 911 mg/L	juvenile)	TT/EC3 (72h) 73 mg/L	
		EC50 > 500 mg/L	LC50 (96h) 1474 mg/L	(Entosiphon sulcatum)	
		(Scenedesmus	(Oncorhynchus mykiss)	TT/EC3 (16h) 700 mg/L	
		subspicatus)	NOEC (21d) > 100mg/L	(Pseudomonas putida)	
		NOEC (72h) 88 mg/L	(Danio rerio)		
		(biomass)(Pseudokirchne			
		rella subcapitata)			
Oxylated alkylphenols	Proprietary	No information available	EC50 (96h) 1.2 - 9.3 mg/L	No information available	EC50 (48h) 1.6 - 10 mg/L
_ , , ,			(Pimephales promelas)		(Daphnia magna)
Alkyl hexanol	Proprietary	No information available	LC50 (96h) 17.1 mg/L	No information available	No information available
1			(Leuciscus idus		
			melanotus)		
Isopropanol	67-63-0	EC50 (72h) > 1000 mg/L	LC50 (96h) 9640 mg/L	TT (16h) 1050 mg/L	EC50 (48h) 13,299 mg/L
' '		(Desmodesmus	(Pimephales promelas)	(Pseudomonas putida)	(Daphnia magna)
		subspicatus)	LC50 (7d) 7060 mg/L		EC50 (24h) > 10,000
		EC50 (7d) 1800 mg/L	(Poecilia reticulata)		mg/L (Daphnia magna)
		(Scenedesmus	, ,		
		quadricauda)			

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Ethylene glycol monobutyl ether	111-76-2	Readily biodegradable (75-88% @ 28d)
Oxylated alkylphenols	Proprietary	No information available
Alkyl hexanol	Proprietary	Readily biodegradable (100 @ 14d)
Isopropanol	67-63-0	Readily biodegradable (53% @ 5d)

12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Ethylene glycol monobutyl ether	111-76-2	0.81
Oxylated alkylphenols	Proprietary	No information available
Alkyl hexanol	Proprietary	2.73
•		BCF = 25.33
Isopropanol	67-63-0	0.05

12.4. Mobility in soil

Substances	CAS Number	Mobility
Ethylene glycol monobutyl ether	111-76-2	No information available
Oxylated alkylphenols	Proprietary	No information available
Alkyl hexanol	Proprietary	KOC = 26
Isopropanol	67-63-0	KOC = 1.5

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

13. Disposal Considerations

Safe handling and disposal methods

Disposal should be made in accordance with federal, state, and local regulations. Substance should NOT be deposited into a sewage facility.

Disposal of any contaminated packaging

Follow all applicable national or local regulations.

Environmental regulations

Not applicable

14. Transport Information

<u>Transportation Information</u>

UN Number:
UN Proper Shipping Name:
Transport Hazard Class(es):
Packing Group:
Environmental Hazards:
Not restricted
Not applicable
Not applicable

Special precautions during transport

None

HazChem Code

None Allocated

15. Regulatory Information

Safety, health and environmental regulations specific for the product

International Inventories

Australian AICS InventoryAll components are listed on the AICS or are subject to a relevant exemption, permit, or

assessment certificate.

New Zealand Inventory of

All components are listed on the AICS or are subject to a relevant exemption, permit, or

Chemicals assessment certificate.

EINECS Inventory

US TSCA Inventory

Canadian DSL Inventory

This product does not comply with EINECS
All components listed on inventory or are exempt.
All components listed on inventory or are exempt.

Poisons Schedule number

None Allocated

International Agreements

Montreal Protocol - Ozone Depleting Substances:Does not applyStolkhom Convention - Persistent Organic Pollutants:Does not applyRotterdam Convention - Prior Informed Consent:Does not applyBasel Convention - Hazardous Waste:Does not apply

16. Other information

Date of preparation or review

Revision Date: 20-Nov-2015

Revision Note

SDS sections updated: 2

Full text of R-phrases referred to under Sections 2 and 3

R20 Harmful by inhalation. R36/38 Irritating to eyes and skin.

Full text of H-Statements referred to under sections 2 and 3

H225 - Highly flammable liquid and vapor

H227 - Combustible liquid

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H402 - Harmful to aquatic life

Additional information For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact

Chemical Stewardship at 1-580-251-4335.

Key abreviations or acronyms used

bw - body weight

CAS - Chemical Abstracts Service

EC50 - Effective Concentration 50%

LC50 - Lethal Concentration 50%

LD50 - Lethal Dose 50%

LL50 - Lethal Loading 50%

mg/kg - milligram/kilogram

mg/L - milligram/liter

NOEC - No Observed Effect Concentration

OEL - Occupational Exposure Limit

PBT - Persistent Bioaccumulative and Toxic

ppm - parts per million

STEL - Short Term Exposure Limit

TWA – Time-Weighted Average

vPvB - very Persistent and very Bioaccumulative

h - hour

mg/m3 - milligram/cubic meter

mm - millimeter

mmHg - millimeter mercury

w/w - weight/weight

d - day

Key literature references and sources for data

www.ChemADVISOR.com/ NZ CCID Bioaquatics Testing, 1990

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet

HALLIBURTON

SAFETY DATA SHEET

FE-2

Revision Date: 16-Apr-2015 **Revision Number: 28**

1. Product Identifier & Identity for the Chemical

Hazardous according to the criteria of the 3rd Revised Edition of the Globally Harmonised **Statement of Hazardous Nature**

System of Classification and Labelling of Chemicals (GHS), Non-Dangerous Goods

according to the criteria of ADG.

1.1. Product Identifier

Product Name FE-2

Other means of Identification

Synonyms: None **Product Code:** HM000682

Recommended use of the chemical and restrictions on use **Recommended Use** Iron Control Agent No information available **Uses Advised Against**

Supplier's name, address and phone number

Manufacturer/Supplier Halliburton Australia Pty. Ltd.

> 15 Marriott Road Jandakot WA 6164 Australia

ACN Number: 009 000 775

Telephone Number: + 61 1 800 686 951

Fax Number: 61 (08) 9455 5300

E-Mail address: fdunexchem@halliburton.com

Emergency phone number

+61 1 800 686 951

Australian Poisons Information Centre

24 Hour Service: - 13 11 26

Police or Fire Brigade: - 000 (exchange): - 1100

2. Hazard Identification

Statement of Hazardous Nature Hazardous according to the criteria of the 3rd Revised Edition of the Globally Harmonised

System of Classification and Labelling of Chemicals (GHS), Non-Dangerous Goods

according to the criteria of ADG.

Classification of the hazardous chemical

Serious Eye Damage / Eye Irritation Category 2 - H319

Label elements, including precautionary statements

Hazard Pictograms



Signal Word Warning

Hazard Statements H319 - Causes serious eye irritation

Precautionary Statements

Prevention P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear eye protection/face protection

Response P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing P337 + P313 - If eye irritation persists: Get medical advice/attention

Storage None

Disposal None

Contains

SubstancesCAS NumberCitric acid77-92-9

Other hazards which do not result in classification

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

Australia Classification

For the full text of the H-phrases mentioned in this Section, see Section 16

Classification Xi - Irritant.

Risk Phrases R36 Irritating to eyes.

3. Composition/information on Ingredients

Substances	CAS Number	PERCENT (w/w)	GHS Classification - Australia
Citric acid	77-92-9	60 - 100%	Eye Irrit. 2A (H319)

4. First aid measures

Description of necessary first aid measures

Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory

irritation develops or if breathing becomes difficult.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of

water for at least 15 minutes and get medical attention immediately after flushing.

Skin Wash with soap and water. Get medical attention if irritation persists.

Ingestion Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical

attention.

Symptoms caused by exposure

Causes eye irritation.

Medical Attention and Special Treatment

Notes to Physician Treat symptomatically

5. Fire Fighting Measures

Suitable extinguishing equipment

Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

None known.

Specific hazards arising from the chemical

Special Exposure Hazards

Decomposition in fire may produce harmful gases. Organic dust in the presence of an ignition source can be explosive in high concentrations. Good housekeeping practices are required to minimize this potential.

Special protective equipment and precautions for fire fighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid creating and breathing dust. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Scoop up and remove.

7. Handling and storage

7.1. Precautions for Safe Handling

Handling Precautions

Avoid contact with eyes, skin, or clothing. Avoid creating or inhaling dust. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Information

Store away from alkalis. Store away from oxidizers. Store in a cool, dry location. Product has a shelf life of 60 months.

Other Guidelines

No information available

8. Exposure Controls/Personal Protection

Control parameters - exposure standards, biological monitoring

Exposure Limits

Substances	CAS Number	Australia NOHSC	ACGIH TLV-TWA
Citric acid	77-92-9	Not applicable	Not applicable

Appropriate engineering controls

Engineering Controls Use in a well ventilated area.

Personal protective equipment (PPE)

Respiratory Protection If engineering controls and work practices cannot keep exposure below occupational

exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be

performed by an Industrial Hygienist or other qualified professional.

Dust/mist respirator. (N95, P2/P3)

Hand Protection Chemical-resistant protective gloves (EN 374) Suitable materials for longer, direct contact

(recommended: protection index 6, corresponding to > 480 minutes permeation time as per

EN 374): Nitrile gloves. (>= 0.35 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced. Manufacturer's directions for use should be observed because of great

diversity of types.

Skin Protection Normal work coveralls.

Eye Protection Chemical goggles; also wear a face shield if splashing hazard exists.

Other Precautions None known.

Environmental Exposure Controls Do not allow material to contaminate ground water system

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Solid Color: White

Odor: Odorless Odor Threshold: No information available

<u>Property</u> <u>Values</u>

Remarks/ - Method

pH: 2 - 2.2

Freezing Point/RangeNo data availableMelting Point/RangeNo data availableBoiling Point/RangeNo data availableFlash PointNo data available

upper flammability limit 65

lower flammability limit 8

Evaporation rateNo data availableVapor PressureNo data availableVapor DensityNo data available

Specific Gravity 1.665

Water Solubility
Soluble in water
No data available
Partition coefficient: n-octanol/water
Autoignition Temperature
Decomposition Temperature
Viscosity

Soluble in water
No data available
No data available
No data available
No data available

Explosive PropertiesNo information availableOxidizing PropertiesNo information available

9.2. Other information

Molecular Weight 192.13

VOC Content (%) No data available

10. Stability and Reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical Stability

Stable

10.3. Possibility of Hazardous Reactions

Will Not Occur

10.4. Conditions to Avoid

None anticipated

10.5. Incompatible Materials

Strong alkalis. Strong oxidizers.

10.6. Hazardous Decomposition Products

Carbon monoxide and carbon dioxide.

11. Toxicological Information

Information on routes of exposure

Principle Route of Exposure Eye or skin contact, inhalation.

Sympotoms related to exposure

Most Important Symptoms/Effects

Causes eye irritation.

Numerical measures of toxicity

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Citric acid	77-92-9	5400 mg/kg (Rat) 5790 mg/kg (Mouse) 11,700 mg/kg (Rat)	> 2000 mg/kg	No data available

Immediate, delayed and chronic health effects from exposure

Inhalation May cause mild respiratory irritation.

Eye Contact Causes eye irritation.

Skin Contact May cause mild skin irritation.

Ingestion Irritation of the mouth, throat, and stomach. May cause abdominal pain, vomiting, nausea,

and diarrhea.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 0.1%

are chronic health hazards.

Exposure Levels

No data available

Interactive effects

None known.

Data limitations

No data available

Substances	CAS Number	Skin corrosion/irritation
Citric acid		Not irritating to skin in rabbits.
Substances	CAS Number	Eye damage/irritation
Citric acid	77-92-9	Causes severe eye irritation.
Substances	CAS Number	Skin Sensitization
Citric acid	77-92-9	Patch test on human volunteers did not demonstrate sensitization properties
Substances	CAS Number	Respiratory Sensitization
Citric acid	77-92-9	No information available
Substances	CAS Number	Mutagenic Effects
Citric acid	77-92-9	Did not show mutagenic effects in animal experiments

Substances	CAS Number	Carcinogenic Effects
Citric acid	77-92-9	Did not show carcinogenic effects in animal experiments
Substances	CAS Number	Reproductive toxicity
Citric acid	77-92-9	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal
		experiments.
Substances	CAS Number	STOT - single exposure
Citric acid	77-92-9	No data of sufficient quality are available.
Substances	CAS Number	STOT - repeated exposure
Citric acid	77-92-9	No significant toxicity observed in animal studies at concentration requiring classification.
Substances	CAS Number	Aspiration hazard
Citric acid	77-92-9	No adverse health effects are expected from swallowing.

12. Ecological Information

Ecotoxicity

Product Ecotoxicity Data

No data available

Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Citric acid	77-92-9	NOEC (8d) 425 mg/L (cell density) (Scenedesmus quadricauda) LOEC (8d) >80 mg/L (Microcystis aeruginosa)	LC50 (96h) 1516 mg/L (Lepomis macrochirus) LC50 (48h) 440 mg/L (Leuciscus idus melanotus) LC50 (96h) >100 mg/L (Pimephales promelas)	TT (72h) 485 mg/L (Entosiphon sulcatum)	TLM96 100-330 ppm (Crangon crangon) EC50 (24h) 1535 mg/L (Daphnia magna) LC50 (48h) 160 mg/L (Daphnia magna) EC50 (48h) >50 mg/L (Daphnia magna)

12.2. Persistence and degradability

Biodegradable.

Substances	CAS Number	Persistence and Degradability
Citric acid	77-92-9	Readily biodegradable (97% @ 28d)

12.3. Bioaccumulative potential

Does not bioaccumulate

Substances	CAS Number	Log Pow
Citric acid	77-92-9	-1.61 to -1.80

12.4. Mobility in soil

Substances	CAS Number	Mobility
Citric acid	77-92-9	No information available

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

13. Disposal Considerations

Safe handling and disposal methods

Bury in a licensed landfill according to federal, state, and local regulations.

Disposal of any contaminated packaging

Follow all applicable national or local regulations. Contaminated packaging may be disposed of by: rendering packaging incapable of containing any substance, or treating packaging to remove residual contents, or treating packaging to make sure the residual

contents are no longer hazardous, or by disposing of packaging into commercial waste collection.

Environmental regulations

Not applicable

14. Transport Information

<u>Transportation Information</u>

UN Number:
UN Proper Shipping Name:
Not restricted
Not restricted
Not applicable
Packing Group:
Not applicable
Not applicable
Not applicable

Special precautions during transport

None

HazChem Code
None Allocated

15. Regulatory Information

All components listed on inventory or are exempt.

All components listed on inventory or are exempt.

Safety, health and environmental regulations specific for the product

International Inventories

Australian AICS Inventory New Zealand Inventory of

Chemicals

EINECS Inventory

This product, and all its components, complies with EINECS

US TSCA Inventory
Canadian DSL Inventory
All components listed on inventory or are exempt.
All components listed on inventory or are exempt.

Poisons Schedule number

None Allocated

16. Other information

Date of preparation or review

Revision Date: 16-Apr-2015

Revision Note Revision Note

SDS sections updated: 2

Full text of R-phrases referred to under Sections 2 and 3

R36 - Irritating to eyes

Full text of H-Statements referred to under sections 2 and 3

H319 - Causes serious eye irritation

Additional information For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact

Chemical Stewardship at 1-580-251-4335.

Key abreviations or acronyms used

bw - body weight CAS - Chemical Abstracts Service EC50 - Effective Concentration 50% LC50 - Lethal Concentration 50% LD50

Lethal Dose 50% LL50 – Lethal Loading 50% mg/kg – milligram/kilogram mg/L – milligram/liter NOEC – No Observed Effect
 Concentration OEL – Occupational Exposure Limit PBT – Persistent Bioaccumulative and Toxic ppm – parts per million STEL –
 Short Term Exposure Limit TWA – Time-Weighted Average vPvB – very Persistent and very Bioaccumulative h - hour mg/m³ - milligram/cubic meter mm - millimeter mmHg - millimeter mercury w/w - weight/weight d - day

Key literature references and sources for data

www.ChemADVISOR.com/ NZ CCID

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet

HALLIBURTON

SAFETY DATA SHEET

HYDROCHLORIC ACID

Revision Date: 20-Jun-2016 Revision Number: 40

1. Product Identifier & Identity for the Chemical

Statement of Hazardous Nature Hazardous according to the criteria of the 3rd Revised Edition of the Globally Harmonised

System of Classification and Labelling of Chemicals (GHS), Dangerous Goods according to

the criteria of ADG.

1.1. Product Identifier

Product Name HYDROCHLORIC ACID

Other means of Identification

Synonyms None

Hazardous Material Number: HM000911

Recommended use of the chemical and restrictions on use

Recommended Use Solvent

Uses advised against No information available

Supplier's name, address and phone number

Manufacturer/Supplier Halliburton Australia Pty. Ltd.

15 Marriott Road Jandakot WA 6164

WA 6164 Australia

ACN Number: 009 000 775

Telephone Number: + 61 1 800 686 951

Fax Number: 61 (08) 9455 5300 fdunexchem@halliburton.com

Emergency phone number

+ 61 1 800 686 951

E-mail Address

Australian Poisons Information Centre

24 Hour Service: - 13 11 26

Police or Fire Brigade: - 000 (exchange): - 1100

2. Hazard Identification

Statement of Hazardous Nature Hazardous according to the criteria of the 3rd Revised Edition of the Globally Harmonised

System of Classification and Labelling of Chemicals (GHS), Dangerous Goods according to

the criteria of ADG.

Classification of the hazardous chemical

<u> </u>	
Acute inhalation toxicity - vapor	Category 3 - H331
Skin Corrosion/Irritation	Category 1 - H314
Serious Eye Damage/Irritation	Category 1 - H318
Specific Target Organ Toxicity - (Single Exposure)	Category 3 - H335
Substances/mixtures corrosive to metal	Category 1 - H290

Label elements, including precautionary statements

HYDROCHLORIC ACID Revision Date: 20-Jun-2016

Hazard pictograms



Signal Word Danger

Hazard Statements: H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H331 - Toxic if inhaled

H335 - May cause respiratory irritation

Precautionary Statements

Prevention P103 - Read label before use

P234 - Keep only in original container

P260 - Do not breathe dust/fume/gas/mist/vapors/spray P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower

P363 - Wash contaminated clothing before reuse

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor/physician

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P390 - Absorb spillage to prevent material damage

Storage P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P406 - Store in corrosive resistant container with a resistant inner liner.

Disposal P501 - Dispose of contents/container in accordance with

local/regional/national/international regulations

Contains

Response

Substances CAS Number Hydrochloric acid 7647-01-0

Other hazards which do not result in classification

Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

For the full text of the H-phrases mentioned in this Section, see Section 16

3. Composition/information on Ingredients

Substances	CAS Number	PERCENT (w/w)	GHS Classification - Australia
Hydrochloric acid	7647-01-0	30 - 60%	Acute Tox. 3 (H331)
			Skin Corr. 1A (H314)
			Eye Corr. 1 (H318)

HYDROCHLORIC ACID Revision Date: 20-Jun-2016

	STO	T SE 3 (H335)
	Met.	Corr. 1 (H290)

4. First aid measures

Description of necessary first aid measures

Inhalation If inhaled, move victim to fresh air and seek medical attention.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of

water for at least 15 minutes and get medical attention immediately after flushing.

Skin In case of contact, immediately flush skin with plenty of soap and water for at least

15 minutes. Get medical attention. Remove contaminated clothing and launder

before reuse.

Ingestion Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical

attention.

Symptoms caused by exposure

Causes severe eye irritation which may damage tissue. Causes severe skin irritation with tissue destruction. May cause respiratory irritation. Harmful if inhaled.

Medical Attention and Special Treatment

Notes to Physician Treat symptomatically

5. Fire Fighting Measures

Suitable extinguishing equipment

Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

None known.

Specific hazards arising from the chemical

Special exposure hazards in a fire

May form explosive mixtures with strong alkalis. Decomposition in fire may produce harmful gases. Reaction with steel and certain other metals generates flammable hydrogen gas. Do not allow runoff to enter waterways.

Special protective equipment and precautions for fire fighters

Special protective equipment for firefighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Avoid breathing vapors. Evacuate all persons from the area.

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas. Consult local authorities.

6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Neutralize to pH of 6-8. Scoop up and remove.

7. Handling and storage

7.1. Precautions for safe handling

Handling Precautions

Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment.

HYDROCHLORIC ACID Revision Date: 20-Jun-2016

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Information

Store away from alkalis. Store in a cool well ventilated area. Keep container closed when not in use. Store locked up. Product has a shelf life of 24 months.

Other Guidelines

No information available

8. Exposure Controls/Personal Protection

Control parameters - exposure standards, biological monitoring

Exposure Limits

Substances	CAS Number	Australia NOHSC	ACGIH TLV-TWA
Hydrochloric acid	7647-01-0	5 ppm	TWA: 2 ppm (Ceiling)

Appropriate engineering controls

Engineering Controls

Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

Personal protective equipment (PPE)

Personal Protective Equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional.

Acid gas respirator.

Hand Protection

Chemical-resistant protective gloves (EN 374) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per

EN 374): Butyl rubber gloves. (>= 0.7 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced. Manufacturer's directions for use should be observed because of great

diversity of types.

Skin Protection Full protective chemical resistant clothing. Rubber boots

Chemical goggles; also wear a face shield if splashing hazard exists. **Eve Protection Other Precautions** Eyewash fountains and safety showers must be easily accessible. Do not allow material to contaminate ground water system

Environmental Exposure Controls

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid Clear colorless Color

Odor: Pungent acrid Odor Threshold: No information available

Property

Values Remarks/ - Method

0.8 Freezing Point / Range -46 °C

Melting Point / Range No data available **Boiling Point / Range** 110 °C / 230 °F No data available Flash Point

HYDROCHLORIC ACID Revision Date: 20-Jun-2016

Evaporation rate No data available

Vapor Pressure 26

Vapor Density No data available

Specific Gravity 1.18

Water Solubility
Soluble in water
Solubility in other solvents
No data available
Partition coefficient: n-octanol/water
No data available
Autoignition Temperature
No data available
Decomposition Temperature
No data available
No data available
Fixelesive Proportion

Explosive PropertiesNo information available
Oxidizing Properties
No information available

9.2. Other information

Molecular Weight 36.5

VOC Content (%) No data available

10. Stability and Reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

Will Not Occur

10.4. Conditions to avoid

None anticipated

10.5. Incompatible materials

Strong alkalis.

10.6. Hazardous decomposition products

Flammable hydrogen gas. Chlorine. Hydrogen sulfide.

11. Toxicological Information

Information on routes of exposure

Principle Route of Exposure Eye or skin contact, inhalation.

Symptoms related to exposure

Most Important Symptoms/Effects

Causes severe eye irritation which may damage tissue. Causes severe skin irritation with tissue destruction. May cause respiratory irritation. Harmful if inhaled.

Numerical measures of toxicity

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrochloric acid	7647-01-0	No data available	No data available	No data available

Immediate, delayed and chronic health effects from exposure

Inhalation Harmful if inhaled. Causes severe respiratory irritation.

Eye Contact Causes eye burns

Skin Contact Causes severe burns. Did not cause sensitization on laboratory animals (guinea pig)

Ingestion Causes burns of the mouth, throat and stomach.

Chronic Effects/Carcinogenicity Prolonged, excessive exposure may cause erosion of the teeth.

Exposure Levels

No data available

Interactive effects

Skin disorders.

HYDROCHLORIC ACID Revision Date: 20-Jun-2016

Data limitations

No data available

Substances	CAS Number	Skin corrosion/irritation	
Hydrochloric acid	7647-01-0	Causes severe burns Causes severe skin irritation with tissue destruction.	
Substances	CAS Number	Serious eye damage/irritation	
Hydrochloric acid	7647-01-0	Causes severe burns Causes severe eye irritation. Will damage tissue.	
Substances	CAS Number	Skin Sensitization	
Hydrochloric acid	7647-01-0	Did not cause sensitization on laboratory animals (guinea pig)	
Substances	CAS Number	Respiratory Sensitization	
Hydrochloric acid	7647-01-0	No information available	
Substances	CAS Number	Mutagenic Effects	
Hydrochloric acid	7647-01-0	Not regarded as mutagenic. In vitro tests did not show mutagenic effects.	
Substances	CAS Number	Carcinogenic Effects	
Hydrochloric acid	7647-01-0	No data of sufficient quality are available.	
		_	
Substances	CAS Number	Reproductive toxicity	
Hydrochloric acid	7647-01-0	Embryo and fetotoxicity has been observed in female rats exposed to maternally toxic levels of hydrogen chloride (450 mg/m³, 1hr.). When tested at maternally toxic doses, no adverse effects on	
		fertility, teratogenicity, or development were observed.	
0	0.4.0.11		
Substances		STOT - single exposure	
Hydrochloric acid	7647-01-0	May cause respiratory irritation. No information available	
Substances	CAS Number	STOT - repeated exposure	
Hydrochloric acid		No significant toxicity observed in animal studies at concentration requiring classification.	
i iyuroonione aciu	11041-01-0	pro significant toxiony observed in animal studies at concentration requiring classification.	
Substances	CAS Number	Aspiration hazard	
		Not applicable	

12. Ecological Information

Ecotoxicity Product Ecotoxicity Data

No data available

Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Hydrochloric acid	7647-01-0	No information available	LC50 282 mg/L (Gambusia affinis) LC50 20.5 mg/L (Lepomis macrochirus) LC50 (96h) 3.25 – 3.5 (pH) (Lepomis macrochirus)	EC50 (3h) >= 5 and <= 5.5 (pH) (Activated	EC50 (48 h) 4.92 mg/L (Daphnia magna)

12.2. Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

Substances	CAS Number	Persistence and Degradability
Hydrochloric acid	7647-01-0	The methods for determining biodegradability are
		not applicable to inorganic substances.

12.3. Bioaccumulative potential

Does not bioaccumulate.

Substances CAS Number	Log Pow
-----------------------	---------

HYDROCHLORIC ACID Revision Date: 20-Jun-2016

Hydrochloric acid	7647-01-0	LogKow -2.65		

12.4. Mobility in soil

Substances	CAS Number	Mobility
Hydrochloric acid		No information available

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

13. Disposal Considerations

Safe handling and disposal methods

Disposal should be made in accordance with federal, state, and local regulations. Substance should NOT be deposited into a sewage facility.

Disposal of any contaminated packaging

Follow all applicable national or local regulations.

Environmental regulations

Not applicable

14. Transport Information

Transportation Information

UN Number UN1789

UN proper shipping name: Hydrochloric Acid Solution

Transport Hazard Class(es): **Packing Group:** Ш

Environmental Hazards: Not applicable

Special precautions during transport

None

HazChem Code

2R

15. Regulatory Information

Safety, health and environmental regulations specific for the product

International Inventories

Australian AICS Inventory All components are listed on the AICS or are subject to a relevant exemption, permit, or

assessment certificate.

All components are listed on the NZIoC or are subject to a relevant exemption, permit, or **New Zealand Inventory of**

Chemicals assessment certificate.

EINECS (European Inventory of

This product, and all its components, complies with EINECS

Existing Chemical Substances)

US TSCA Inventory All components listed on inventory or are exempt. Canadian Domestic Substances List All components listed on inventory or are exempt. (DSL)

Poisons Schedule number

International Agreements

Montreal Protocol - Ozone Depleting Substances: Does not apply **Stolkhom Convention - Persistent Organic Pollutants:** Does not apply **Rotterdam Convention - Prior Informed Consent:** Does not apply

HYDROCHLORIC ACID Revision Date: 20-Jun-2016

Basel Convention - Hazardous Waste:

Does not apply

16. Other information

Date of preparation or review

Revision Date: 20-Jun-2016

Revision Note

SDS sections updated: 2

Full text of H-Statements referred to under sections 2 and 3

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

H331 - Toxic if inhaled H332 - Harmful if inhaled

Additional information

For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact

Chemical Stewardship at 1-580-251-4335.

Key abreviations or acronyms used

bw - body weight

CAS - Chemical Abstracts Service

EC50 - Effective Concentration 50%

LC50 - Lethal Concentration 50%

LD50 - Lethal Dose 50%

LL50 - Lethal Loading 50%

mg/kg – milligram/kilogram

mg/L - milligram/liter

NOEC - No Observed Effect Concentration

OEL - Occupational Exposure Limit

PBT - Persistent Bioaccumulative and Toxic

ppm - parts per million

STEL - Short Term Exposure Limit

TWA - Time-Weighted Average

vPvB - very Persistent and very Bioaccumulative

h - hour

mg/m3 - milligram/cubic meter

mm - millimeter

mmHg - millimeter mercury

w/w - weight/weight

d - day

Key literature references and sources for data

www.ChemADVISOR.com/

NZ CCID

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet