


# **Ungani Production Facility Commissioning** and Operations: Chemical Disclosure

**Environment Plan Summary Document** 







# **Contents**

1	Introduction	1
1.1	Contact Details	1
2	Overview of Activity	1
2.1	Existing Infrastructure	2
2.2	Timing	2
2.3	Mobilisation	2
2.4	Commissioning Process	2
2.5	Production Process	2
	2.5.1 Produced Water Management	3
2.6	Inspection and Maintenance	3
2.7	Waste	3
2.8	Demobilisation and Rehabilitation	4
3	ENVIRONMENTAL IMPACTS AND MANAGEMENT MEASURES	4
3.1	Communication and Consultation	7
Fig	ures	
Figu	re 1 Location of the Ungani Facility	3
Tak	ole	
Tab	le 1 Characteristics of the Ungani Production Facility wellsle 2 Summary of the existing environment, potential impacts and management approach with Activity.	
		5
Ap	pendices	
Арр	endix A – Full Chemical Disclosure	8
Ann	endix B – Chemical SDSs	9



#### 1 Introduction

Buru Energy Limited (Company) is an Australian ASX listed company engaged in oil and gas exploration and production in the Kimberley region of Western Australia, in an area known in geological terms as the Canning Basin.

The Company has developed the *Ungani Production Facility Commissioning and Operations Environment Plan* (HSE-PLN-037) (Environment Plan) for the management of environmental aspects associated with the Company's commissioning and production operations at the Ungani Facility (the Activity). The *Ungani Production Facility Additional Chemical Disclosure Bridging Document* (L3364) has been developed to provide revised chemical disclosure. The revised chemical disclosure is provided as while chemicals disclosed in the Environment Plan will be used, they will be used in different concentrations (in accordance with the *Chemical Disclosure Guideline* (DMP 2013)).

This Summary Document summarises the operations and mitigation and management measures in the Environment Plan and provides the chemical disclosure.

#### 1.1 Contact Details

Chief Operating Officer Buru Energy Limited

Phone: +61 8 9215 1800 Fax: +61 8 9215 1899 Email: info@buruenergy.com

# 2 Overview of Activity

The well characteristics are provided in Table 1. The Ungani Central and East well sites host multiple wells.

Table 1 Characteristics of the Ungani Production Facility wells

	Location				
Well Site	Well	Date Drilled	Easting	Northing	Depth
Ungani Central	Ungani 1 ST1	Aug – Sept 2011	517,375 mE	8,010,864 mN	2,324 m
	Ungani 2	Nov – Jan 2012	517,365 mE	8,010,848 mN	2,800 m
	Ungani 6H	2019	517,373 mE	8,011,024 mN	2,500 m
Ungani East	Ungani 3	Jan – Mar 2014	518,470 mE	8,011,035 mN	2,284 m
	Ungani 5	Dec 2017	518,495 mE	8,011,035 mN	2,239 m
Ungani 4	Ungani 4 ST1	Oct – Nov 2017 Sep. – Dec. 2018	517,096 mE	8,010,450 mN	2,249 m
	Ungani 7H	2019	517,057	8,010,453	2,500 m
Ungani Far West	Ungani Far West 1	Nov 2015 – Feb 2016	514,225 mE	8,008,842 mN	2,400 m
Ungani North	Ungani North 1	July – Dec 2012	517,415 mE	8,017,229 mN	3,701 m
Ungani West	Ungani West 1	Oct. – Nov. 2018	515,937 mE	8,010,322 mN	2,400 m



The well sites are located within petroleum production licence areas L 20 and L 21, located approximately 100 km east of Broome and 86 km southwest of Derby on Yakka Munga pastoral station.

#### 2.1 Existing Infrastructure

In addition to the wells, the existing infrastructure at the Ungani Facility includes:

- bunded three phase (oil, produced water and gas) production separator;
- various storage tanks;
- impermeable lined turkeys nest;
- · road tanker load out facility;
- plant processing and well control systems;
- produced water injection equipment;
- other equipment including generators, lighting towers, reverse osmosis plant and office; and
- camp site including accommodation and kitchen.

#### 2.2 Timing

Production under licence at the Ungani Production Facility commenced in July 2015 with the granting of the production licences. Production occurs year-round although may be suspended for short periods (e.g. during maintenance or during weather events such as cyclones).

The Environment Plan will be revised at a minimum of every five years

#### 2.3 Mobilisation

During mobilisation, equipment, personnel and supplies required for the Activity will be mobilised to the Activity area using dedicated vehicles. All travel will be in accordance with State road legislation and the Company *Travel Management Procedure* (HSE-PRO-002).

#### 2.4 Commissioning Process

The general steps of commissioning are:

- Pre-commissioning checks: safety and process checks to ensure operational components are ready for commissioning.
- Leak testing: use of water to test for leaks prior to introduction of hydrocarbons.
- Commissioning: production wells are flowed and the system inspected for leaks and function.

If production does not commence immediately following commissioning, the Facility will be shut-in and subject to ongoing inspections and maintenance.

#### 2.5 Production Process

The oil-water mix will flow from the production wells through the production separator. Depending on reservoir status, reservoir fluids may flow freely to surface, or downhole pumps will be used as artificial lift. The separated oil then flows to stock tanks. Produced water flows to the segregation tank and then water storage tanks, or straight to the water storage tanks. The limited gas given off during the separation process is released via the cold vent system.

The storage of the oil in the stock tanks allows further water separation which is transferred to the water storage tanks. Guided Wave Radar is used to determine the oil-water levels in the tanks. Any remaining gas in the crude oil is vented from each tank. The oil is then pumped to the load out facility.



#### 2.5.1 Produced Water Management

Produced water will be produced from the Ungani wells. The primary method for disposal of produced water will be via reinjection into the Ungani 3 or Ungani Far West 1 well. The Ungani Central turkeys nest may also be used for storage of produced water.

All chemicals within the produced water reinjected have been fully disclosed in accordance with Regulation 15(9) of the *Petroleum and Geothermal Energy Resources (Environment) Regulations 2012* and *Chemical Disclosure Guideline* published by DMP, in Appendix A.




Figure 1 Location of the Ungani Facility

#### 2.6 Inspection and Maintenance

The Ungani Facility is manned during production and daily inspections will be undertaken. This includes collecting process data, monitoring tank and turkeys nest levels and system integrity checks.

Maintenance operations include, but are not limited to, routine operations such as water injection filter changes, and greasing and topping up oil on rotating equipment (pumps). Maintenance of the Ungani access track will be through a scheduled proactive program dependant on traffic loads. Similar maintenance may be required on the well sites.

Wellhead maintenance operations may be undertaken which include wellhead maintenance, safety valve leak testing and well monitoring. The Company may also undertake wireline, slickline or e-line operations.

The operations planned for Ungani North include perforation of additional zones within the Ungani dolomite formation, well bore circulation to clean up the existing and additional perforations of potential restrictions, and swabbing of the well to test the success of the operations.

#### 2.7 Waste

All putrescible wastes will be stored in lidded skips/bins which remain closed to prevent fauna access and litter generation. Inert recyclable and industrial waste will be stored in skips. All waste types (putrescible, inert, recyclable and industrial) will be removed for disposal in accordance with regulatory requirements.

Sewage and grey water will be treated by an Aerated Wastewater Treatment System. Following treatment, effluent will be discharged into a fenced area.



Waste oil that has been contaminated with solids and is unsuitable for recovery or other hydrocarbon contaminated materials will be stored in bins prior to disposal in accordance with regulatory requirements.

#### 2.8 Demobilisation and Rehabilitation

Following completion of the commissioning phase, all Activity specific machinery and equipment will be removed from the Activity area. No demobilisation of production equipment is planned as a part of the Activity.

If some of the infrastructure at the Ungani Facility is no longer required then progressive decommissioning and remediation will be implemented. Alternatively, if the Company determines that production from the Ungani Facility will be permanently ceased, a decommissioning and rehabilitation plan will be developed for DMIRS' approval and in consultation with all relevant stakeholders.

#### 3 ENVIRONMENTAL IMPACTS AND MANAGEMENT MEASURES

The Activity will be confined to the existing Ungani Facility. A summary of the existing environmental characteristics of surrounding the Activity area, potential impacts that could result from the Activity and the risk of these potential impacts occurring is provided in Table 2. Included in this table are also the management and mitigation measures that form part of the implementation strategy to minimise environmental risk.



Table 2 Summary of the existing environment, potential impacts and management approach with the Activity.

Environmental Characteristic	Description	Potential Impact	Key Management Measures	Risk	Implementation Strategy
Surface water	The Fitzroy River, located 53 km from the Ungani Facility, is the largest water course in the vicinity of the Activity area. The closest drainage area to the Activity area is a small drainage depression about 9 km north.  No permanent water bodies are located in the close vicinity of the Activity area and drainage lines are internally draining, only flowing to the Fitzroy River under flood conditions. During the wet season, sheet flow can occur due to the low lying topography of the Activity area and surrounds.		<ul> <li>Leak testing will be undertaken on clean (free of crude) components only.</li> <li>Vehicles limited to the Activity area, travel in accordance with the <i>Travel Management Procedure</i> (HSE-PRO-002).</li> <li>Operations with spill risks will be undertaken in bunded areas or over drip trays.</li> <li>The Facility will be shut in if maximum capacity of oil and water storage is reached.</li> <li>Implementation of the <i>Waste Management Procedure</i> (HSE-PRO-005).</li> <li>Dangerous and hazardous goods will be stored within bunded areas.</li> <li>Dangerous goods labelled in accordance with regulations and MSDS.</li> <li>Refuelling of vehicles in accordance with the <i>Refuelling Procedure</i> (HSE-PRO-011).</li> <li>Well maintained machinery, vehicles and equipment.</li> <li>Inspections of the Activity area and equipment (including daily and weekly inspections).</li> </ul>	Given the mitigation and management measures that will be implemented, contamination of surface water is unlikely.	<ul> <li>Person In Charge (PIC) to ensure no personnel or vehicle access outside of the Activity area.</li> <li>PIC to ensure wastes are appropriately stored prior to disposal.</li> <li>PIC to complete weekly operational checklist.</li> <li>PIC to ensure all physical containment measures are well maintained.</li> </ul>
Geology, Landforms and Soil	The area around the existing Activity area is comprised of a series of sand sheets intersected by alluvial flood plains that are either no longer active or not frequently inundated.	Soil erosion, sedimentation or compaction. Contamination of soil.	<ul> <li>Containment, clean-up and remediation if required of a spill in accordance with the Canning Basin Spill Response Plan (HSE-ER-015).</li> <li>500 mm freeboard will be maintained in turkeys nest.</li> <li>Guided Wave Radar installed on storage tanks to meter water levels.</li> <li>Following high rainfall events, bunds will be inspected for the presence of contaminated water and then (if appropriate) discharged. Any will be managed to prevent erosion.</li> </ul>	Given the mitigation and management measures that will be implemented, soil contamination and erosion is unlikely.	<ul> <li>PIC to ensure well maintained machinery, vehicles and equipment.</li> <li>Supervision of relevant operations by personnel with</li> </ul>
Groundwater	The major aquifer used in the vicinity of the Activity area is the Wallal Sandstone which is located between 130 m and 200 m below ground level. The bore at the Ungani Facility extracts groundwater from this aquifer at 140 m BGL. The nearest water bore operated by a third party is approximately 11 km west.	Contamination of groundwater.	<ul> <li>Periodic well integrity testing and inspection and appropriate maintenance/rectification procedures (Leak Off Testing, Formation Integrity Testing etc.).</li> <li>Bureau of Meteorology forecasts and warnings monitored.</li> </ul>	Given the mitigation and management measures that will be implemented, groundwater contamination is considered unlikely.	well control certification.  Quarterly groundwater sampling.  Internal environmental audit.  Flowlines inspected daily when operational for leaks.
Vegetation and Flora	Surrounding the Activity area, the vegetation has been described as pindan on sand plains. Pindan is "grassland wooded by a sparse upper layer of trees and a dense, thicket-forming middle layer of unarmed, phyllodal Acacia".  Two priority three flora species have been recorded in the vicinity of the Activity area, Goodenia byrnesii and G. crenata.	Loss of a local population of a conservation significant flora species. Loss of native flora. Invasive weed species competing with native flora. Loss of conservation significant fauna habitat	<ul> <li>No clearing of vegetation is required.</li> <li>Vehicle and personnel access will be limited to the Activity area.</li> <li>Earthmoving machinery and equipment will be inspected and cleaned.</li> <li>Externally sourced gravel will be weed free.</li> <li>Vehicles and machinery will be regularly maintained and undergo a pre-start check.</li> <li>Inspections of the Activity area and equipment (including daily and weekly inspections).</li> <li>Fire detection equipment and lightning detection system installed.</li> <li>Firebreak will be inspected and maintained.</li> <li>Smoking restricted to designated smoking areas.</li> <li>Firefighting equipment located at camp site and operational personnel trained in its use.</li> <li>The Company will notify DMIRS of any decommissioning planned and develop a decommissioning and rehabilitation plan.</li> </ul>	Given that no clearing is required and through the implementation of management measures, it is unlikely that the Activity will have a significant impact on flora and vegetation.	<ul> <li>PIC to ensure well maintained firebreaks and firefighting equipment, regular servicing of machinery and equipment, and limiting smoking to designated areas.</li> <li>PIC to ensure no access outside of the Activity area.</li> <li>PIC to ensure all earthmoving machinery/ equipment is checked prior to entering the Activity area.</li> </ul>
Environmentally Sensitive Areas (ESAs)	The nearest ESA is Taylors Lagoon, approximately 30 km to the northwest of the Ungani Facility. Ungani Far West 1 is located within the Edgar Range Red Book area.	Loss of environmental values associated with ESA.		Given the distance to the closest ESA and scope of the planned Activities, it is unlikely ESAs will be impacted.	<ul> <li>PIC to ensure gravel is weed free.</li> <li>Weekly inspection of the Activity area.</li> </ul>
Fauna	The only of fauna of conservation significance sighted during surveys in the vicinity of the Activity area were the Australian Bustard (Ardeotis australis) and Grey Falcon (Falco hypoleucos).	Loss of a local population of a conservation significant fauna species. Death or injury of fauna.	<ul> <li>Vehicles comply with the <i>Travel Management Procedure</i> (HSE-PRO-002).</li> <li>Lighting kept to a minimum required for safe operations with lighting faces inwards.</li> <li>Well maintained and muffled equipment and machinery.</li> <li>Egress path in the turkeys nest visually inspected and repaired as required.</li> </ul>	Given the mitigation and management measures that will be implemented, it is unlikely that the Activity will have a significant impact on fauna species.	<ul> <li>PIC to ensure lighting is minimum required for safe operation.</li> <li>Weekly inspection of fauna egress paths and fencing.</li> <li>Weekly inspections for impacts outside of the Activity area.</li> </ul>
Social	Land use surrounding the Activity area is dominated by open range pasture grazing of beef stock.  The townships of Derby 90 km to the northeast and Broome 100 km to the west are the largest population centres in the	Disturbance of livestock. Disturbance of local landholders.	<ul> <li>On-going consultation with stakeholders.</li> <li>Vehicles will comply with the <i>Travel Management Procedure</i> (HSE-PRO-002).</li> <li>Bore water sourced from existing water bores or turkeys nest for dust suppression.</li> <li>Experience and modelling have determined that any reduction in air quality will be restricted to the immediate vicinity (approx. 2 m) of the gas vents.</li> </ul>	Through the implementation of management measures, it is unlikely that the Activity will have an impact on local	<ul> <li>PIC to ensure no disturbance outside of Activity area.</li> <li>Weekly inspection for impacts outside of the Activity area.</li> </ul>



Environmental Characteristic	Description	Potential Impact	Key Management Measures	Risk	Implementation Strategy
	vicinity of the Activity. The nearest Homestead is Yakka Munga approximately 30 km east of the Activity area.	Impact on local air quality.	<ul> <li>The Company will review gas management methods (e.g. venting vs. flaring) as part of any upgrade to the Facility capacity.</li> <li>Night time operations limited to inspection and tanker loading (i.e. majority of operations are during daylight hours).</li> <li>Any demobilisation will be undertaken in accordance with the <i>Demobilisation Procedure</i> (HSE-PRO-021).</li> </ul>	amenity including land owners.	
Cultural	The Activity will be confined to the existing heritage cleared Ungani Facility. The nearest known culturally important area is Blue Hills, approximately 2 km to the east of the Activity area, and the nearest listed Department of Aboriginal Affairs listed site is approximately 30 km northwest of the Activity area.	Damage to cultural heritage site/s or object/s.	<ul> <li>Vehicle and personnel activity will be limited to the Activity area.</li> <li>No clearing as part of the Activity.</li> <li>Land access agreements have been signed with relevant Traditional Owner groups for the Ungani Production Facility.</li> <li>Given the large number of exploration activities undertaken in the Ungani area, numerous heritage surveys have been completed.</li> </ul>	Given that no clearing is required and through the management measures, it is unlikely that the Activity will impact cultural heritage site/s or object/s.	<ul> <li>PIC to ensure no disturbance outside of Activity area.</li> <li>Weekly inspection of the Activity area for impacts outside of the Activity area.</li> </ul>



#### 3.1 Communication and Consultation

The Company has engaged in communication and consultation with relevant stakeholders as summarised in the Environment Plan. As the Activity area is located within a sparsely populated region with limited settlement, transport or communications infrastructure, relevant stakeholders are limited to government departments, traditional owners and pastoralists. The stakeholders consulted with to date include:

- Yakka Munga Station;
- Roebuck Plains Station;
- Yawuru Traditional Owners;
- Nyikina Mangala Traditional Owners;
- Karajarri Yanja Traditional Owners;
- Department of Fire and Emergency Services;
- Department of Water and Environmental Regulation; and
- Broome and Derby Police.

These stakeholders have been consulted via phone, written notices and face-to-face meetings.

No issues have been raised in relation to the Activity through the consultation process. The Company will continue to communicate with stakeholders and consult during all phases of the Activity, on a formal and informal basis, and by email, letter, face-to-face and telephone.



# Appendix A – Full Chemical Disclosure

December 17, 2019 Revision 8

# CHEMICAL DISCLOSURE FOR BURU ENERGY

#### A. SYSTEM DETAILS:

OPERATOR:	Buru Energy
PROJECT / WELL:	Ungani
SYSTEM:	Produced Water Disposal
TOTAL VOLUME OF SYSTEM:	Approx. 1,000 kL/day

#### B. PRODUCT LIST:

Product Name	Supplier	Purpose	Toxicity, Ecotoxicity & Biodegradability data**	% Product in system fluid	MSDS Attached
Gyptron IT-109	Nalco	Scale Inhibitor	This product contains organic components.	0.0010%	Yes
	Champion		AQUATIC TOXICOLOGY		
			<ul> <li>COMPONENT 1 (60 – 100% concentration)</li> </ul>		
			Natural product – exempt under the Chemical Disclosure Guidelines		
			<ul> <li>COMPONENT 2 (1 – 5% concentration)</li> </ul>		
			<ul> <li>Daphnia magna (Marine invertebrate) EC50 48 hrs: 24* mg/L</li> </ul>		
			<ul> <li>Onchorhynchus mykiss (Marine fish) LC50 96 hrs: 0.53* mg/L</li> </ul>		
			<ul> <li>COMPONENT 3 (5 – 10% concentration)</li> </ul>		
			<ul> <li>Skeletonema costatum (Marine algae) EC50 72 hrs: 163 mg/L</li> </ul>		
			<ul> <li>Acartia tonsa (Marine invertebrate) LC50 48 hrs: 258 mg/L</li> </ul>		
			<ul> <li>Scophthalmus maximus (Marine fish) LC50 96 hrs: 550 mg/L</li> </ul>		
			<ul> <li>COMPONENT 4 (5 – 10% concentration)</li> </ul>		
			<ul> <li>Skeletonema costatum (Marine algae) EC50 72 hrs: 163* mg/L</li> </ul>		
			<ul> <li>Acartia tonsa (Marine invertebrate) LC50 48 hrs: 258* mg/L</li> </ul>		
			<ul> <li>Scophthalmus maximus (Marine fish) LC50 96 hrs: 550* mg/L</li> </ul>		
			*Estimated data based on structural analogue		
			<ul> <li>COMPONENT 5 (1 – 5% concentration)</li> </ul>		
			<ul> <li>Skeletonema costatum (Marine algae) EC50 72 hrs: 163* mg/L</li> </ul>		
			<ul> <li>Acartia tonsa (Marine invertebrate) LC50 48 hrs: 258* mg/L</li> </ul>		
			<ul> <li>Scophthalmus maximus (Marine fish) LC50 96 hrs: 550* mg/L</li> </ul>		
			*Estimated data based on structural analogue		
			CHEMICAL FATE		
			<ul> <li>COMPONENT 1 (60 – 100% concentration)</li> </ul>		
			Natural product – exempt under the Chemical Disclosure Guidelines		
			<ul> <li>COMPONENT 2 (1 – 5% concentration)</li> </ul>		
			Log Pow <3*		

Product Name	Supplier	Purpose	Toxicity, Ecotoxicity & Biodegradability data**	% Product in system fluid	MSDS Attached
			*Literature data from HSNO CCID		
			• COMPONENT 3 (5 – 10% concentration)		
			Log Pow <0		
			• COMPONENT 4 (5 – 10% concentration)		
			Log Pow <0*		
			*Estimated data based on structural analogue		
			• COMPONENT 5 (1 – 5% concentration)		
			Log Pow <0*		
			*Estimated data based on structural analogue		
			ENVIRONMENTAL FATE		
			• COMPONENT 1 (60 – 100% concentration)		
			Natural product – exempt under the Chemical Disclosure Guidelines		
			• COMPONENT 2 (1 – 5% concentration)		
			Biodegrability, 28 days: >60%*		
			*Literature data from HSNO CCID		
			• COMPONENT 3 (5 – 10% concentration)		
			Biodegradability, 28 days: 12%		
			• COMPONENT 4 (5 – 10% concentration)		
			Biodegradability, 28 days: 12*%		
			*Estimated data based on structural analogue		
			• COMPONENT 5 (1 – 5% concentration)		
			Biodegradability, 28 days: 12*%		
			*Estimated data based on structural analogue		
			ACUTE MAMMALIAN TOXICITY		
			• COMPONENT 1 (60 – 100% concentration)		
			Natural product – exempt under the Chemical Disclosure Guidelines		
			• COMPONENT 2 (1 – 5% concentration)		
			Rat LD50 (oral): 350 mg/kg		
			Rat LC50 (inhalation) 4h: 1.4 mg/L		
			• COMPONENT 3 (5 – 10% concentration)		
			Rat LD50 (oral): 4164 mg/kg		
			COMPONENT 4 (5 – 10% concentration)		
			No scientific data or research is available for this component.		
			• COMPONENT 5 (1 – 5% concentration)		
			No scientific data or research is available for this component.		
			CHRONIC TOXICITY		

Product Name	Supplier	Purpose	Toxicity, Ecotoxicity & Biodegradability data**	% Product in system fluid	MSDS Attached
			No known carcinogenic, chronic, mutagenic or reproductive effects.		
EC1477A	Nalco Champion	Corrosion Inhibitor	This product contains organic components.  AQUATIC TOXICOLOGY  COMPONENT 1 (60 – 100% concentration)  Natural product – exempt under the Chemical Disclosure Guidelines  COMPONENT 2 (0 – 1% concentration)  Daphnia magna (Marine invertebrate) EC50 48 hrs: 65 mg/L  Pimephales promelas (fathead minnow) (Marine fish) LC50 96 hrs: 88 mg/L  COMPONENT 3 (1 – 10% concentration)  Skeletonema costatum (Marine algae) EC50 96 hrs: 93 mg/L  Acartia tonsa (Marine invertebrate) LC50 48 hrs: 70 mg/L  Scophthalmus maximus (Marine fish) LC50 96 hrs: 252 mg/L  COMPONENT 4 (1 – 10% concentration)  Skeletonema costatum (Marine algae) EC50 96 hrs: 0.5 mg/L  Acartia tonsa (Marine invertebrate) LC50 48 hrs: 1.2 mg/L  Scophthalmus maximus (Marine fish) LC50 96 hrs: 3.4 mg/L  COMPONENT 5 (1 – 10% concentration)  Skeletonema costatum (Marine algae) EC50 96 hrs: 0.26* mg/L  Acartia tonsa (Marine invertebrate) LC50 48 hrs: 0.26* mg/L  Acartia tonsa (Marine invertebrate) LC50 48 hrs: 0.4* mg/L  Cuprinodon variegatus (sheepshead minnow) (Marine fish) LC50 96 hrs: 1.7* mg/L  *Estimated data based on structural analogue  CHEMICAL FATE  COMPONENT 1 (60 – 100% concentration)  Log Pow <3  COMPONENT 3 (1 – 10% concentration)  Log Pow 0.059  COMPONENT 4 (1 – 10% concentration)  Log Pow 2.28 (theoretical)  ENVIRONMENTAL FATE  COMPONENT 1 (60 – 100% concentration)  Log Pow 2.28 (theoretical)  ENVIRONMENTAL FATE  COMPONENT 1 (60 – 100% concentration)	0.0030%	Yes

Product Name	Supplier	Purpose	Toxicity, Ecotoxicity & Biodegradability data**	% Product in system fluid	MSDS Attached
			Natural product – exempt under the Chemical Disclosure Guidelines		
			• COMPONENT 2 (0 – 1% concentration)		
			Biodegradability 28 days: >60%		
			• COMPONENT 3 (1 – 10% concentration)		
			Biodegradability, 28 days: 64%		
			<ul> <li>COMPONENT 4 (1 − 10% concentration)</li> </ul>		
			Biodegradability, 28 days: 8%		
			• COMPONENT 5 (1 – 10% concentration)		
			Biodegradability, 28 days: 34%		
			ACUTE MAMMALIAN TOXICITY		
			• COMPONENT 1 (60 – 100% concentration)		
			Natural product – exempt under the Chemical Disclosure Guidelines		
			• COMPONENT 2 (0 − 1% concentration)		
			Rat LD50 (oral): 3310 mg/kg		
			Rabbit LD50 (dermal): 1060 mg/kg		
			• COMPONENT 3 (1 – 10% concentration)		
			No scientific data or research is available for this component.		
			• COMPONENT 4 (1 – 10% concentration)		
			Rat LD50 (oral): >2500 mg/kg		
			• COMPONENT 5 (1 – 10% concentration)		
			Rat LD50 (oral): 344 mg/kg		
			Rabbit LD50 (dermal): 3340 mg/kg		
			Rat LC50 (inhalation) 4h: >0.054 mg/L		
			CHRONIC TOXICITY		
			• COMPONENT 1 (60 – 100% concentration)		
			Natural product – exempt under the Chemical Disclosure Guidelines		
			• COMPONENT 2 (0 – 1% concentration)		
			No known carcinogenic, chronic, mutagenic or reproductive effects.		
			• COMPONENT 3 (1 – 10% concentration)		
			No known carcinogenic, chronic, mutagenic or reproductive effects.		
			<ul> <li>COMPONENT 4 (1 – 10% concentration)</li> </ul>		
			Skin sensitizer.		
			• COMPONENT 5 (1 – 10% concentration)		
			No known carcinogenic, chronic, mutagenic or reproductive effects.		

Product Name	Supplier	Purpose	Toxicity, Ecotoxicity & Biodegradability data**	% Product in system fluid	MSDS Attached
EC6733A	Nalco	Biocide	This product contains organic components.	0.0011%	Yes
	Champion		AQUATIC TOXICOLOGY		
			• COMPONENT 1 (1 – 10% concentration)		
			<ul> <li>Skeletonema costatum (Marine algae) EC50 72 hrs: 0.26 mg/L</li> </ul>		
			<ul> <li>Acartia tonsa (Marine invertebrate) LC50 48 hrs: 0.4 mg/L</li> </ul>		
			o Cyprinodon variegatus (sheepshead minnow) (Marine fish) LC50 96 hrs:		
			1.7 mg/L		
			• COMPONENT 2 (60 – 100% concentration)		
			<ul> <li>Skeletonema costatum (Marine algae) EC50 72 hrs: 0.16 mg/L</li> </ul>		
			<ul> <li>Acartia tonsa (Marine invertebrate) LC50 48 hrs: 0.6 mg/L</li> </ul>		
			<ul> <li>Scophthalmus maximus (Marine fish) LC50 96 hrs: 72 mg/L</li> </ul>		
			• COMPONENT 3 (0 − 1% concentration)		
			<ul> <li>Skeletonema costatum (Marine algae) EC50 72 hrs: 4.1 mg/L</li> </ul>		
			<ul> <li>Acartia tonsa (Marine invertebrate) LC50 48 hrs: 38 mg/L</li> </ul>		
			<ul> <li>Scophthalmus maximus (Marine fish) LC50 96 hrs: 611 mg/L</li> </ul>		
			• COMPONENT 4 (10 – 30% concentration)		
			Natural product – exempt under the Chemical Disclosure Guidelines		
			<u>CHEMICAL FATE</u>		
			• COMPONENT 1 (1 – 10% concentration)		
			Log Pow 2.28 (theoretical)		
			• COMPONENT 2 (60 – 100% concentration)		
			Log Pow 0		
			• COMPONENT 3 (0 – 1% concentration)		
			Log Pow <0		
			• COMPONENT 4 (10 – 30% concentration)		
			Natural product – exempt under the Chemical Disclosure Guidelines		
			ENVIRONMENTAL FATE		
			• COMPONENT 1 (1 – 10% concentration)		
			Biodegradability, 28 days: 34%		
			• COMPONENT 2 (60 – 100% concentration)		
			Biodegradability, 28 days: 61%		
			• COMPONENT 3 (0 – 1% concentration)		
			Biodegradability, 28 days: 83%		
			• COMPONENT 4 (10 – 30% concentration)		
			Natural product – exempt under the Chemical Disclosure Guidelines		

Product Name	Supplier	Purpose	Toxicity, Ecotoxicity & Biodegradability data**	% Product in system fluid	MSDS Attached
			ACUTE MAMMALIAN TOXICITY		
			<ul> <li>COMPONENT 1 (1 – 10% concentration)</li> </ul>		
			Rat LD50 (oral): 344 mg/kg		
			Rabbit LD50 (dermal): 3340 mg/kg		
			Rat LC50 (inhalation) 4h: >0.054 mg/L		
			<ul> <li>COMPONENT 2 (60 – 100% concentration)</li> </ul>		
			Rat LD50 (oral): 575 mg/kg (75% active ingredient in water)		
			Rat LD50 (dermal): >2000 mg/kg (75% active ingredient in water)		
			Rat LC50 (inhalation) 4h: 0.591 mg/l (75% active ingredient in water)		
			<ul> <li>COMPONENT 3 (0 – 1% concentration)</li> </ul>		
			Guinea pig LD50 (oral): 260* mg/kg		
			Rabbit LD50 (dermal): 270* mg/kg		
			Mouse LC50 (inhalation) 4 hr: 497* mg/kg		
			<ul> <li>COMPONENT 4 (10 – 30% concentration)</li> </ul>		
			Natural product – exempt under the Chemical Disclosure Guidelines		
			*Literature data from HSNO CCID		
			CHRONIC TOXICITY		
			• COMPONENT 1 (1 – 10% concentration)		
			No known carcinogenic, chronic, mutagenic or reproductive effects.		
			• COMPONENT 2 (60 – 100% concentration)		
			Skin sensitizer. Reproductive toxicant to rabbits/rats at 50mg/kg/day.		
			<ul> <li>COMPONENT 3 (0 – 1% concentration)</li> </ul>		
			Skin sensitizer. May cause cancer, IARC Group 1 Carcinogen.		
			<ul> <li>COMPONENT 4 (10 – 30% concentration)</li> </ul>		
			Natural product – exempt under the Chemical Disclosure Guidelines		
EC2034A	Nalco	Emulsion Breaker	This product contains organic components.	0.0042%	Yes
	Champion		AQUATIC TOXICOLOGY		
			<ul> <li>COMPONENT 1 (30 – 60% concentration)</li> </ul>		
			<ul> <li>Scophthalmus maximus (Marine fish) LC50 96 hrs: &gt;1000* mg/L</li> </ul>		
			*Estimated data based on structural analogue		
			<ul> <li>COMPONENT 2 (10 – 30% concentration)tingenc</li> </ul>		
			<ul> <li>Daphnia magna (Marine invertebrate) EC50 48 hrs: 24500 mg/L</li> </ul>		
			<ul> <li>Oncorhynchus mykiss (rainbow trout) (Marine fish) LC50 96 hrs: 19000</li> </ul>		
			mg/L		
			• COMPONENT 3 (10 – 30% concentration)		
			<ul> <li>Skeletonema costatum (Marine algae) EC50 72 hrs: 114 mg/L</li> </ul>		

Product Name	Supplier	Purpose	Toxicity, Ecotoxicity & Biodegradability data**	% Product in system fluid	MSDS Attached
			<ul> <li>Acartia tonsa (Marine invertebrate) LC50 48 hrs: 29.2 mg/L</li> </ul>		
			O Cyprinodon variegatus (sheepshead minnow) (Marine fish) LC50 96 hrs:		
			>1000 mg/L		
			• COMPONENT 4 (5 – 10% concentration)		
			<ul> <li>Skeletonema costatum (Marine algae) EC50 72 hrs: 165 mg/L</li> </ul>		
			<ul> <li>Acartia tonsa (Marine invertebrate) LC50 48 hrs: 360 mg/L</li> </ul>		
			<ul> <li>Scophthalmus maximus (Marine fish) LC50 96 hrs: 811 mg/L</li> </ul>		
			• COMPONENT 5 (5 – 10% concentration)		
			<ul> <li>Skeletonema costatum (Marine algae) EC50 72 hrs: 0.5 mg/L</li> </ul>		
			<ul> <li>Acartia tonsa (Marine invertebrate) LC50 48 hrs: 119 mg/L</li> </ul>		
			<ul> <li>Scophthalmus maximus (Marine fish) LC50 96 hrs: 148 mg/L</li> </ul>		
			CHEMICAL FATE		
			• COMPONENT 1 (30 – 60% concentration)		
			Log Pow 4.4		
			• COMPONENT 2 (10 – 30% concentration)		
			Log Pow <1		
			• COMPONENT 3 (10 – 30% concentration)		
			Log Pow 3.5 – 5.1		
			• COMPONENT 4 (5 – 10% concentration)		
			Log Pow 4.66		
			• COMPONENT 5 (5 – 10% concentration)		
			Log Pow 4.7		
			ENVIRONMENTAL FATE		
			• COMPONENT 1 (30 – 60% concentration)		
			Biodegradability, 28 days: 15%		
			• COMPONENT 2 (10 – 30% concentration)		
			Biodegradability, 3 days: 83-91%		
			• COMPONENT 3 (10 – 30% concentration)		
			Biodegradability, 28 days: 29%		
			• COMPONENT 4 (5 – 10% concentration)		
			Biodegradability, 28 days: 70%		
			• COMPONENT 5 (5 – 10% concentration)		
			Biodegradability, 28 days: 21%		
			ACUTE MAMMALIAN TOXICITY		
			• COMPONENT 1 (30 – 60% concentration)		
			No scientific data or research is available for this component.		

Product Name	Supplier	Purpose	Toxicity, Ecotoxicity & Biodegradability data**	% Product in system fluid	MSDS Attached
Product Name	Supplier	Purpose	<ul> <li>COMPONENT 2 (10 – 30% concentration)         Rat LD50 (oral): 5628 mg/kg         Rabbit LD50 (dermal): 15800* mg/kg         Rat LC50 (inhalation) 4 hr: 64000 ppm</li> <li>COMPONENT 3 (10 – 30% concentration)         Rat LD50 (oral): &gt;5000 mg/kg         Rabbit LD50 (dermal): &gt;2000 mg/kg         Rat LC50 (inhalation) 4h: &gt;5 mg/L</li> <li>COMPONENT 4 (5 – 10% concentration)         Rat LD50 (oral): &gt;5000 mg/kg</li> <li>COMPONENT 5 (5 – 10% concentration)         No scientific data or research is available for this component.</li> <li>CHRONIC TOXICITY</li> <li>COMPONENT 1 (30 – 60% concentration)         No known carcinogenic, chronic, mutagenic or reproductive effects.</li> <li>COMPONENT 2 (10 – 30% concentration)         No known carcinogenic, chronic, mutagenic or reproductive effects.</li> <li>COMPONENT 3 (10 – 30% concentration)         May cause genetic defects. May cause cancer.</li> <li>COMPONENT 4 (5 – 10% concentration)         Suspected of causing cancer.</li> </ul>	% Product in system fluid	MSDS Attached
			<ul> <li>COMPONENT 5 (5 – 10% concentration)</li> <li>No known carcinogenic, chronic, mutagenic or reproductive effects.</li> </ul>		
Water	-	Water	-	~ 99.9907%	N/A
TOTAL				100%	
EC9356A	Nalco Champion	Hydrogen Sulfide Scavenger	This product contains organic components.  AQUATIC TOXICOLOGY  COMPONENT 1 (60 – 100% concentration)  Natural product – exempt under the Chemical Disclosure Guidelines  COMPONENT 2 (10 – 30% concentration)  Skeletonema costatum (Marine algae) EC50 72 hrs: 35 mg/L  Acartia tonsa (Marine invertebrate) LC50 48 hrs: 20 mg/L  Scophthalmus maximus (Marine fish) LC50 96 hrs: 81 mg/L  CHEMICAL FATE  COMPONENT 1 (60 – 100% concentration)  Natural product – exempt under the Chemical Disclosure Guidelines	Contingency, 0.003%	Yes

Product Name	Supplier	Purpose	Toxicity, Ecotoxicity & Biodegradability data**	% Product in system fluid	MSDS Attached
			COMPONENT 2 (10 – 30% concentration)		
			Log Pow < 3		
			ENVIRONMENTAL FATE		
			• COMPONENT 1 (60 – 100% concentration)		
			Natural product – exempt under the Chemical Disclosure Guidelines		
			• COMPONENT 2 (10 – 30% concentration)		
			Biodegradability, 28 days: 70%		
			ACUTE MAMMALIAN TOXICITY		
			• COMPONENT 1 (60 – 100% concentration)		
			Natural product – exempt under the Chemical Disclosure Guidelines		
			• COMPONENT 2 (10 – 30% concentration)		
			Rat LD50 (oral): 500 mg/kg		
			CHRONIC TOXICITY		
			• COMPONENT 1 (60 – 100% concentration)		
			Natural product – exempt under the Chemical Disclosure Guidelines		
			• COMPONENT 2 (10 – 30% concentration)		
			Skin sensitizer. May cause damage to organs through prolonged or repeated		
			exposure if swallowed.		
EC9610A	Nalco	Cleaner	This product contains organic components.	Contingency, 0.4%	Yes
	Champion		AQUATIC TOXICOLOGY		
			COMPONENT 1 (100% concentration)		
			Skeletonema costatum (Marine algae) EC50 72 hrs: 1100 mg/L		
			o Acartia tonsa (Marine invertebrate) LC50 48 hrs: 1195 mg/L		
			o Scophthalmus maximus (Marine fish) LC50 96 hrs: 2100 mg/L		
			CHEMICAL FATE		
			COMPONENT 1 (100% concentration)		
			Log Pow 1.6		
			ENVIRONMENTAL FATE  COMPONENT 1 (1909) components tion		
			COMPONENT 1 (100% concentration)  Biodogradability 38 days 67.5%		
			Biodegradability, 28 days: 67.5%		
			COMPONENT 1 (100% concentration)		
			Rat LD50 (oral): 1500 mg/kg		
			CHRONIC TOXICITY		
			• COMPONENT 1 (100% concentration)		
			Conference 1 (100% concentration)		<u> </u>

Product Name	Supplier	Purpose	Toxicity, Ecotoxicity & Biodegradability data**	% Product in system fluid	MSDS Attached
			No known carcinogenic, chronic, mutagenic or reproductive effects.		
EC2211A	Nalco Champion	Demulsifier	This product contains organic components.  AQUATIC TOXICOLOGY  COMPONENT 1 (30 – 60% concentration)  Skeletonema costatum (Marine algae) EC50 72 hrs: 375 mg/L  Acartia tonsa (Marine invertebrate) LC50 48 hrs: 439 mg/L  Cyprinodon variegatus (sheepshead minnow) (Marine fish) LC50 96 hrs: 51.43 mg/L  COMPONENT 2 (10 – 30% concentration)  Skeletonema costatum (Marine algae) EC50 72 hrs: < 0.5 mg/L  Acartia tonsa (Marine invertebrate) LC50 48 hrs: 119 mg/L  Scophthalmus maximus (Marine fish) LC50 96 hrs: 148 mg/L  COMPONENT 3 (5 – 10% concentration)  Skeletonema costatum (Marine algae) EC50 72 hrs: 610 mg/L  Acartia tonsa (Marine invertebrate) LC50 48 hrs: 534 mg/L  Cyprinodon variegatus (sheepshead minnow) (Marine fish) LC50 96 hrs: 550 mg/L	0.0042%	Yes
			<ul> <li>CHEMICAL FATE</li> <li>COMPONENT 1 (30 – 60% concentration) Log Pow 4.6</li> <li>COMPONENT 2 (10 – 30% concentration) Log Pow 4.73</li> <li>COMPONENT 3 (5 – 10% concentration) Log Pow &gt; 3</li> <li>ENVIRONMENTAL FATE</li> <li>COMPONENT 1 (30 – 60% concentration) Biodegradability, 28 days: 86%</li> <li>COMPONENT 2 (10 – 30% concentration) Biodegradability, 28 days: 17%</li> <li>COMPONENT 3 (5 – 10% concentration) Biodegradability, 28 days: 11%</li> </ul>		

Product Name	Supplier	Purpose	Toxicity, Ecotoxicity & Biodegradability data**	% Product in system fluid	MSDS Attached
			ACUTE MAMMALIAN TOXICITY		
			• COMPONENT 1 (30 – 60% concentration)		
			Rat LD50 (oral): > 5,000 mg/kg		
			• COMPONENT 2 (10 – 30% concentration)		
			No data available		
			• COMPONENT 3 (5 – 10% concentration)		
			No data available		
			CHRONIC TOXICITY		
			• COMPONENT 1 (30 – 60% concentration)		
			Suspected of causing cancer.		
			• COMPONENT 2 (10 – 30% concentration)		
			No known carcinogenic, chronic, mutagenic or reproductive effects.		
			• COMPONENT 3 (5 – 10% concentration)		
			No known carcinogenic, chronic, mutagenic or reproductive effects.		

<sup>\*\*</sup> With reference to biodegradation, where a Product is organic than Contractor must state as such in this column

# C. CHEMICAL LIST Chemical List (Chemicals within fluid system identified in the table above)

Chemicals Name	CAS Number	Mass Fraction (%)
WATER	7732-18-5	99.99396554 %
OXIRANE, METHYL-, POLYMER WITH 1,3-DIISOCYANATOMETHYLBENZENE AND OXIRANE	9052-50-0	0.00160%
HYDROTREATED HEAVY NAPHTHA	64742-48-9	0.00108%
PHOSPHONIC ACID, ^^(PHOSPHONOMETHYL)IMINO]BIS^6,1-HEXANEDIYLNITRILOBIS(METHYLENE)]]TETRAKIS-,	35657-77-3	0.00080%
TETRAKIS(HYDROXYMETHYL)PHOSPHONIUM SULPHATE	55566-30-8	0.00072%
Methanol	67-56-1	0.00050%
SOLVENT NAPHTHA (PETROLEUM), HEAVY AROM.	64742-94-5	0.00038 %
FORMALDEHYDE, POLYMER WITH METHYLOXIRANE, 4-NONYLPHENOL AND OXIRANE	63428-92-2	0.00032%
C12-16 ALKYLBENZYLDIMETHYLAMMONIUM CHLORIDE	68424-85-1	0.00026%
1H-IMIDAZOLE-1-ETHANAMINE, 4,5-DIHYDRO-, 2-NORTALL-OIL ALKYL DERIVS., ACETATES	68140-11-4	0.00017 %
THIOGLYCOLIC ACID	68-11-1	0.00007%
PHOSPHONIC ACID, [(PHOSPHONOMETHYL)IMINO]BIS[6,1-HEXANEDIYLNITRILOBIS(METHYLENE)]TETRAKIS-	34690-00-1	0.00005%
Amine phosphonate, ammonium salt	-	0.00004%
ACETIC ACID	64-19-7	0.00002 %
AMMONIUM HYDROXIDE	1336-21-6	0.00001%
FORMALDEHYDE	50-00-0	< 0.00001 %
TOTAL	-	100%
2-Butoxyethanol	111-76-2	Contingency, 0.4%
WATER	7732-18-5	Contingency, 0.00215 %
Hexahydro-1,3,5-Trimethyl-S-Triazine	108-74-7	Contingency, 0.00084 %
SOLVENT NAPHTHA (PETROLEUM), HEAVY AROM.	64742-94-5	Contingency, 0.00272 %
PHENOL, 4-NONYL-, POLYMER WITH FORMALDEHYDE, METHYLOXIRANE AND OXIRANE	63428-92-2	Contingency, 0.001254 %
FORMALDEHYDE, POLYMER WITH 4-(1,1-DIMETHYLETHYL)PHENOL, METHYLOXIRANE AND OXIRANE	30704-64-4	Contingency, 0.000219 %

## A. SYSTEM DETAILS:

OPERATOR:	Buru Energy
PROJECT / WELL:	Ungani Wells
SYSTEM:	Well Circulation Fluid
TOTAL VOLUME OF SYSTEM:	Approx. 150 bbl (24 kL)

#### B. PRODUCT LIST:

Product name	Supplier	Purpose	Toxicity, Ecotoxicity and Biodegradability data	Product in	MSDS
	0 : 1		2014	system (%)	Attached
Fresh water	Onsite bore	Mix water	N/A	59.3495%	N/A
Hydrochloric Acid	Coogee Chemicals	pH Control	Constituent 1 as an ingredient 15% Acute Toxicity:  EC50 (72 h) 0.73 mg/L (non-neutralized) Chlorella vulgaris (freshwater algae).  LC50 (48 h) 0.44 mg/L (non-neutralized) Daphnia magna (freshwater invertebrate).  LC50 (96 h) 20.5 mg/L (non-neutralized) Lepomis macrochirus (freshwater fish)  LD50 (oral) 238 – 277 mg/kg (Non-neutralized) Rat  Chronic Toxicity:  No known carcinogenic, chronic, mutagenic or reproductive effects for this product.  Biodegradation/bioaccumulation:  Not applicable to inorganic compounds  Constituent 2 as an ingredient 85%  Water	34.8902%	Yes
Acetic acid	Halliburton	Chelating agent	Acute Toxicity:  EC50 (72h) 55.22 mg/L Anabaena (algae)  LC50 (96h) 75 mg/L Lepomis macrochirus (fish)  LC50 (96h) 251 mg/L Gambusia affinis (fish)  EC50 (48h) 65 mg/L Daphnia magna (freshwater invertebrate)  Chronic Toxicity:  No known carcinogenic, chronic, mutagenic or reproductive effects for this product.  Biodegradation/bioaccumulation:  Readily biodegradable (99% @ 7d).  Log Kow -0.17  The product is not known to be Bioaccumulative.	0.111%	Yes
Rodine 85	Henkel	Acid inhibitor	Toxicology Data: Component 1 (<10%)	0.01843%	Yes

Product name	Supplier	Purpose	Toxicity, Ecotoxicity and Biodegradability data	Product in system (%)	MSDS Attached
			LC50 (96h) 4.6 mg/L Leuciscus idus (fish)  EC50 (24h) 11 mg/L Daphnia magna (freshwater invertebrate)  EC50 (8d) >18 mg/L Scenedesmus quadricauda (algae)  Component 2 (<5%)  EC50 (48h) 56 mg/L Daphnia magna (freshwater invertebrate)  Component 3 (<30%)  No data available. Data presented for a similar compound  LC50 (96h) P. promelas 24 mg/L (fish)  LC50 (96h) B. rerio 41 mg/L (fish)  EC50 (48h) Daphnia magna ~2 mg/L (freshwater invertebrate)  Component 4 (60%) Water  Biodegradation/bioaccumulation:  Degradability: Component 1 37%, Component 2 3%, Component 3 97%  Bioaccumulative potential: Comp. 1 Log Kow -0.35, Comp. 2 LogKow 0.57, Comp. 3 LogPow <1		
Citric Acid	Halliburton	pH control	Acute Fish Toxicity 96h LC50: >440-760 mg/l (Leuciscus idus) Acute Crustacean Toxicity 72h EC50: 120 mg/l (Daphnia magna) Acute Toxicity 7d EC3: 640 mg/l (Scenedesmus quadrucauda) Source: IUCLID 2000 Biodegradation/bioaccumulation: Citric Acid is extract of Citrus and rapidly biodegradable. BOD30/COD = 90%. Rapidly biodegradable in water and soil. The product is not known to be Bioaccumulative.	1.843%	Yes
EC6733A	Nalco Champion	Biocide	This product contains organic components.  AQUATIC TOXICOLOGY  COMPONENT 1 (10 – 30% concentration)  Skeletonema costatum (Marine algae) EC50 72 hrs: 0.26 mg/L  Acartia tonsa (Marine invertebrate) LC50 48 hrs: 0.4 mg/L  Cyprinodon variegatus (sheepshead minnow) (Marine fish) LC50 96 hrs: 1.7 mg/L  COMPONENT 2 (60 – 100% concentration)  Skeletonema costatum (Marine algae) EC50 72 hrs: 0.16 mg/L  Acartia tonsa (Marine invertebrate) LC50 48 hrs: 0.6 mg/L  Scophthalmus maximus (Marine fish) LC50 96 hrs: 72 mg/L  COMPONENT 3 (0 – 1% concentration)  Skeletonema costatum (Marine algae) EC50 72 hrs: 4.1 mg/L  Acartia tonsa (Marine invertebrate) LC50 48 hrs: 38 mg/L  Scophthalmus maximus (Marine fish) LC50 96 hrs: 611 mg/L  CHEMICAL FATE	3.788%	Yes

Product name	Supplier	Purpose	Toxicity, Ecotoxicity and Biodegradability data	Product in system (%)	MSDS Attached
			COMPONENT 1 (10 – 30% concentration)	3,300111 (70)	Accord
			Log Pow 2.28 (theoretical)		
			COMPONENT 2 (60 – 100% concentration)		
			Log Pow 0		
			COMPONENT 3 (0 – 1% concentration)		
			Log Pow <0		
			ENVIRONMENTAL FATE		
			COMPONENT 1 (10 – 30% concentration)		
			Biodegradability, 28 days: 34%		
			COMPONENT 2 (60 – 100% concentration)		
			Biodegradability, 28 days: 61%		
			COMPONENT 3 (0 – 1% concentration)		
			Biodegradability, 28 days: 83%		
			ACUTE MAMMALIAN TOXICITY		
			COMPONENT 1 (10 – 30% concentration)		
			Rat LD50 (oral): 344 mg/kg		
			Rabbit LD50 (dermal): 3340 mg/kg		
			Rat LC50 (inhalation) 4h: >0.054 mg/L		
			COMPONENT 2 (60 – 100% concentration)		
			Rat LD50 (oral): 575 mg/kg (75% active ingredient in water)		
			Rat LD50 (dermal): >2000 mg/kg (75% active ingredient in water)		
			Rat LC50 (inhalation) 4h: 0.591 mg/l (75% active ingredient in water)		
			COMPONENT 3 (0 – 1% concentration)		
			Guinea pig LD50 (oral): 260* mg/kg		
			Rabbit LD50 (dermal): 270* mg/kg		
			Mouse LC50 (inhalation) 4 hr: 497* mg/kg		
			*Literature data from HSNO CCID		
			CHRONIC TOXICITY		
			COMPONENT 1 (10 – 30% concentration)		
			No known carcinogenic, chronic, mutagenic or reproductive effects.		
			COMPONENT 2 (60 – 100% concentration)		
			Skin sensitizer. Reproductive toxicant to rabbits/rats at 50mg/kg/day.		
			COMPONENT 3 (0 – 1% concentration)		
			Skin sensitizer. May cause cancer, IARC Group 1 Carcinogen.		
			Total:	100%	100%
Soda Ash	Halliburton	pH control	Toxicology Data	0.0500%	Yes

Product name	Supplier	Purpose	Toxicity, Ecotoxicity and Biodegradability data	Product in system (%)	MSDS Attached
			LD50 Oral: 4090 mg/kg (Rat); 2800 mg/kg (Rat)LD50 Dermal: 2210 mg/kg (Mouse); >2000 mg/kg (Rabbit)LC50 Inhalation: 2.3 mg/L (Rat) 2h  Substance Ecotoxicity Data  Toxicity to Algae - EC50 242 mg/L (Nitzschia)  Toxicity to Fish – TLM24 385 mg/L (Lepomis macrochirus); LC50 310-1220 mg/L  (Pimephales promelas); LC50 (96h) 300 mg/L (Lepomis macrochirus)  Toxicity to Microorganisms - No information available  Toxicity to Invertibrates – EC50 265 mg/L (Daphnia magna); EC50 (48h) 200 – 227 mg/L  (Ceriodaphnia sp.)  Biodegradation/bioaccumulation:  Soda Ash is an inorganic (Sodium Carbonate), naturally occurring salt and partially biodegradable. Soda Ash is fully water soluble and highly mobile in soil.		
			Biodegradability does not pertain to inorganic substances. Does not bioaccumulate.  Dissociates into ions.		
Sodium Bicarbonate	Halliburton	pH control	Toxicology Data for Components LD50 Oral: No data availableLD50 Dermal: No data availableLC50 Inhalation: No data available Substance Ecotoxicity Data Toxicity to Algae - No information available - EC50 (5d): 650 mg/l (Nitzschia linearis) Toxicity to Fish — No information available - LC50 (96h): 7550 mg/l (Gambusia affinis) Toxicity to Microorganisms - No information available Toxicity to Invertibrates — No information available - EC50 (48h): 2350 mg/l (Daphnia magna) Source: IUCLID 2000 Biodegradation/bioaccumulation: Sodium Bicarbonate is an inorganic, naturally occurring salt and partially biodegradable. Sodium Bicarbonate is fully water soluble and highly mobile in soil. The product is not known to be Bioaccumulative.	0.0500%	Yes

## C. Chemical List:

Chemicals within products in Part B	CAS#	Maximum Mass fraction in System (%)
Water	N/A	89.0062%
Hydrochloric acid	7647-01-0	5.23353%
Acetic acid	64-19-7	0.111%
Citric Acid	77-92-9	1.8415%
Prop-2-yn-1-ol	107-19-7	0.002%
1,3-diethyl-2-thiourea	105-55-5	0.001%
Formaldehyde reaction products with o-toluidine	68411-63-2	0.006%
Tetrakis(hydroxymethyl) phosphonium sulfate	55566-30-8	3.3713%
Benzyl-(C12-C16 Linear Alkyl)-Dimethyl-Ammonium Chloride	68424-85-1	0.3788%
Formaldehyde	50-00-0	0.0379%
	Total	100%
Sodium Carbonate	497-19-8	Contingency, 0.050000%
Sodium Bicarbonate	144-55-8	Contingency, 0.050000%

## A. SYSTEM DETAILS:

OPERATOR:	Buru Energy
PROJECT / WELL:	Ungani Wells
SYSTEM:	Formation Circulation Fluid
TOTAL VOLUME OF SYSTEM:	Approx. 150 bbl (24 kL)

#### B. PRODUCT LIST:

Product name	Supplier	Purpose	Toxicity, Ecotoxicity and Biodegradability data	Product in system (%)	MSDS Attached
Fresh water	Onsite bore	Mix water	N/A	59.3495%	N/A
Hydrochloric Acid	Coogee Chemicals	pH Control	Constituent 1 as an ingredient 30%  Acute Toxicity:  EC50 (72 h) 0.73 mg/L (non-neutralized) Chlorella vulgaris (freshwater algae).  LC50 (48 h) 0.44 mg/L (non-neutralized) Daphnia magna (freshwater invertebrate).  LC50 (96 h) 20.5 mg/L (non-neutralized) Lepomis macrochirus (freshwater fish)  LD50 (oral) 238 – 277 mg/kg (Non-neutralized) Rat  Chronic Toxicity:  No known carcinogenic, chronic, mutagenic or reproductive effects for this product.  Biodegradation/bioaccumulation:  Not applicable to inorganic compounds  Constituent 2 as an ingredient 70%  Water	34.8902%	Yes
Acetic acid	Halliburton	Chelating agent	Acute Toxicity:  EC50 (72h) 55.22 mg/L Anabaena (algae)  LC50 (96h) 75 mg/L Lepomis macrochirus (fish)  LC50 (96h) 251 mg/L Gambusia affinis (fish)  EC50 (48h) 65 mg/L Daphnia magna (freshwater invertebrate)  Chronic Toxicity:  No known carcinogenic, chronic, mutagenic or reproductive effects for this product.  Biodegradation/bioaccumulation:  Readily biodegradable (99% @ 7d).  Log Kow -0.17  The product is not known to be Bioaccumulative.	0.111%	Yes
Rodine 85	Henkel	Acid inhibitor	Toxicology Data: Component 1 (<10%) LC50 (96h) 4.6 mg/L Leuciscus idus (fish)	0.01843%	Yes

Product name	Supplier	Purpose	Toxicity, Ecotoxicity and Biodegradability data	Product in system (%)	MSDS Attached
			EC50 (24h) 11 mg/L Daphnia magna (freshwater invertebrate) EC50 (8d) >18 mg/L Scenedesmus quadricauda (algae) Component 2 (<5%) EC50 (48h) 56 mg/L Daphnia magna (freshwater invertebrate) Component 3 (<30%) No data available. Data presented for a similar compound LC50 (96h) P. promelas 24 mg/L (fish) LC50 (96h) B. rerio 41 mg/L (fish) EC50 (48h) Daphnia magna ~2 mg/L (freshwater invertebrate) Component 4 (60%) Water Biodegradation/bioaccumulation: Degradability: Component 1 37%, Component 2 3%, Component 3 97% Bioaccumulative potential: Comp. 1 Log Kow -0.35, Comp. 2 LogKow 0.57, Comp. 3 LogPow		
Citric Acid	Halliburton	pH control	Acute Fish Toxicity 96h LC50: >440-760 mg/l (Leuciscus idus) Acute Crustacean Toxicity 72h EC50: 120 mg/l (Daphnia magna) Acute Toxicity 7d EC3: 640 mg/l (Scenedesmus quadrucauda) Source: IUCLID 2000 Biodegradation/bioaccumulation: Citric Acid is extract of Citrus and rapidly biodegradable. BOD30/COD = 90%. Rapidly biodegradable in water and soil. The product is not known to be Bioaccumulative.	1.843%	Yes
EC6733A	Nalco Champion	Biocide	This product contains organic components.  AQUATIC TOXICOLOGY  COMPONENT 1 (10 – 30% concentration)  Skeletonema costatum (Marine algae) EC50 72 hrs: 0.26 mg/L  Acartia tonsa (Marine invertebrate) LC50 48 hrs: 0.4 mg/L  Cyprinodon variegatus (sheepshead minnow) (Marine fish) LC50 96 hrs: 1.7 mg/L  COMPONENT 2 (60 – 100% concentration)  Skeletonema costatum (Marine algae) EC50 72 hrs: 0.16 mg/L  Acartia tonsa (Marine invertebrate) LC50 48 hrs: 0.6 mg/L  Scophthalmus maximus (Marine fish) LC50 96 hrs: 72 mg/L  COMPONENT 3 (0 – 1% concentration)  Skeletonema costatum (Marine algae) EC50 72 hrs: 4.1 mg/L  Acartia tonsa (Marine invertebrate) LC50 48 hrs: 38 mg/L  Scophthalmus maximus (Marine fish) LC50 96 hrs: 611 mg/L  CHEMICAL FATE  COMPONENT 1 (10 – 30% concentration)	3.788%	Yes

Product name	Supplier	Purpose	Toxicity, Ecotoxicity and Biodegradability data	Product in system (%)	MSDS Attached
			Log Pow 2.28 (theoretical)	.,	
			COMPONENT 2 (60 – 100% concentration)		
			Log Pow 0		
			COMPONENT 3 (0 – 1% concentration)		
			Log Pow <0		
			ENVIRONMENTAL FATE		
			COMPONENT 1 (10 – 30% concentration)		
			Biodegradability, 28 days: 34%		
			COMPONENT 2 (60 – 100% concentration)		
			Biodegradability, 28 days: 61%		
			COMPONENT 3 (0 – 1% concentration)		
			Biodegradability, 28 days: 83%		
			ACUTE MAMMALIAN TOXICITY		
			COMPONENT 1 (10 – 30% concentration)		
			Rat LD50 (oral): 344 mg/kg		
			Rabbit LD50 (dermal): 3340 mg/kg		
			Rat LC50 (inhalation) 4h: >0.054 mg/L		
			COMPONENT 2 (60 – 100% concentration)		
			Rat LD50 (oral): 575 mg/kg (75% active ingredient in water)		
			Rat LD50 (dermal): >2000 mg/kg (75% active ingredient in water)		
			Rat LC50 (inhalation) 4h: 0.591 mg/l (75% active ingredient in water)		
			COMPONENT 3 (0 – 1% concentration)		
			Guinea pig LD50 (oral): 260* mg/kg		
			Rabbit LD50 (dermal): 270* mg/kg		
			Mouse LC50 (inhalation) 4 hr: 497* mg/kg		
			*Literature data from HSNO CCID		
			CHRONIC TOXICITY		
			COMPONENT 1 (10 – 30% concentration)		
			No known carcinogenic, chronic, mutagenic or reproductive effects.		
			COMPONENT 2 (60 – 100% concentration)		
			Skin sensitizer. Reproductive toxicant to rabbits/rats at 50mg/kg/day.		
			COMPONENT 3 (0 – 1% concentration)		
			Skin sensitizer. May cause cancer, IARC Group 1 Carcinogen.		
	1	1	Total:	100%	100%
	11 1121		Toxicology Data	0.05000/	,
Soda Ash	Halliburton	pH control	LD50 Oral: 4090 mg/kg (Rat); 2800 mg/kg (Rat)LD50 Dermal: 2210 mg/kg (Mouse); >2000	0.0500%	Yes

Product name	Supplier	Purpose	Toxicity, Ecotoxicity and Biodegradability data	Product in system (%)	MSDS Attached
			mg/kg (Rabbit)LC50 Inhalation: 2.3 mg/L (Rat) 2h  Substance Ecotoxicity Data  Toxicity to Algae - EC50 242 mg/L (Nitzschia)  Toxicity to Fish – TLM24 385 mg/L (Lepomis macrochirus); LC50 310-1220 mg/L  (Pimephales promelas); LC50 (96h) 300 mg/L (Lepomis macrochirus)  Toxicity to Microorganisms - No information available  Toxicity to Invertibrates – EC50 265 mg/L (Daphnia magna); EC50 (48h) 200 – 227 mg/L  (Ceriodaphnia sp.)  Biodegradation/bioaccumulation:  Soda Ash is an inorganic (Sodium Carbonate), naturally occurring salt and partially biodegradable. Soda Ash is fully water soluble and highly mobile in soil.		
			Biodegradability does not pertain to inorganic substances. Does not bioaccumulate.  Dissociates into ions.		
Sodium Bicarbonate	Halliburton	pH control	Toxicology Data for Components  LD50 Oral: No data availableLD50 Dermal: No data availableLC50 Inhalation: No data available  Substance Ecotoxicity Data  Toxicity to Algae - No information available - EC50 (5d): 650 mg/l (Nitzschia linearis)  Toxicity to Fish — No information available - LC50 (96h): 7550 mg/l (Gambusia affinis)  Toxicity to Microorganisms - No information available  Toxicity to Invertibrates — No information available - EC50 (48h): 2350 mg/l (Daphnia magna)  Source: IUCLID 2000  Biodegradation/bioaccumulation:  Sodium Bicarbonate is an inorganic, naturally occurring salt and partially biodegradable.  Sodium Bicarbonate is fully water soluble and highly mobile in soil. The product is not known to be Bioaccumulative.	0.0500%	Yes

## C. Chemical List:

Chemicals within products in Part B	CAS#	Maximum Mass fraction in System (%)
Water	N/A	83.7835%
Hydrochloric acid	7647-01-0	10.467%
Acetic acid	64-19-7	0.111%
Citric Acid	77-92-9	1.8415%
Prop-2-yn-1-ol	107-19-7	0.002%
1,3-diethyl-2-thiourea	105-55-5	0.001%
Formaldehyde reaction products with o-toluidine	68411-63-2	0.006%
Tetrakis(hydroxymethyl) phosphonium sulfate	55566-30-8	3.3713%
Benzyl-(C12-C16 Linear Alkyl)-Dimethyl-Ammonium Chloride	68424-85-1	0.3788%
Formaldehyde	50-00-0	0.0379%
	Total	100%
Sodium Carbonate	497-19-8	Contingency, 0.050000%
Sodium Bicarbonate	144-55-8	Contingency, 0.050000%

A. SYSTEM DETAILS				
OPERATOR:	Buru Energy			
PROJECT / WELL:	Ungani Workovers			
SYSTEM:	Suspension Fluid			
TOTAL VOLUME OF SYSTEM (m³):	Approximately 850 bbl (135 kL)			

## B. PRODUCT LIST

Trade name	Supplier	Purpose	Product in system (%)	Toxicity & Ecotoxicity Info	MSDS Attached
Fresh water	Onsite bore	Mix water	96.212%	N/A	N/A
EC6733A	Nalco Champion	Biocide	3.788%	This product contains organic components.  AQUATIC TOXICOLOGY COMPONENT 1 (10 – 30% concentration)  Skeletonema costatum (Marine algae) EC50 72 hrs: 0.26 mg/L  Acartia tonsa (Marine invertebrate) LC50 48 hrs: 0.4 mg/L  Cyprinodon variegatus (sheepshead minnow) (Marine fish) LC50 96 hrs: 1.7 mg/L  COMPONENT 2 (60 – 100% concentration)  Skeletonema costatum (Marine algae) EC50 72 hrs: 0.16 mg/L  Acartia tonsa (Marine invertebrate) LC50 48 hrs: 0.6 mg/L  Scophthalmus maximus (Marine fish) LC50 96 hrs: 72 mg/L  COMPONENT 3 (0 – 1% concentration)  Skeletonema costatum (Marine algae) EC50 72 hrs: 4.1 mg/L  Acartia tonsa (Marine invertebrate) LC50 48 hrs: 38 mg/L  Scophthalmus maximus (Marine fish) LC50 96 hrs: 611 mg/L  CHEMICAL FATE  COMPONENT 1 (10 – 30% concentration)  Log Pow 2.28 (theoretical)  COMPONENT 2 (60 – 100% concentration)  Log Pow 0  COMPONENT 3 (0 – 1% concentration)  Biodegradability, 28 days: 34%  COMPONENT 1 (10 – 30% concentration)  Biodegradability, 28 days: 61%  COMPONENT 3 (0 – 100 concentration)  Biodegradability, 28 days: 83%  ACUTE MAMMALIAN TOXICITY  COMPONENT 1 (10 – 30% concentration)  Rat LD50 (oral): 344 mg/kg  Rabbit LD50 (dermal): 3340 mg/kg  Rabbit LD50 (dermal): 575 mg/kg (75% active ingredient in water)	Yes

Trade name	Supplier	Purpose	Product in system (%)	Toxicity & Ecotoxicity Info	MSDS Attached
				Rat LD50 (dermal): >2000 mg/kg (75% active ingredient in water) Rat LC50 (inhalation) 4h: 0.591 mg/l (75% active ingredient in water)  COMPONENT 3 (0 – 1% concentration) Guinea pig LD50 (oral): 260* mg/kg Rabbit LD50 (dermal): 270* mg/kg Mouse LC50 (inhalation) 4 hr: 497* mg/kg  *Literature data from HSNO CCID CHRONIC TOXICITY COMPONENT 1 (10 – 30% concentration) No known carcinogenic, chronic, mutagenic or reproductive effects.  COMPONENT 2 (60 – 100% concentration) Skin sensitizer. Reproductive toxicant to rabbits/rats at 50mg/kg/day.  COMPONENT 3 (0 – 1% concentration) Skin sensitizer. May cause cancer, IARC Group 1 Carcinogen.	
		Total	100%	Okin Scholizer. May cause cancer, iArko Group i Garenogen.	
Potassium Chloride	Halliburton Baroid	Weighting Material	Contingency, ~5%	Acute Toxicity: Oral – LD50: 2,600 mg/kg (Rat). Fish – LC50 (48 hr): 720 mg/L ( <i>Lctalurus punctulus</i> ). Crustacean – LC50 (48 hr): 177 mg/L ( <i>Daphnia magna</i> ). Algae – EC50 (120 hr): 1,337 mg/L ( <i>Nitzschia linearis</i> ). Chronic Toxicity: Prolonged or repeated skin contact may cause drying with irritation etc. A chronic reproductive test with invertebrate ( <i>D. magna</i> ) gave LOEC of 101 mg/L. Biodegradation/bioaccumulation: Potassium Chloride is an inorganic salt, naturally occurring. KCl is fully soluble and highly mobile in soil. The product is not known to be bioaccumulative.	Yes
Sodium Chloride	Halliburton	Weighting Material	Contingency, ~5%	Acute Toxicity: Oral (rat) LD50: 3,000 mg/kg Chronic Toxicity: No data available to indicate product or components present at greater than 1% are chronic health hazards. Biodegradation/bioaccumulation: Sodium Chloride is an inorganic, naturally occurring salt and Biodegradation does not apply due to being inorganic (does not contain any Carbon or Hydrogen). Sodium Chloride is fully water soluble, abundant in nature and highly mobile in soil. The product is not known to be Bioaccumulative.	Yes

## C. CHEMICAL LIST

Chemicals within products in Part B	CAS#	Maximum Mass fraction in System (%)
water	7732-18-5	96.212%
Tetrakis(hydroxymethyl) phosphonium sulfate	55566-30-8	3.3713%
Benzyl-(C12-C16 Linear Alkyl)-Dimethyl-Ammonium Chloride	68424-85-1	0.3788%
Formaldehyde	50-00-0	0.0379%
	Total	100%
Potassium Chloride	7447-40-7	Contingency, 5%
Sodium Chloride	7647-14-5	Contingency, 5%

## CHEMICAL DISCLOSURE FOR BURU ENERGY

#### A. SYSTEM DETAILS:

OPERATOR:	Buru Energy
PROJECT / WELL:	Ungani
SYSTEM:	Friction Reduction
TOTAL VOLUME OF SYSTEM:	Approx. 3,000 L

#### B. PRODUCT LIST:

Product Name	Supplier	Purpose	Toxicity, Ecotoxicity & Biodegradability data**	% Product in system fluid	MSDS Attached
CCTORQ	Nalco	Lubricant	Natural product – exempt under the Chemical Disclosure Guidelines.	3%	Yes
	Champion				
Water	-	Water	-	97%	N/A
TOTAL				100%	

<sup>\*\*</sup> With reference to biodegradation, where a Product is organic than Contractor must state as such in this column

#### C. CHEMICAL LIST

Chemical List (Chemicals within fluid system identified in the table above)

Chemicals Name	CAS Number	Mass Fraction (%)
WATER	7732-18-5	97%
CORN OIL	8001-30-7	3%
TOTAL	-	100%



# **Appendix B – Chemical SDSs**

December 17, 2019 Revision 8

# NALCO Champion An Ecolab Company

#### SAFETY DATA SHEET

GYPTRON™ IT-109

#### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : GYPTRON™ IT-109

Other means of identification : Not applicable.

Recommended use : SCALE INHIBITOR

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : ECOLAB PTY LTD

2 Drake Avenue

Macquarie Park NSW 2113

Australia

A.B.N. 59 000 449 990 TEL: 1300 654 224 FAX: +61 2 8870 8680

Emergency telephone

number

: 1800 205 506

International: +64 7 958 2372

Issuing date : 10.06.2016

# **Section: 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Not a hazardous substance or mixture.

Precautionary Statements : **Prevention:** 

Wash hands thoroughly after handling.

Response:

Get medical advice/ attention if you feel unwell.

Storage:

Store in accordance with local regulations.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

#### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

No hazardous ingredients

# Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water. Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and plenty of water. Get medical attention if symptoms

occur.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand

0800 764 766).

#### GYPTRON™ IT-109

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delaved

: See Section 11 for more detailed information on health effects and symptoms.

#### **Section: 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing

media

None known.

Specific hazards during

firefighting

Not flammable or combustible.

Hazardous combustion

products

Decomposition products may include the following materials: Carbon oxides

nitrogen oxides (NOx) Oxides of phosphorus

Special protective equipment:

for firefighters

Use personal protective equipment.

Specific extinguishing

methods

Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

# Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Refer to protective measures listed in sections 7 and 8.

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up

Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise

contain material to ensure runoff does not reach a waterway.

# Section: 7. HANDLING AND STORAGE

Advice on safe handling : For personal protection see section 8. Wash hands after handling.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable

labeled containers.

Suitable material : Keep in properly labelled containers.

Unsuitable material : not determined

#### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# GYPTRON™ IT-109

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Good general ventilation should be sufficient to control worker exposure to

airborne contaminants.

Personal protective equipment

Eye protection : Safety glasses

Hand protection : Wear protective gloves.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Wash hands before breaks and immediately after handling the product.

# Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid

Colour : Clear Brown

Odour : no data available
Flash point : no data available

pH : 4.5 - 5.5

Odour Threshold : no data available

Melting point/freezing point : no data available

Initial boiling point and boiling : no data available

range

no data available Evaporation rate no data available Flammability (solid, gas) no data available Upper explosion limit Lower explosion limit no data available Vapour pressure no data available Relative vapour density no data available Relative density 1.09 - 1.13, (20 °C), Density no data available Water solubility no data available Solubility in other solvents no data available Partition coefficient: nno data available

octanol/water

Auto-ignition temperature : no data available
Thermal decomposition : no data available

temperature

Viscosity, dynamic : no data available

# GYPTRON™ IT-109

Viscosity, kinematic : no data available

Molecular weight : no data available

VOC : no data available

# Section: 10. STABILITY AND REACTIVITY

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : None known.

Hazardous decomposition

products

Decomposition products may include the following materials:

Carbon oxides

nitrogen oxides (NOx) Oxides of phosphorus

### **Section: 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

**Potential Health Effects** 

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

#### **Experience with human exposure**

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

**Toxicity** 

**Product** 

Acute oral toxicity : no data available
Acute inhalation toxicity : no data available
Acute dermal toxicity : no data available
Skin corrosion/irritation : no data available
Serious eye damage/eye : no data available

# GYPTRON™ IT-109

irritation

Respiratory or skin

sensitization

: no data available

Carcinogenicity No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

No reproductive toxic effects expected. Reproductive effects

Germ cell mutagenicity Contains no ingredient listed as a mutagen

Teratogenicity no data available STOT - single exposure no data available STOT - repeated exposure no data available

Aspiration toxicity No aspiration toxicity classification

**Human Hazard Characterization** 

Based on our hazard characterization, the potential human hazard is: Low

# Section: 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

**Environmental Effects** : This product has no known ecotoxicological effects.

**Product** 

Toxicity to fish : no data available

Toxicity to daphnia and other : no data available

aquatic invertebrates

: no data available Toxicity to algae

#### Persistence and degradability

no data available

#### Mobility

no data available

# **Bioaccumulative potential**

no data available

# Other information

no data available

#### ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION

Based on our hazard characterization, the potential environmental hazard is: Low

# Section: 13. DISPOSAL CONSIDERATIONS

: Where possible recycling is preferred to disposal or Disposal methods

incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an

# GYPTRON™ IT-109

approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

#### **Section: 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport

Proper shipping name : PRODUCT IS NOT REGULATED DURING

**TRANSPORTATION** 

Air transport (IATA)

Proper shipping name : PRODUCT IS NOT REGULATED DURING

**TRANSPORTATION** 

Sea transport (IMDG/IMO)

Proper shipping name : PRODUCT IS NOT REGULATED DURING

**TRANSPORTATION** 

# **Section: 15. REGULATORY INFORMATION**

Standard for the Uniform : Schedule 5

Scheduling of Medicines and

Poisons

**INTERNATIONAL CHEMICAL CONTROL LAWS:** 

# **AUSTRALIA**

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

#### **NEW ZEALAND**

All substances in this product comply with the Hazardous Substances and New Organisms (HSNO) Act 1996, and are listed on or are exempt from the New Zealand Inventory of Chemicals.

#### **Section: 16. OTHER INFORMATION**

# **REFERENCES**

Hazardous Substances Data Bank, National Library of Medicine, Bethesda, Maryland (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

Integrated Risk Information System, U.S. Environmental Protection Agency, Washington, D.C. (TOMES CPS™ CD-ROM Version).

Micromedex, Inc., Englewood, CO.

Annual Report on Carcinogens, National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service.

# GYPTRON™ IT-109

Registry of Toxic Effects of Chemical Substances, National Institute for Occupational Safety and Health, Cincinnati, OH,

(TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

The Teratogen Information System, University of Washington, Seattle, WA (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

Revision Date : 10.06.2016 Date of first issue : 10.06.2016

Version Number : 1.0

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.

# NALCO Champion An Ecolab Company

#### **SAFETY DATA SHEET**

#### NALCO® EC1477A

#### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NALCO® EC1477A

Other means of identification : Not applicable.

Recommended use : CORROSION INHIBITOR

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : ECOLAB PTY LTD

2 Drake Avenue

Macquarie Park NSW 2113

Australia

A.B.N. 59 000 449 990 TEL: 1300 654 224 FAX: +61 2 8870 8680

Emergency telephone

number

: 1800 205 506

International: +64 7 958 2372

Issuing date : 17.06.2016

# **Section: 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Acute toxicity (Inhalation) : Category 4
Skin corrosion/irritation : Category 1B
Serious eye damage/eye : Category 1

irritation

Skin sensitization : Category 1

**GHS Label element** 

Hazard pictograms :





Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Harmful if inhaled.

Precautionary Statements : Prevention:

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER or doctor/ physician.

If skin irritation or rash occurs: Get medical advice/ attention.Wash

contaminated clothing before reuse.IF INHALED: Remove person to fresh air

#### **NALCO® EC1477A**

and keep comfortable for breathing.

Storage: Store locked up. **Disposal:** 

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

# Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name CAS-No. Concentration: (%)

Tall Oil, DETA Imidazoline Acetates68140-11-45 - 10Benzyl-(C12-C16 Linear Alkyl)-Dimethyl-Ammonium Chloride68424-85-11 - 5Thioglycolic Acid68-11-11 - 5

#### **Section: 4. FIRST AID MEASURES**

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild

soap if available. Wash clothing before reuse. Thoroughly clean shoes before

reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by

mouth to an unconscious person. Get medical attention immediately.

Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand

0800 764 766).

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

See Section 11 for more detailed information on health effects and symptoms.

#### **Section: 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing

media

None known.

Specific hazards during

firefighting

Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials: Carbon oxides

# **NALCO® EC1477A**

Special protective equipment :

for firefighters

Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not

breathe fumes.

Hazchem Code : 2X

#### Section: 6. ACCIDENTAL RELEASE MEASURES

Initial Emergency Response

Guide No

37

Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only.

Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### Section: 7. HANDLING AND STORAGE

Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in

eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only

with adequate ventilation.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable

labeled containers. Avoid direct sunlight. At temperatures greater than 30°C a component of this product may degrade leading to the production of hydrogen

sulfide (H2S).

Suitable material : Keep in properly labelled containers.

Unsuitable material : not determined

# Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Thioglycolic Acid	68-11-1	TWA	1 ppm 3.8 mg/m3	AU OEL
Thioglycolic Acid	68-11-1	WES-TWA	1 ppm 3.8 mg/m3	NZ OEL
Thioglycolic Acid	68-11-1	TWA	1 ppm	ACGIH
		TWA	1 ppm 4 mg/m3	NIOSH REL

# **NALCO® EC1477A**

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below

occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety

goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove

and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

# Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid
Colour : amber
Odour : Pungent

Flash point : does not flash

pH : 3.7

Odour Threshold : no data available

Melting point/freezing point : no data available

Initial boiling point and boiling : no data available

range

Evaporation rate : no data available
Flammability (solid, gas) : no data available
Upper explosion limit : no data available
Lower explosion limit : no data available
Vapour pressure : no data available
Relative vapour density : no data available
Relative density : 0.98 - 1.02, (25.0 °C),

Density : no data available

Water solubility : completely soluble

Solubility in other solvents : no data available

Partition coefficient: n- : no data available

octanol/water

Auto-ignition temperature : no data available
Thermal decomposition : no data available

# **NALCO® EC1477A**

temperature

Viscosity, dynamic no data available Viscosity, kinematic no data available Molecular weight no data available

VOC 4.6 %

#### Section: 10. STABILITY AND REACTIVITY

At temperatures greater than 30°C a component of this product may degrade Chemical stability

leading to the production of hydrogen sulfide (H2S).

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid None known.

None known Incompatible materials

Hazardous decomposition

products

Decomposition products may include the following materials:

Carbon oxides

# Section: 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

#### **Potential Health Effects**

Eyes Causes serious eye damage.

Skin Causes severe skin burns. May cause allergic skin reaction.

Ingestion Causes digestive tract burns.

Inhalation Harmful if inhaled. May cause nose, throat, and lung irritation.

Chronic Exposure Health injuries are not known or expected under normal use.

#### **Experience with human exposure**

Eye contact Redness, Pain, Corrosion

Skin contact Redness, Pain, Irritation, Corrosion, Allergic reactions

Ingestion Corrosion, Abdominal pain

Inhalation Respiratory irritation, Cough

**Toxicity** 

**Product** 

Acute oral toxicity Acute toxicity estimate: > 2,000 mg/kg

Acute toxicity estimate: 1.18 mg/l Acute inhalation toxicity

Exposure time: 4 h

Acute dermal toxicity Acute toxicity estimate: > 2,000 mg/kg

# **NALCO® EC1477A**

Skin corrosion/irritation : no data available
Serious eye damage/eye : no data available

irritation

Respiratory or skin

sensitization

no data available

Carcinogenicity : No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive effects : No toxicity to reproduction

Germ cell mutagenicity : Contains no ingredient listed as a mutagen

Teratogenicity : no data available
STOT - single exposure : no data available
STOT - repeated exposure : no data available

Aspiration toxicity : No aspiration toxicity classification

**Human Hazard Characterization** 

Based on our hazard characterization, the potential human hazard is: High

#### **Section: 12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

Environmental Effects : This product has no known ecotoxicological effects.

**Product** 

Toxicity to fish : no data available

Toxicity to daphnia and other

aquatic invertebrates

: no data available

Toxicity to algae : no data available

Components

Toxicity to fish : Tall Oil, DETA Imidazoline Acetates

LC50 : > 0.23 mg/l Exposure time: 96 h

Components

Toxicity to daphnia and other

aquatic invertebrates

Tall Oil, DETA Imidazoline Acetates

EC50: 0.72 mg/l Exposure time: 48 h

Benzyl-(C12-C16 Linear Alkyl)-Dimethyl-Ammonium Chloride

EC50 Daphnia magna (Water flea): 0.016 mg/l

Exposure time: 48 h

Components

Toxicity to algae : Tall Oil, DETA Imidazoline Acetates

EC50: 0.17 mg/l Exposure time: 72 h

# Components

#### **NALCO® EC1477A**

Toxicity to bacteria : Tall Oil, DETA Imidazoline Acetates

175 mg/l

#### Persistence and degradability

The organic portion of this preparation is expected to be inherently biodegradable.

### **Mobility**

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5% Water : 30 - 50% Soil : 50 - 70%

The portion in water is expected to be soluble or dispersible.

#### **Bioaccumulative potential**

Component substances have a low potential to bioconcentrate.

#### Other information

no data available

ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION

Based on our hazard characterization, the potential environmental hazard is: Low

# **Section: 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Where possible recycling is preferred to disposal or

incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an

approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

#### **Section: 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport

Proper shipping name : CORROSIVE LIQUID, N.O.S.

Technical name(s): : Tall Oil, DETA Imidazoline Acetates, Benzyl-(C12-C16 Alkyl)-

Dimethyl-Ammonium Chloride

UN/ID No. : UN 1760

Transport hazard class(es) : 8
Packing group : III
IERG No : 37

# **NALCO® EC1477A**

Hazchem Code : 2X

Special precautions for user : Dangerous goods of Class 8 (Acids) are incompatible in a

placard load with any of the following:

Class 1 Explosives

Class 4.3 Dangerous when wet substances

Class 5.1 Oxidising agents
Class 5.2 Organic peroxides
Class 6 Cyanides only

Class 7 Radioactive substances

and are incompatible with food or food packaging in any

quantity.

#### Air transport (IATA)

UN/ID No. : UN 1760

Proper shipping name : CORROSIVE LIQUID, N.O.S.

Technical name(s) : Tall Oil, DETA Imidazoline Acetates, Benzyl-(C12-C16 Alkyl)-

Dimethyl-Ammonium Chloride

Transport hazard class(es) : 8
Packing group : III

#### Sea transport (IMDG/IMO)

UN/ID No. : UN 1760

Proper shipping name : CORROSIVE LIQUID, N.O.S.

Technical name(s) : Tall Oil, DETA Imidazoline Acetates, Benzyl-(C12-C16 Alkyl)-

Dimethyl-Ammonium Chloride

Transport hazard class(es) : 8
Packing group : III

#### **Section: 15. REGULATORY INFORMATION**

Standard for the Uniform : No poison schedule number allocated

Scheduling of Medicines and

Poisons

#### **INTERNATIONAL CHEMICAL CONTROL LAWS:**

# **AUSTRALIA**

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

#### CHINA

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

#### JAPAN

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

#### KORFA

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

#### **PHILIPPINES**

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

# **NALCO® EC1477A**

#### **Section: 16. OTHER INFORMATION**

#### **REFERENCES**

Hazardous Substances Data Bank, National Library of Medicine, Bethesda, Maryland (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

Integrated Risk Information System, U.S. Environmental Protection Agency, Washington, D.C. (TOMES CPS™ CD-ROM Version),

Micromedex, Inc., Englewood, CO.

Annual Report on Carcinogens, National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service.

Registry of Toxic Effects of Chemical Substances, National Institute for Occupational Safety and Health, Cincinnati, OH,

(TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

The Teratogen Information System, University of Washington, Seattle, WA (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

Revision Date : 17.06.2016 Date of first issue : 17.06.2016

Version Number : 1.0

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.

NALCO Champion

An Ecolab Company

#### NALCO® EC6733A

# Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NALCO® EC6733A

Other means of identification : Not applicable.

Recommended use : BIOCIDE

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : ECOLAB PTY LTD

2 Drake Avenue

Macquarie Park NSW 2113

Australia

A.B.N. 59 000 449 990 TEL: 1300 654 224 FAX: +61 2 8870 8680

Emergency telephone : 1800 205 506

number

International: +64 7 958 2372

Issuing date : 24.06.2016

# **Section: 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Flammable liquids : Category 4
Acute toxicity (Oral) : Category 4
Acute toxicity (Inhalation) : Category 2
Skin corrosion/irritation : Category 1B
Serious eye damage/eye : Category 1

irritation

Skin sensitization : Category 1
Carcinogenicity : Category 1A
Reproductive toxicity : Category 2

**GHS Label element** 

Hazard pictograms







Signal Word : Danger

Hazard Statements : Combustible liquid

Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Fatal if inhaled. May cause cancer.

Suspected of damaging fertility or the unborn child.

Precautionary Statements : Prevention:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/ protective clothing/ eye protection/ face protection. Use personal protective equipment as

required. Wear respiratory protection.

# **NALCO® EC6733A**

# Response:

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

Other hazards : None known.

#### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name CAS-No. Concentration: (%)

Tetrakis(hydroxymethyl) phosphonium sulfate 55566-30-8 60 - 100 Benzyl-(C12-C16 Linear Alkyl)-Dimethyl-Ammonium Chloride 68424-85-1 5 - 10 Formaldehyde 50-00-0 0.1 - 1

### **Section: 4. FIRST AID MEASURES**

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild

soap if available. Wash clothing before reuse. Thoroughly clean shoes before

reuse. Get medical attention immediately.

If swallowed : Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand

0800 764 766).

Rinse mouth with water. Do NOT induce vomiting. Never give anything by

mouth to an unconscious person. Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention immediately.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

See Section 11 for more detailed information on health effects and symptoms.

delayed

#### **Section: 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Foam

Carbon dioxide Dry powder

Other extinguishing agent suitable for Class B fires

For large fires, use water spray or fog, thoroughly drenching the burning

material.

# **NALCO® EC6733A**

Unsuitable extinguishing

media

: None known.

Specific hazards during

firefighting

Fire Hazard

Keep away from heat and sources of ignition. Flash back possible over considerable distance.

Hazardous combustion

products

Decomposition products may include the following materials: Carbon oxides

nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

Special protective equipment

for firefighters

Use personal protective equipment.

Specific extinguishing

methods

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

Hazchem Code : 2X

#### Section: 6. ACCIDENTAL RELEASE MEASURES

Initial Emergency Response

Guide No

36

Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** 

Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### Section: 7. HANDLING AND STORAGE

Advice on safe handling : Take necessary action to avoid static electricity discharge (which might cause

ignition of organic vapours). Do not ingest. Keep away from fire, sparks and heated surfaces. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only

with adequate ventilation.

Conditions for safe storage : Keep away from heat and sources of ignition. Keep away from oxidizing agents.

Keep out of reach of children. Keep container tightly closed. Store in suitable

labeled containers.

Suitable material : Keep in properly labelled containers.

Unsuitable material : not determined

#### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

# **NALCO® EC6733A**

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Tetrakis(hydroxymethyl) phosphonium sulfate	55566-30-8	TWA	2 mg/m3	ACGIH
Formaldehyde	50-00-0	TWA	1 ppm 1.2 mg/m3	AU OEL
		VLE	2 ppm 2.5 mg/m3	AU OEL
Formaldehyde	50-00-0	WES-TWA	0.5 ppm	NZ OEL
		WES-TWA	0.33 ppm	NZ OEL
		WES-Ceiling	1 ppm	NZ OEL
Formaldehyde	50-00-0	Ceiling	0.3 ppm	ACGIH
		TWA	0.016 ppm	NIOSH REL
		Ceiling	0.1 ppm	NIOSH REL
		PEL	0.75 ppm	OSHA CARC
		STEL	2 ppm	OSHA CARC

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below

occupational exposure standards.

#### Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety

goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove

and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

# Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid
Colour : clear
Odour : Pungent
Flash point : 74 °C

pH : 4.0 - 4.5, 100 %
Odour Threshold : no data available
Melting point/freezing point : no data available

Initial boiling point and boiling:

range

105 °C

Evaporation rate : no data available

# **NALCO® EC6733A**

Flammability (solid, gas) no data available Upper explosion limit no data available Lower explosion limit no data available 17 kPa, (37.8 °C), Vapour pressure Relative vapour density no data available Relative density 1.32, (19 °C), Density 10.3 lb/gal

Water solubility completely soluble Solubility in other solvents no data available Partition coefficient: nno data available

octanol/water

Auto-ignition temperature no data available Thermal decomposition

temperature

no data available

33 mPa.s (19 °C) Viscosity, dynamic Viscosity, kinematic no data available Molecular weight no data available VOC no data available

#### Section: 10. STABILITY AND REACTIVITY

Chemical stability Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid,

perchlorate, concentrated oxygen, permanganate) may generate heat, fires,

explosions and/or toxic vapors.

Strong acids Strong Bases Reducing agents

Hazardous decomposition

products

Decomposition products may include the following materials:

Carbon oxides

nitrogen oxides (NOx)

Sulphur oxides

Oxides of phosphorus

#### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

#### **Potential Health Effects**

Eyes Causes serious eye damage.

Skin Causes severe skin burns. May cause allergic skin reaction.

# **NALCO® EC6733A**

Ingestion : Harmful if swallowed. Causes digestive tract burns.

Inhalation : Fatal if inhaled. May cause nose, throat, and lung irritation.

Chronic Exposure : May cause cancer. Suspected of damaging fertility or the unborn child.

**Experience with human exposure** 

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Irritation, Corrosion, Allergic reactions

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

**Toxicity** 

**Product** 

Acute oral toxicity : LD50 rat: 575 mg/kg

Test substance: 75% Active Ingredient

Acute inhalation toxicity : LC50 rat: 0.591 mg/l

Exposure time: 4 hrs

Test substance: 75% Active Ingredient

Acute dermal toxicity : LD50 rat: > 2,000 mg/kg

Test substance: 75% Active Ingredient

Skin corrosion/irritation : no data available
Serious eye damage/eye : no data available

irritation

Respiratory or skin

sensitization

no data available

Carcinogenicity : No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive effects : Suspected of damaging fertility or the unborn child.

Germ cell mutagenicity : Contains no ingredient listed as a mutagen

Teratogenicity : no data available STOT - single exposure : no data available STOT - repeated exposure : no data available

Aspiration toxicity : No aspiration toxicity classification

**Human Hazard Characterization** 

Based on our hazard characterization, the potential human hazard is: High

**Section: 12. ECOLOGICAL INFORMATION** 

**Ecotoxicity** 

Environmental Effects : This product has no known ecotoxicological effects.

**Product** 

# **NALCO® EC6733A**

Toxicity to fish : LC50 Lepomis macrochirus (Bluegill sunfish): 93 mg/l

Exposure time: 96 hrs

Test substance: 75% Active Ingredient

LC50 Oncorhynchus mykiss (rainbow trout): 119 mg/l

Exposure time: 96 hrs

Test substance: 75% Active Ingredient

Toxicity to daphnia and other

aquatic invertebrates

: EC50 Daphnia magna (Water flea): 19.4 mg/l

Exposure time: 48 hrs

Test substance: 75% Active Ingredient

Toxicity to algae : LC50 Green Algae (Pseudokirchneriella subcapitata,

previously Selenastrum capricornutum): 0.20 mg/l

Exposure time: 96 hrs

Test substance: 75% Active Ingredient

Toxicity to bacteria : EC50 Bacteria: 24 mg/l

Exposure time: 3 hrs

Test substance: 75% Active Ingredient

Components

Toxicity to fish (Chronic

toxicity)

: Formaldehyde LC50: 21 mg/l

Exposure time: 96 h

#### Persistence and degradability

The organic portion of this preparation is expected to be readily biodegradable.

# Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5% Water : 30 - 50% Soil : 50 - 70%

The portion in water is expected to be soluble or dispersible.

# **Bioaccumulative potential**

This preparation or material is not expected to bioaccumulate.

#### Other information

no data available

ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION

Based on our hazard characterization, the potential environmental hazard is: Low

#### Section: 13. DISPOSAL CONSIDERATIONS

# **NALCO® EC6733A**

Disposal methods : The product should not be allowed to enter drains, water

courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in

an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

# Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport

Proper shipping name : TOXIC LIQUID, ORGANIC, N.O.S.

Technical name(s): : Tetrakis(hydroxymethyl) phosphonium sulfate

UN/ID No. : UN 2810

Transport hazard class(es) : 6.1
Packing group : III
IERG No : 36
Hazchem Code : 2X

Special precautions for user : Dangerous goods of Class 6 (Toxic and Infectious

Substances) and fire risk substances and combustible liquids

are incompatible in a placard load of the following:

Class 1 Explosives

Class 3 Nitromethane only Class 5.1 Oxidising agents Class 5.2 Organic peroxides

and are incompatible with food or food packaging in any

quantity.

#### Air transport (IATA)

UN/ID No. : UN 2810

Proper shipping name : TOXIC LIQUID, ORGANIC, N.O.S.

Technical name(s) : Tetrakis(hydroxymethyl) phosphonium sulfate

Transport hazard class(es) : 6.1
Packing group : III

#### Sea transport (IMDG/IMO)

UN/ID No. : UN 2810

Proper shipping name : TOXIC LIQUID, ORGANIC, N.O.S.

Technical name(s) : Tetrakis(hydroxymethyl) phosphonium sulfate

Transport hazard class(es) : 6.1 Packing group : III

Marine pollutant : Benzyl-(C12-C16 Linear Alkyl)-Dimethyl-Ammonium Chloride

#### **Section: 15. REGULATORY INFORMATION**

Standard for the Uniform : S

Scheduling of Medicines and

Poisons

Schedule 6

# **NALCO® EC6733A**

#### **INTERNATIONAL CHEMICAL CONTROL LAWS:**

#### TOXIC SUBSTANCES CONTROL ACT (TSCA)

This product has not been evaluated for Chemical Inventory regulations and may contain substances not found on Inventory Lists such as TSCA, EINECS, DSL, etc.. This product should be used under the applicable Research and Development provisions of local notification regulations.

# CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA)

This product contains substance(s) which are found on the Non-Domestic Substances List (NDSL), or are not in compliance with other Canadian Acts.

#### **AUSTRALIA**

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

#### **CHINA**

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

#### **JAPAN**

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

#### **KOREA**

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

#### **PHILIPPINES**

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

#### **Section: 16. OTHER INFORMATION**

# **REFERENCES**

Hazardous Substances Data Bank, National Library of Medicine, Bethesda, Maryland (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

Integrated Risk Information System, U.S. Environmental Protection Agency, Washington, D.C. (TOMES CPS™ CD-ROM Version).

Micromedex, Inc., Englewood, CO.

Annual Report on Carcinogens, National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service.

Registry of Toxic Effects of Chemical Substances, National Institute for Occupational Safety and Health, Cincinnati, OH,

(TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

The Teratogen Information System, University of Washington, Seattle, WA (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

Revision Date : 24.06.2016 Date of first issue : 24.06.2016

Version Number : 1.0

Prepared By : Regulatory Affairs

# **NALCO® EC6733A**

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.

# **NALCO** Champion An Ecolab Company

# SAFETY DATA SHEET

#### BREAXIT™ EC2034A

#### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

BREAXIT™ EC2034A Product name

Other means of identification Not applicable.

Recommended use **EMULSION BREAKER** 

Restrictions on use Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

**ECOLAB PTY LTD** Company

2 Drake Avenue

Macquarie Park NSW 2113

Australia

A.B.N. 59 000 449 990 TEL: 1300 654 224 FAX: +61 2 8870 8680

Emergency telephone 1800 205 506

number International: +64 7 958 2372

Issuing date 17.06.2016

# **Section: 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Flammable liquids Category 2 Acute toxicity (Oral) Category 4 Germ cell mutagenicity Category 1B Carcinogenicity Category 1B Specific target organ toxicity Category 1 (Eyes)

- single exposure

Specific target organ toxicity

- single exposure

Aspiration hazard Category 1

**GHS Label element** 

Hazard pictograms







Category 3 (Respiratory system, Central Nervous System)

Signal Word Danger

**Hazard Statements** Highly flammable liquid and vapour.

Harmful if swallowed.

May be fatal if swallowed and enters airways.

May cause respiratory irritation. May cause drowsiness or dizziness.

May cause genetic defects.

May cause cancer.

Causes damage to organs (Eyes).

**Precautionary Statements** Prevention:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take

precautionary measures against static discharge. Do not breathe

dust/fume/gas/mist/vapours/spray. Wear protective gloves/ eye protection/ face

# BREAXIT™ EC2034A

protection. Use personal protective equipment as required.

Response:

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. IF exposed: Call a POISON CENTER or

doctor/ physician. Do NOT induce vomiting.

Other hazards None known.

# Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture Mixture

Chemical Name CAS-No. Concentration: (%) Hydrotreated Heavy Naphtha 64742-48-9 10 - 30 Methanol 10 - 30 67-56-1 5 - 10 Heavy Aromatic Naphtha 64742-94-5 Ethylbenzene 1 - 5 100-41-4 **Xvlene** 1330-20-7 1 - 5 Naphthalene 91-20-3 1 - 5

#### **Section: 4. FIRST AID MEASURES**

In case of eye contact Rinse with plenty of water. Get medical attention if symptoms occur.

In case of skin contact Wash off with soap and plenty of water. Get medical attention if symptoms

occur.

If swallowed Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Aspiration hazard if swallowed - can enter lungs and cause damage.

Get medical attention immediately.

Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand

0800 764 766).

If inhaled Remove to fresh air. Treat symptomatically. Get medical attention if symptoms

Protection of first-aiders In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician Treat symptomatically.

Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

#### **Section: 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Foam

Carbon dioxide Dry powder

Other extinguishing agent suitable for Class B fires

For large fires, use water spray or fog, thoroughly drenching the burning

material.

# BREAXIT™ EC2034A

Unsuitable extinguishing

media

None known.

Specific hazards during

firefighting

Fire Hazard

Keep away from heat and sources of ignition. Flash back possible over considerable distance.

Beware of vapours accumulating to form explosive concentrations. Vapours can

accumulate in low areas.

Hazardous combustion

products

Decomposition products may include the following materials: Carbon oxides

Special protective equipment

for firefighters

Use personal protective equipment.

Specific extinguishing

methods

: Use water spray to cool unopened containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

Hazchem Code : ●3YE

#### Section: 6. ACCIDENTAL RELEASE MEASURES

Initial Emergency Response

Guide No

14

Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in

sections 7 and 8.

Environmental precautions

Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to

ensure runoff does not reach a waterway.

# Section: 7. HANDLING AND STORAGE

Advice on safe handling : Open drum carefully as content may be under pressure. Take necessary action

to avoid static electricity discharge (which might cause ignition of organic vapours). Do not ingest. Keep away from fire, sparks and heated surfaces. Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after

handling. Use only with adequate ventilation.

Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated

place. Keep away from oxidizing agents. Keep out of reach of children. Keep

container tightly closed. Store in suitable labeled containers.

Suitable material : The following compatibility data is suggested based on similar product data

and/or industry experience: Mild steel, Stainless Steel 316L, Stainless Steel 304, Aluminum, Hastelloy C-276, Nylon, Teflon, Kalrez, Compatibility with Plastic Materials can vary; we therefore recommend that compatibility is tested

prior to use.

# BREAXIT™ EC2034A

Unsuitable material

The following compatibility data is suggested based on similar product data and/or industry experience: Brass, Copper, Buna-N, Natural rubber, Polyethylene, Polypropylene, Plexiglass, Polyurethane, PVC, HDPE (high density polyethylene), Ethylene propylene, EPDM, Neoprene, Viton, Alfax, Hypalon, Viton

# Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Hydrotreated Heavy Naphtha	64742-48-9	TWA	900 mg/m3	AU OEL
Hydrotreated Heavy Naphtha	64742-48-9	WES-TWA	300 ppm 890 mg/m3	NZ OEL
		WES-STEL	500 ppm 1,480 mg/m3	NZ OEL
Hydrotreated Heavy Naphtha	64742-48-9	TWA	500 ppm 2,000 mg/m3	OSHA Z1
Methanol	67-56-1	TWA	200 ppm 262 mg/m3	AU OEL
		VLE	250 ppm 328 mg/m3	AU OEL
Methanol	67-56-1	WES-TWA	200 ppm 262 mg/m3	NZ OEL
		WES-STEL	250 ppm 328 mg/m3	NZ OEL
Methanol	67-56-1	TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH
		TWA	200 ppm	NIOSH REL
			260 mg/m3	
		STEL	250 ppm	NIOSH REL
			325 mg/m3	
		TWA	200 ppm 260 mg/m3	OSHA Z1
Heavy Aromatic Naphtha	64742-94-5	TWA	500 ppm 2,000 mg/m3	OSHA Z1
		TWA	200 mg/m3 (as total hydrocarbon vapor)	ACGIH
Ethylbenzene	100-41-4	VLE	125 ppm 543 mg/m3	AU OEL
		TWA	100 ppm 434 mg/m3	AU OEL
Ethylbenzene	100-41-4	WES-STEL	125 ppm 543 mg/m3	NZ OEL
		WES-TWA	100 ppm 434 mg/m3	NZ OEL
Ethylbenzene	100-41-4	TWA	20 ppm	ACGIH
		TWA	100 ppm 435 mg/m3	NIOSH REL
		STEL	125 ppm 545 mg/m3	NIOSH REL
		TWA	100 ppm 435 mg/m3	OSHA Z1
Xylene	1330-20-7	TWA	80 ppm 350 mg/m3	AU OEL

# BREAXIT™ EC2034A

		VLE	150 ppm 655 mg/m3	AU OEL
Xylene	1330-20-7	WES-TWA	50 ppm 217 mg/m3	NZ OEL
Xylene	1330-20-7	TWA	100 ppm 435 mg/m3	OSHA Z1
		TWA	100 ppm	ACGIH
		STEL	150 ppm	ACGIH
Naphthalene	91-20-3	TWA	10 ppm 52 mg/m3	AU OEL
		VLE	15 ppm 79 mg/m3	AU OEL
Naphthalene	91-20-3	WES-TWA	10 ppm 52 mg/m3	NZ OEL
		WES-STEL	15 ppm 79 mg/m3	NZ OEL
Naphthalene	91-20-3	TWA	10 ppm	ACGIH
		TWA	10 ppm 50 mg/m3	NIOSH REL
		STEL	15 ppm 75 mg/m3	NIOSH REL
		TWA	10 ppm 50 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below

occupational exposure standards.

# Personal protective equipment

Eye protection : Safety glasses

Hand protection : Wear protective gloves.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

Respiratory protection : When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove

and wash contaminated clothing before re-use. Wash face, hands and any

exposed skin thoroughly after handling.

# Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid
Colour : clear

light yellow

Odour : hydrocarbon-like

Flash point : 11 °C, Method: ASTM D 56, Tag closed cup

pH : no data available
Odour Threshold : no data available

Melting point/freezing point : POUR POINT: -34.3 °C, <

# BREAXIT™ EC2034A

Initial boiling point and boiling:

range

no data available

Evaporation rate no data available

Flammability (solid, gas) no data available Upper explosion limit no data available

Lower explosion limit no data available

Vapour pressure no data available

Relative vapour density no data available

Relative density 0.96, (15.6 °C),

Density 8 lb/gal

Water solubility dispersible

Partition coefficient: n-

Solubility in other solvents

octanol/water

no data available no data available

no data available Auto-ignition temperature

Thermal decomposition

temperature

no data available

no data available

no data available Viscosity, dynamic

Viscosity, kinematic 111 mm2/s (15.6 °C) Molecular weight

VOC no data available

# Section: 10. STABILITY AND REACTIVITY

Chemical stability Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid,

perchlorate, concentrated oxygen, permanganate) may generate heat, fires,

explosions and/or toxic vapors.

Strong oxidizing agents

Hazardous decomposition

products

Decomposition products may include the following materials:

Carbon oxides

#### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

#### **Potential Health Effects**

Health injuries are not known or expected under normal use. Eyes

Skin Health injuries are not known or expected under normal use.

#### BREAXIT™ EC2034A

Ingestion : Harmful if swallowed. May be fatal if swallowed and enters airways.

Inhalation : Inhalation may cause central nervous system effects.

Chronic Exposure : May cause damage to organs. Suspected of causing cancer.

**Experience with human exposure** 

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : Vomiting

Inhalation : Dizziness, Drowsiness

**Toxicity** 

**Product** 

Acute oral toxicity : Acute toxicity estimate: 821.26 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l

Exposure time: 4 h

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Skin corrosion/irritation : no data available
Serious eye damage/eye : no data available

irritation

Respiratory or skin

sensitization

no data available

Carcinogenicity : This product contains ethylbenzene. The International Agency for Research on

Cancer (IARC) has evaluated ethylbenzene and determined it to be possibly

carcinogenic to humans (Group 2B, based on sufficient evidence in

experimental animals and inadequate evidence in humans). This product contains naphthalene. The International Agency for Research on Cancer (IARC) has evaluated naphthalene and determined it to be possibly carcinogenic to humans (Group 2B, based on sufficient evidence in experimental animals and

inadequate evidence in humans).

Reproductive effects : No toxicity to reproduction

Germ cell mutagenicity : May cause genetic defects.

Teratogenicity : no data available STOT - single exposure : no data available STOT - repeated exposure : no data available

Aspiration toxicity : May be fatal if swallowed and enters airways.

**Human Hazard Characterization** 

Based on our hazard characterization, the potential human hazard is: High

### Section: 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Environmental Effects : This product has no known ecotoxicological effects.

# BREAXIT™ EC2034A

#### **Product**

Toxicity to fish : LC50 Fish: 1 - 10 mg/l

Exposure time: 96 hrs

Test substance: Product (estimated)

Toxicity to daphnia and other

aquatic invertebrates

: LC50 Daphnia magna: 1 - 10 mg/l

Exposure time: 48 hrs

Test substance: Product (estimated)

Toxicity to algae : no data available

Components

Toxicity to algae : Methanol

EC50 : 22,000 mg/l Exposure time: 72 h

Components

Toxicity to bacteria : Methanol

> 1,000 mg/l

Components

Toxicity to fish (Chronic

toxicity)

: Methanol

NOEC: 7,900 mg/l Exposure time: 8.3 d

#### Persistence and degradability

no data available

#### Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : 10 - 30% Water : 10 - 30% Soil : 50 - 70%

The portion in water is expected to be soluble or dispersible.

#### Bioaccumulative potential

no data available

# Other information

no data available

**ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION** 

Based on our hazard characterization, the potential environmental hazard is: Low

# Section: 13. DISPOSAL CONSIDERATIONS

# BREAXIT™ EC2034A

Disposal methods : The product should not be allowed to enter drains, water

courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in

an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

# **Section: 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport

Proper shipping name : FLAMMABLE LIQUID, N.O.S. Technical name(s): : Methanol, Ethylbenzene

UN/ID No. : UN 1993

Transport hazard class(es) : 3
Packing group : II
IERG No : 14
Hazchem Code : •3YE

Special precautions for user :

: Dangerous goods of Class 3 (Flammable Liquid) are

incompatible in a placard load with any of the following:

Class 1 Explosives

Class 2.1 Flammable gases Class 2.3 Poisonous gases

Class 4.2 Spontaneously combustible substances

Class 5.1 Oxidising agents Class 5.2 Organic peroxides

Class 6 If the Class 3 substance is nitromethane

Class 7 Radioactive substances

### Air transport (IATA)

UN/ID No. : UN 1993

Proper shipping name : FLAMMABLE LIQUID, N.O.S. Technical name(s) : Methanol, Ethylbenzene

Transport hazard class(es) : 3 Packing group : II

# Sea transport (IMDG/IMO)

UN/ID No. : UN 1993

Proper shipping name : FLAMMABLE LIQUID, N.O.S. Technical name(s) : Methanol, Ethylbenzene

Transport hazard class(es) : 3 Packing group : II

Marine pollutant : Naphthalene, 1,2,4-Trimethylbenzene

# **Section: 15. REGULATORY INFORMATION**

Standard for the Uniform

Scheduling of Medicines and

**Poisons** 

Schedule 7

#### BREAXIT™ EC2034A

#### **INTERNATIONAL CHEMICAL CONTROL LAWS:**

#### TOXIC SUBSTANCES CONTROL ACT (TSCA)

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

#### CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA)

The substances in this preparation are listed on the Domestic Substances List (DSL), are exempt, or have been reported in accordance with the New Substances Notification Regulations.

#### **AUSTRALIA**

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

#### **CHINA**

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

#### JAPAN

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

#### **KOREA**

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

#### **PHILIPPINES**

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

#### Section: 16. OTHER INFORMATION

### **REFERENCES**

Hazardous Substances Data Bank, National Library of Medicine, Bethesda, Maryland (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

Integrated Risk Information System, U.S. Environmental Protection Agency, Washington, D.C. (TOMES CPS™ CD-ROM Version),

Micromedex, Inc., Englewood, CO.

Annual Report on Carcinogens, National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service.

Registry of Toxic Effects of Chemical Substances, National Institute for Occupational Safety and Health, Cincinnati, OH,

(TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

The Teratogen Information System, University of Washington, Seattle, WA (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

Revision Date : 17.06.2016 Date of first issue : 17.06.2016

Version Number : 1.0

Prepared By : Regulatory Affairs

## BREAXIT™ EC2034A

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.



NALCO® EC9356A

#### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NALCO® EC9356A

Other means of identification : Not applicable.

Recommended use : HYDROGEN SULFIDE SCAVENGER

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : ECOLAB PTY LTD

2 Drake Avenue

Macquarie Park NSW 2113

Australia

A.B.N. 59 000 449 990 TEL: 1300 654 224 FAX: +61 2 8870 8680

Emergency telephone

number

1800 205 506

International: +64 7 958 2372

Issuing date : 10.06.2016

## **Section: 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Flammable liquids : Category 4
Acute toxicity (Oral) : Category 4
Skin corrosion/irritation : Category 1C
Serious eye damage/eye : Category 1

irritation

Skin sensitization : Category 1 Specific target organ toxicity : Category 2

- repeated exposure (Oral)

#### **GHS Label element**

Hazard pictograms :







Signal Word : Danger

Hazard Statements : Combustible liquid

Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

May cause damage to organs through prolonged or repeated exposure if

swallowed.

Precautionary Statements : Prevention:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Do not eat, drink or smoke when using this product. Contaminated work clothing

should not be allowed out of the workplace.

Response:

## **NALCO® EC9356A**

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. If skin irritation or rash occurs: Get medical advice/ attention. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Wash contaminated clothing before reuse.

Storage:

Store in a well-ventilated place. Keep cool. Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

## Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name CAS-No. Concentration: (%)

Hexahydro-1,3,5-Trimethyl-S-Triazine 108-74-7 10 - 30

## Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild

soap if available. Wash clothing before reuse. Thoroughly clean shoes before

reuse. Get medical attention immediately.

If swallowed : Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand

0800 764 766).

Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Remove to fresh air. Treat symptomatically. Get medical attention if symptoms

occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

If inhaled

See Section 11 for more detailed information on health effects and symptoms.

#### **Section: 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Foam

Carbon dioxide Dry powder

Other extinguishing agent suitable for Class B fires

For large fires, use water spray or fog, thoroughly drenching the burning

## **NALCO® EC9356A**

material.

Unsuitable extinguishing

media

None known.

Specific hazards during

firefighting

Fire Hazard

Keep away from heat and sources of ignition. Flash back possible over considerable distance.

Hazardous combustion

products

Decomposition products may include the following materials: Carbon oxides

nitrogen oxides (NOx)

Special protective equipment:

for firefighters

Use personal protective equipment.

Specific extinguishing

methods

Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

Hazchem Code : 2X

#### Section: 6. ACCIDENTAL RELEASE MEASURES

Initial Emergency Response

Guide No

36

Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** 

Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

## Section: 7. HANDLING AND STORAGE

Advice on safe handling : Take necessary action to avoid static electricity discharge (which might cause

ignition of organic vapours). Do not ingest. Keep away from fire, sparks and heated surfaces. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only

with adequate ventilation.

Conditions for safe storage : Keep away from heat and sources of ignition. Keep away from oxidizing agents.

Keep out of reach of children. Keep container tightly closed. Store in suitable

labeled containers.

Suitable material : Keep in properly labelled containers.

Unsuitable material : not determined

## Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

## NALCO® EC9356A

Contains no substances with occupational exposure limit values.

**Engineering measures** Effective exhaust ventilation system. Maintain air concentrations below

occupational exposure standards.

Personal protective equipment

Eye protection Safety goggles

Face-shield

Hand protection Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Personal protective equipment comprising: suitable protective gloves, safety Skin protection

goggles and protective clothing

Respiratory protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

Handle in accordance with good industrial hygiene and safety practice. Remove Hygiene measures

> and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

#### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** Liquid Colour colourless

Odour **Pungent** 

Flash point 90 °C, Method: ASTM D 93, Pensky-Martens closed cup

рΗ 11, 100 %

Odour Threshold no data available

MELTING POINT: -15 °C, ASTM D-97 Melting point/freezing point

Initial boiling point and boiling:

range

no data available

no data available

Evaporation rate no data available Flammability (solid, gas) no data available

Upper explosion limit no data available Lower explosion limit no data available

Relative vapour density no data available Relative density 1.013, (15 °C),

Density 8.42 lb/gal

Water solubility completely soluble Solubility in other solvents no data available Partition coefficient: n-

octanol/water

Vapour pressure

no data available

## **NALCO® EC9356A**

Auto-ignition temperature no data available

Thermal decomposition

temperature

no data available

Viscosity, dynamic no data available

Viscosity, kinematic 2.3 mm2/s (40 °C), Method: ASTM D 445

Molecular weight no data available VOC no data available

## Section: 10. STABILITY AND REACTIVITY

Chemical stability Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks.

Contact with strong acids (e.g. sulfuric, phosphoric, nitric, hydrochloric, chromic, Incompatible materials

sulfonic) may generate heat, splattering or boiling and toxic vapors.

Toxic gases may be released if in contact with the following:

Acids Bases

Strong oxidizing agents

Hazardous decomposition

products

Decomposition products may include the following materials:

Carbon oxides

nitrogen oxides (NOx)

## **Section: 11. TOXICOLOGICAL INFORMATION**

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

#### **Potential Health Effects**

Eyes Causes serious eye damage.

Skin Causes severe skin burns. May cause allergic skin reaction.

Ingestion Harmful if swallowed. Causes digestive tract burns.

Inhalation May cause nose, throat, and lung irritation.

Chronic Exposure May cause damage to organs through prolonged or repeated exposure.

#### **Experience with human exposure**

Eye contact Redness, Pain, Corrosion

Skin contact Redness, Pain, Irritation, Corrosion, Allergic reactions

Ingestion Corrosion, Abdominal pain

Inhalation Respiratory irritation, Cough

## **NALCO® EC9356A**

## **Toxicity**

#### **Product**

Acute toxicity estimate: 1,786 mg/kg Acute oral toxicity

Acute inhalation toxicity no data available Acute dermal toxicity no data available Skin corrosion/irritation no data available Serious eye damage/eye

irritation

no data available

Respiratory or skin

sensitization

no data available

Carcinogenicity No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

No reproductive toxic effects expected. Reproductive effects

Germ cell mutagenicity Contains no ingredient listed as a mutagen

Teratogenicity no data available STOT - single exposure no data available STOT - repeated exposure no data available

Aspiration toxicity No aspiration toxicity classification

#### **Human Hazard Characterization**

Based on our hazard characterization, the potential human hazard is: High

## **Section: 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

**Environmental Effects** : This product has no known ecotoxicological effects.

**Product** 

Toxicity to fish : no data available

Toxicity to daphnia and other

aquatic invertebrates

: no data available

: no data available Toxicity to algae

Components

Toxicity to fish : Hexahydro-1,3,5-Trimethyl-S-Triazine

LC50 : > 1.908 mg/lExposure time: 96 h

Components

Toxicity to daphnia and other

aquatic invertebrates

: Hexahydro-1,3,5-Trimethyl-S-Triazine

LC50: 20.352 mg/l Exposure time: 48 h

Components

Toxicity to algae : Hexahydro-1,3,5-Trimethyl-S-Triazine

#### **NALCO® EC9356A**

EC50: 1.145 mg/l Exposure time: 72 h

#### Persistence and degradability

The organic portion of this preparation is expected to be inherently biodegradable.

### **Mobility**

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5% Water : 50 - 70% Soil : 30 - 50%

The portion in water is expected to be soluble or dispersible.

#### **Bioaccumulative potential**

This preparation or material is not expected to bioaccumulate.

#### Other information

no data available

ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION

Based on our hazard characterization, the potential environmental hazard is: Low

## **Section: 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Where possible recycling is preferred to disposal or

incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an

approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

#### **Section: 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport

Proper shipping name : AMINES, LIQUID, CORROSIVE, N.O.S.

Technical name(s): Substituted alkylamine

UN/ID No. : UN 2735

Transport hazard class(es) : 8
Packing group : III
IERG No : 36
Hazchem Code : 2X

## **NALCO® EC9356A**

Special precautions for user : Dangerous goods of Class 8 (Alkali) are incompatible in a

placard load with any of the following:

Class 1 Explosives

Class 4.3 Dangerous when wet substances

Class 5.1 Oxidising agents Class 5.2 Organic peroxides Class 7 Radioactive substances

and are incompatible with food or food packaging in any

quantity.

## Air transport (IATA)

UN/ID No. UN 2735

Proper shipping name AMINES, LIQUID, CORROSIVE, N.O.S.

Technical name(s) Substituted alkylamine

Transport hazard class(es) : 8 Packing group Ш

## Sea transport (IMDG/IMO)

UN/ID No. UN 2735

AMINES, LIQUID, CORROSIVE, N.O.S. Proper shipping name

Technical name(s) Substituted alkylamine

Transport hazard class(es) 8 Packing group Ш

#### **Section: 15. REGULATORY INFORMATION**

Standard for the Uniform No poison schedule number allocated

**INTERNATIONAL CHEMICAL CONTROL LAWS:** 

Scheduling of Medicines and

**Poisons** 

#### TOXIC SUBSTANCES CONTROL ACT (TSCA)

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

### CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA)

The substances in this preparation are listed on the Domestic Substances List (DSL), are exempt, or have been reported in accordance with the New Substances Notification Regulations.

#### **AUSTRALIA**

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

## **CHINA**

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

This product contains substance(s) which are not in compliance with the Law Regulating the Manufacture and Importation Of Chemical Substances and are not listed on the Existing and New Chemical Substances list (ENCS).

#### **KOREA**

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

## **NALCO® EC9356A**

#### **NEW ZEALAND**

All substances in this product comply with the Hazardous Substances and New Organisms (HSNO) Act 1996, and are listed on or are exempt from the New Zealand Inventory of Chemicals.

#### **PHILIPPINES**

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

#### Section: 16. OTHER INFORMATION

#### **REFERENCES**

Hazardous Substances Data Bank, National Library of Medicine, Bethesda, Maryland (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

Integrated Risk Information System, U.S. Environmental Protection Agency, Washington, D.C. (TOMES CPS™ CD-ROM Version),

Micromedex, Inc., Englewood, CO.

Annual Report on Carcinogens, National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service.

Registry of Toxic Effects of Chemical Substances, National Institute for Occupational Safety and Health, Cincinnati. OH.

(TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

The Teratogen Information System, University of Washington, Seattle, WA (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

Revision Date : 10.06.2016

Date of first issue : 10.06.2016

Version Number : 1.0

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.

# NALCO Champion An Ecolab Company

#### **SAFETY DATA SHEET**

#### NALCO® EC9610A

#### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NALCO® EC9610A

Other means of identification : Not applicable.

Recommended use : CLEANER

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : ECOLAB PTY LTD

2 Drake Avenue

Macquarie Park NSW 2113

Australia

A.B.N. 59 000 449 990 TEL: 1300 654 224 FAX: +61 2 8870 8680

Emergency telephone

number

1800 205 506

International: +64 7 958 2372

Issuing date : 27.06.2018

## **Section: 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Flammable liquids : Category 4
Acute toxicity (Oral) : Category 4
Acute toxicity (Inhalation) : Category 4
Acute toxicity (Dermal) : Category 4
Skin corrosion/irritation : Category 2
Serious eye damage/eye : Category 2A

irritation

GHS Label element

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Combustible liquid

Harmful if swallowed, in contact with skin or if inhaled

Causes skin irritation.
Causes serious eye irritation.

Precautionary Statements : Prevention:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wear protective gloves/ eye

protection/ face protection. Wash skin thoroughly after handling.

Response:

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.IF ON SKIN: Wash with plenty of soap and water. Call a

POISON CENTER or doctor/ physician if you feel unwell.

IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Call a POISON CENTER or doctor/physician if you

## **NALCO® EC9610A**

feel unwell.IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.If skin irritation occurs: Get medical advice/attention.If eye irritation persists: Get medical advice/ attention.Wash contaminated clothing before reuse.

Storage:

Store in a well-ventilated place. Keep cool.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

## Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Substance

Chemical Name CAS-No. Concentration: (%)

2-Butoxyethanol 111-76-2 60 - 100

### Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical attention.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild

soap if available. Wash clothing before reuse. Thoroughly clean shoes before

reuse. Get medical attention.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand

0800 764 766).

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention immediately.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

See Section 11 for more detailed information on health effects and symptoms.

#### **Section: 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Foam

Carbon dioxide Dry powder

Other extinguishing agent suitable for Class B fires

For large fires, use water spray or fog, thoroughly drenching the burning

material.

Unsuitable extinguishing

media

None known.

Specific hazards during

during : Fire Hazard

firefighting

Keep away from heat and sources of ignition.

## **NALCO® EC9610A**

Flash back possible over considerable distance.

Hazardous combustion

products

Decomposition products may include the following materials: Carbon oxides

for firefighters

Special protective equipment : Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not

breathe fumes.

#### Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** 

Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### Section: 7. HANDLING AND STORAGE

Advice on safe handling

Avoid contact with skin and eyes. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Do not ingest. Keep away from fire, sparks and heated surfaces. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation.

Conditions for safe storage

Keep away from heat and sources of ignition. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable

labelled containers.

Suitable material

The following compatibility data is suggested based on similar product data and/or industry experience: Teflon, Kalrez, Perfluoroelastomer, TFE, HDPE (high density polyethylene), Aluminum, Mild steel, Carbon Steel C1018, Stainless Steel 304, Stainless Steel 316L, Hastelloy C-276, MDPE (medium

density polyethylene)

Unsuitable material

The following compatibility data is suggested based on similar product data and/or industry experience: Copper, Neoprene, Ethylene propylene, Polypropylene, Polyethylene, Nitrile, Plexiglass, EPDM, Alfax, Brass, Nylon,

PVC, Buna-N, Natural rubber, Polyurethane, Hypalon, Viton

### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis

## **NALCO® EC9610A**

2-Butoxyethanol	111-76-2	TWA	20 ppm 96.9 mg/m3	AU OEL
		VLE	50 ppm 242 mg/m3	AU OEL
2-Butoxyethanol	111-76-2	WES-TWA	25 ppm 121 mg/m3	NZ OEL
2-Butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below

occupational exposure standards.

#### Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear the following personal protective equipment:

**Butyl gloves** 

Gloves should be replaced immediately if signs of degradation are observed.

Skin protection : Wear suitable protective clothing.

Respiratory protection : When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use and maintenance of

respiratory protective equipment as applicable.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove

and wash contaminated clothing before re-use. Wash face, hands and any

exposed skin thoroughly after handling.

## Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid
Colour : Colorless
Odour : Glycol Ether

Flash point : 71 °C, Method: ASTM D 93, Pensky-Martens closed cup

pH : no data available
Odour Threshold : no data available

Melting point/freezing point : Freezing Point: -71 °C, ASTM D-1177

Initial boiling point and boiling:

range

171 °C, (760 mm Hg), Method: ASTM D 86

Evaporation rate : no data available Flammability (solid, gas) : no data available

Upper explosion limit : 10.6 V% Lower explosion limit : 1.1 V%

Vapour pressure : 0.6 mm Hg, (20 °C), ASTM D 323,

## **NALCO® EC9610A**

Relative vapour density : 1(Air = 1)

Relative density : 0.89 - 0.91, (16 °C), ASTM D-1298

Density : 7.4 - 7.6 lb/gal
Water solubility : completely soluble
Solubility in other solvents : no data available

Partition coefficient: n-

octanol/water

no data available

Auto-ignition temperature : 244 °C

Thermal decomposition : no data available

Viscosity, dynamic : no data available

Viscosity, kinematic : 2.53 mm2/s (38 °C)

Molecular weight : no data available

VOC : no data available

#### Section: 10. STABILITY AND REACTIVITY

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

Decomposition products may include the following materials:

Carbon oxides

## Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

## **Potential Health Effects**

Eyes : Causes serious eye irritation.

Skin : Harmful in contact with skin. Causes skin irritation.

Ingestion : Harmful if swallowed.

Inhalation : Harmful if inhaled.

Chronic Exposure : Health injuries are not known or expected under normal use.

## Experience with human exposure

Eye contact : Redness, Pain, Irritation

Skin contact : Redness, Irritation

Ingestion : Vomiting

## **NALCO® EC9610A**

Inhalation : Respiratory irritation, Cough

**Toxicity** 

**Product** 

Acute oral toxicity : Acute toxicity estimate: 1,500 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 11 mg/l

Exposure time: 4 h

Test atmosphere: vapour

Acute dermal toxicity : Acute toxicity estimate: 1,100 mg/kg

Skin corrosion/irritation : no data available
Serious eye damage/eye : no data available

irritation

Respiratory or skin

sensitization

no data available

Carcinogenicity : No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive effects : No toxicity to reproduction

Germ cell mutagenicity : Contains no ingredient listed as a mutagen

Teratogenicity : no data available
STOT - single exposure : no data available
STOT - repeated exposure : no data available

Aspiration toxicity : No aspiration toxicity classification

**Human Hazard Characterization** 

Based on our hazard characterization, the potential human hazard is: Moderate

## **Section: 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Environmental Effects : This product has no known ecotoxicological effects.

**Product** 

Toxicity to fish : LC50 Bluegill Sunfish: > 1,000 mg/l

Exposure time: 96 hrs Test substance: Product

LC50 Inland Silverside: > 1,000 mg/l

Exposure time: 96 hrs Test substance: Product

LC50 Mosquito Fish (Gambusia spp.): > 1,000 mg/l

Exposure time: 96 hrs Test substance: Product

Toxicity to daphnia and other

aquatic invertebrates

: LC50 Acartia tonsa: 730 mg/l

Exposure time: 48 hrs Test substance: Product

Toxicity to algae : EC50 Marine Algae (Skeletonema costatum): 109 mg/l

#### **NALCO® EC9610A**

Exposure time: 72 hrs Test substance: Product

Components

Toxicity to bacteria : 2-Butoxyethanol

463 mg/l

Components

Toxicity to fish (Chronic

toxicity)

: 2-Butoxyethanol NOEC: > 100 mg/l

Exposure time: 21 d

Components

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

: 2-Butoxyethanol NOEC: > 100 mg/l Exposure time: 21 d

#### Persistence and degradability

The organic portion of this preparation is expected to be readily biodegradable.

## **Mobility**

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5% Water : 50 - 70% Soil : 30 - 50%

The portion in water is expected to float on the surface.

### **Bioaccumulative potential**

This preparation or material is not expected to bioaccumulate.

#### Other information

no data available

ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION

Based on our hazard characterization, the potential environmental hazard is: Low

## **Section: 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Where possible recycling is preferred to disposal or

incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an

approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

#### **NALCO® EC9610A**

disposal. Do not re-use empty containers.

#### **Section: 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport

Proper shipping name : Not Regulated for Transport except by Road in Bulk

(Combustible Liquid)

Special precautions for user : This product is classified as a combustible liquid and is not

regulated for transport unless transported in bulk aboard a vehicle at the same time as a Class 3 dangerous goods - in bulk or as packaged goods with an aggregate quantity exceeding 1000 litres. Refer to the Australian Code for the Transport of Dangerous Goods by Road and Rail for specific

details.

Air transport (IATA)

Proper shipping name : PRODUCT IS NOT REGULATED DURING

**TRANSPORTATION** 

Sea transport (IMDG/IMO)

Proper shipping name : PRODUCT IS NOT REGULATED DURING

**TRANSPORTATION** 

#### Section: 15. REGULATORY INFORMATION

Standard for the Uniform Scheduling of Medicines and

Schedule 6

Poisons

#### **INTERNATIONAL CHEMICAL CONTROL LAWS:**

## **United States TSCA Inventory**

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

#### Australia. Industrial Chemical (Notification and Assessment) Act

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

#### **Canadian Domestic Substances List (DSL)**

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

## Japan. ENCS - Existing and New Chemical Substances Inventory

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

## Korea. Korean Existing Chemicals Inventory (KECI)

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

### Philippines Inventory of Chemicals and Chemical Substances (PICCS)

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

## **NALCO® EC9610A**

#### **China Inventory of Existing Chemical Substances**

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

#### New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand

All substances in this product comply with the Hazardous Substances and New Organisms (HSNO) Act 1996, and are listed on or are exempt from the New Zealand Inventory of Chemicals.

#### **Taiwan Chemical Substance Inventory**

All substances in this product comply with the Taiwan Existing Chemical Substances Inventory (ECSI).

#### **Section: 16. OTHER INFORMATION**

#### **REFERENCES**

Hazardous Substances Data Bank, National Library of Medicine, Bethesda, Maryland (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

Integrated Risk Information System, U.S. Environmental Protection Agency, Washington, D.C. (TOMES CPS™ CD-ROM Version),

Micromedex, Inc., Englewood, CO.

Annual Report on Carcinogens, National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service.

Registry of Toxic Effects of Chemical Substances, National Institute for Occupational Safety and Health, Cincinnati, OH,

(TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

The Teratogen Information System, University of Washington, Seattle, WA (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

Revision Date : 27.06.2018 Date of first issue : 10.06.2016

Version Number : 1.2

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.

## NALCO Champion An Ecolab Company

### **SAFETY DATA SHEET**

## BREAXIT™ EC2211A

#### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : BREAXIT™ EC2211A

Other means of identification : Not applicable.

Recommended use : DEMULSIFIER

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : ECOLAB PTY LTD

2 Drake Avenue

Macquarie Park NSW 2113

Australia

A.B.N. 59 000 449 990 TEL: 1300 654 224 FAX: +61 2 8870 8680

Emergency telephone

number

: 1800 205 506

International: +64 7 958 2372

Issuing date : 17.06.2016

## **Section: 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Flammable liquids : Category 4
Carcinogenicity : Category 2
Aspiration hazard : Category 1

#### **GHS Label element**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Combustible liquid

May be fatal if swallowed and enters airways.

Suspected of causing cancer.

Precautionary Statements : **Prevention:** 

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Wear protective gloves/ eye protection/ face protection.

Use personal protective equipment as required.

Response:

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF exposed or concerned: Get medical advice/attention. Do NOT induce vomiting.

Storage: Store locked up. Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

## BREAXIT™ EC2211A

#### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name CAS-No. Concentration: (%)

 Heavy Aromatic Naphtha
 64742-94-5
 30 - 60

 Naphthalene
 91-20-3
 5 - 10

 1,2,4-Trimethylbenzene
 95-63-6
 1 - 5

#### **Section: 4. FIRST AID MEASURES**

In case of eye contact : Rinse with plenty of water. Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and plenty of water. Get medical attention if symptoms

occur.

If swallowed : Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Aspiration hazard if swallowed - can enter lungs and cause damage.

Get medical attention immediately.

Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand

0800 764 766).

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

See Section 11 for more detailed information on health effects and symptoms.

#### **Section: 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Foam

Carbon dioxide Dry powder

Other extinguishing agent suitable for Class B fires

For large fires, use water spray or fog, thoroughly drenching the burning

material.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during

firefighting

: Fire Hazard

Keep away from heat and sources of ignition. Flash back possible over considerable distance.

Hazardous combustion

products

Decomposition products may include the following materials: Carbon oxides

nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

Special protective equipment :

for firefighters

Use personal protective equipment.

Specific extinguishing

methods

: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water

2/9

## **BREAXIT™ EC2211A**

must be disposed of in accordance with local regulations.

Hazchem Code : ●3Z

## Section: 6. ACCIDENTAL RELEASE MEASURES

Initial Emergency Response

Guide No

47

Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in

sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Do not flush into surface water or sanitary sewer system.

#### Section: 7. HANDLING AND STORAGE

Advice on safe handling : Take necessary action to avoid static electricity discharge (which might cause

ignition of organic vapours). Keep away from fire, sparks and heated surfaces.

Wash hands thoroughly after handling.

Conditions for safe storage : Keep away from heat and sources of ignition. Keep away from oxidizing agents.

Keep out of reach of children. Keep container tightly closed. Store in suitable

labeled containers.

Suitable material : Keep in properly labelled containers.

Unsuitable material : not determined

## Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Heavy Aromatic Naphtha	64742-94-5	TWA	500 ppm 2,000 mg/m3	OSHA Z1
		TWA	200 mg/m3 (as total hydrocarbon vapor)	ACGIH
Naphthalene	91-20-3	TWA	10 ppm 52 mg/m3	AU OEL
		VLE	15 ppm 79 mg/m3	AU OEL
Naphthalene	91-20-3	WES-TWA	10 ppm 52 mg/m3	NZ OEL
		WES-STEL	15 ppm 79 mg/m3	NZ OEL
Naphthalene	91-20-3	TWA	10 ppm	ACGIH
		TWA	10 ppm 50 mg/m3	NIOSH REL

## **BREAXIT™ EC2211A**

		STEL	15 ppm 75 mg/m3	NIOSH REL
		TWA	10 ppm 50 mg/m3	OSHA Z1
1,2,4-Trimethylbenzene	95-63-6	TWA	25 ppm 123 mg/m3	AU OEL
1,2,4-Trimethylbenzene	95-63-6	WES-TWA	25 ppm 123 mg/m3	NZ OEL
1,2,4-Trimethylbenzene	95-63-6	TWA	25 ppm 125 mg/m3	NIOSH REL
		TWA	25 ppm	ACGIH

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below

occupational exposure standards.

#### Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove

and wash contaminated clothing before re-use. Wash face, hands and any

exposed skin thoroughly after handling.

## Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid
Colour : black

Odour : hydrocarbon-like

Flash point : 68.3 °C, Method: ASTM D 93, Pensky-Martens closed cup

pH : no data available
Odour Threshold : no data available

Melting point/freezing point : FREEZING POINT: -17.78 °C

Initial boiling point and boiling:

range

no data available

Evaporation rate : no data available
Flammability (solid, gas) : no data available
Upper explosion limit : no data available
Lower explosion limit : no data available

Vapour pressure : 10.3 mm Hg, (37.8 °C),

Relative vapour density : no data available

Relative density : 0.93 - 0.97, (15.6 °C), ASTM D-1298

## **BREAXIT™ EC2211A**

Density 7.7 - 8.1 lb/gal

Water solubility insoluble

Solubility in other solvents no data available Partition coefficient: nno data available

octanol/water

Auto-ignition temperature no data available Thermal decomposition no data available

temperature

21 mPa.s (23.9 °C) Viscosity, dynamic Viscosity, kinematic no data available Molecular weight no data available VOC no data available

#### Section: 10. STABILITY AND REACTIVITY

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks.

Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid, Incompatible materials

perchlorate, concentrated oxygen, permanganate) may generate heat, fires,

explosions and/or toxic vapors.

Strong oxidizing agents

Hazardous decomposition

products

Decomposition products may include the following materials:

Carbon oxides

nitrogen oxides (NOx) Sulphur oxides

Oxides of phosphorus

#### Section: 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

#### **Potential Health Effects**

: Health injuries are not known or expected under normal use. Eyes

Skin Health injuries are not known or expected under normal use.

Ingestion May be fatal if swallowed and enters airways.

Inhalation Health injuries are not known or expected under normal use.

Chronic Exposure Suspected of causing cancer.

#### **Experience with human exposure**

Eye contact No symptoms known or expected.

## **BREAXIT™ EC2211A**

Skin contact : slight irritation

Ingestion : Vomiting

Inhalation : No symptoms known or expected.

**Toxicity** 

**Product** 

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l

Exposure time: 4 h

Acute dermal toxicity : no data available
Skin corrosion/irritation : no data available

Serious eye damage/eye

irritation

Result: Mild eye irritation

Respiratory or skin

sensitization

no data available

Carcinogenicity : This product contains naphthalene. The International Agency for Research on

Cancer (IARC) has evaluated naphthalene and determined it to be possibly

carcinogenic to humans (Group 2B, based on sufficient evidence in

experimental animals and inadequate evidence in humans).

Reproductive effects : No toxicity to reproduction

Germ cell mutagenicity : Based on available data, the classification criteria are not met.

Teratogenicity : no data available STOT - single exposure : no data available STOT - repeated exposure : no data available

Aspiration toxicity : May be fatal if swallowed and enters airways.

**Human Hazard Characterization** 

Based on our hazard characterization, the potential human hazard is: High

## Section: 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Environmental Effects : This product has no known ecotoxicological effects.

**Product** 

Toxicity to fish : no data available

Toxicity to daphnia and other

aquatic invertebrates

: no data available

Toxicity to algae : no data available

Components

Toxicity to fish : Heavy Aromatic Naphtha

LC50 Oncorhynchus mykiss (rainbow trout): 3.5 mg/l

Exposure time: 96 h

## BREAXIT™ EC2211A

#### Persistence and degradability

no data available

#### **Mobility**

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : 10 - 30% Water : 30 - 50% Soil : 30 - 50%

#### **Bioaccumulative potential**

no data available

#### Other information

no data available

#### ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION

Based on our hazard characterization, the potential environmental hazard is: Low

## **Section: 13. DISPOSAL CONSIDERATIONS**

Disposal methods : The product should not be allowed to enter drains, water

courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in

an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

## **Section: 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

Technical name(s): : Naphthalene, 1,2,4-Trimethylbenzene

UN/ID No. : UN 3082

Transport hazard class(es) : 9
Packing group : III
IERG No : 47
Hazchem Code : •3Z

Special precautions for user : Dangerous goods of Class 9 (Miscellaneous - fire risk

#### BREAXIT™ EC2211A

substance, or combustible liquid) are incompatible in a placard

load with any of the following:

Class 1 Explosives
Class 5.1 Oxidising agents
Class 5.2 Organic peroxides

## Air transport (IATA)

UN/ID No. : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

Technical name(s) : Naphthalene, 1,2,4-Trimethylbenzene

Transport hazard class(es) : 9
Packing group : III

## Sea transport (IMDG/IMO)

UN/ID No. : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

Technical name(s) : Naphthalene, 1,2,4-Trimethylbenzene

Transport hazard class(es) : 9
Packing group : III

Marine pollutant : Naphthalene, 1,2,4-Trimethylbenzene

## **Section: 15. REGULATORY INFORMATION**

Standard for the Uniform : Schedule 6

Scheduling of Medicines and

**Poisons** 

#### **INTERNATIONAL CHEMICAL CONTROL LAWS:**

#### TOXIC SUBSTANCES CONTROL ACT (TSCA)

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

## CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA)

The substances in this preparation are listed on the Domestic Substances List (DSL), are exempt, or have been reported in accordance with the New Substances Notification Regulations.

#### **AUSTRALIA**

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

#### CHINA

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

#### JAPAN

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

#### KORFA

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

#### **PHILIPPINES**

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

#### BREAXIT™ EC2211A

#### **Section: 16. OTHER INFORMATION**

#### **REFERENCES**

Hazardous Substances Data Bank, National Library of Medicine, Bethesda, Maryland (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

Integrated Risk Information System, U.S. Environmental Protection Agency, Washington, D.C. (TOMES CPS™ CD-ROM Version),

Micromedex, Inc., Englewood, CO.

Annual Report on Carcinogens, National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service.

Registry of Toxic Effects of Chemical Substances, National Institute for Occupational Safety and Health, Cincinnati, OH,

(TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

The Teratogen Information System, University of Washington, Seattle, WA (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

Revision Date : 17.06.2016 Date of first issue : 17.06.2016

Version Number : 1.0

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.



16 Header Report

Product Name HYDROCHLORIC ACID 32% (COOGEE CHEMICALS)

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name COOGEE CHEMICALS

Address Cnr of Patterson and Kwinana Beach Roads, Kwinana, WA, AUSTRALIA, 6167

 Telephone
 (08) 9439 8200

 Fax
 (08) 9439 8300

 Emergency
 1800 800 655

Email businessrelations@coogee.com.au

Web Site http://www.coogee.com.au

Synonym(s) 9178 - PRODUCT CODE • COOGEE HYDROCHLORIC ACID 32% • HCL • HYDROCHLORIC ACID 32% •

HYDROCHLORIC ACID 32% (NUFARM) (FORMERLY) • MURIATIC ACID • SPIRITS OF SALTS

Use(s) ACIDIFIER • CHEMICAL INTERMEDIATE • LABORATORY REAGENT • PICKLING AND ANODISING METALS •

SCALE REMOVER

## 2. HAZARDS IDENTIFICATION

#### **CLASSIFIED AS HAZARDOUS ACCORDING TO ASCC CRITERIA**

#### **RISK PHRASES**

R34 Causes burns.

R37 Irritating to respiratory system.

#### **SAFETY PHRASES**

S1/2 Keep locked up and out of reach of children.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

S45 In case of accident or if you feel unwell seek medical advice immediately (show the label where possible).

S9 Keep container in a well ventilated place.

#### CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN No. 1789 DG Class 8 Subsidiary Risk(s) None Allocated

Packing Group II Hazchem Code 2R EPG 8A1

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	Formula	CAS No.	Content
HYDROCHLORIC ACID	H-CI	7647-01-0	32%
WATER	H2O	7732-18-5	remainder

## 4. FIRST AID MEASURES

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a

Poisons Information Centre, a doctor, or for at least 15 minutes.

**Inhalation** If inhaled, remove from contaminated area. To protect rescuer, use a Full-face Type B (Inorganic and acid gas)

respirator or an Air-line respirator (in poorly ventilated areas). Apply artificial respiration if not breathing.

**Skin** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

**Ingestion** For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed,

do not induce vomiting.

Advice to Doctor CORROSIVE POISONING TREATMENT: Immediate treatment preferably in a hospital is mandatory. It is also

important to attempt to discover the chemical substances ingested. In treating corrosive poisoning, DO NOT INDUCE VOMITING; DO NOT ATTEMPT GASTRIC LAVAGE; and DO NOT ATTEMPT TO NEUTRALISE THE CORROSIVE SUBSTANCE. Vomiting will increase the severity of damage to the oesophagus as the corrosive substance will again come in contact with it. Attempting gastric lavage may result in perforating either the

oesophagus or stomach.

Page 1 of 5

RMT

16 Header Report

#### **HYDROCHLORIC ACID 32% (COOGEE CHEMICALS) Product Name**

Immediately dilute the corrosive substance by having the patient drink milk or water. If the trachea has been damaged tracheostamy may be required. For oesophageal burns begin broad-spectrum antibiotics and corticosteroid therapy. Intravenous fluids will be required if oesophageal or gastric damage prevents ingestion of liquids. Long-range therapy will be directed toward preventing or treating oesophageal scars and strictures.

First Aid Facilities Eye wash facilities and safety shower should be available.

## 5. FIRE FIGHTING MEASURES

**Flammability** Non flammable. May evolve toxic gases (chlorides) when heated to decomposition. May evolve flammable

hydrogen gas when in contact with some metals.

Fire and Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind **Explosion** and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing

Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

Prevent contamination of drains or waterways. Extinguishing

**Hazchem Code** 2R

#### 6. ACCIDENTAL RELEASE MEASURES

Spillage

Contact emergency services where appropriate. Use personal protective equipment. Clear area of all unprotected personnel. Ventilate area where possible. Contain spillage, then cover / absorb spill with sodium bicarbonate or 50 -50 mixture of sodium carbonate and calcium hydroxide. Collect for complete neutralisation and appropriate disposal.

#### 7. STORAGE AND HANDLING

**Storage** 

Store in secured, cool, dry, well ventilated area, removed from oxidising agents, alkalis, most metals, alcohols, acids, dinitroaniline, cyanides, sulphides, heat or ignition sources and foodstuffs. Ensure containers are labelled, protected from physical damage and sealed when not in use. Check regularly for leaks or spills. Large storage areas should have appropriate ventilation systems. Also store removed from amines.

Handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

#### 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

**Exposure Stds** 

Ingredient	Deference		TWA		STEL	
	Reference		pm	mg/m3	ppm	mg/m3
Hydrogen chloride (Hydrochloric	ASCC (AUS)	5.	0	7.5		
acid)	(1000)					

Biological Limits No biological limit allocated.

**Engineering Controls** 

Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended. Maintain vapour levels below the recommended exposure standard.

PPF

Wear splash-proof goggles, a PVC apron, rubber boots, full-length rubber or full-length PVC gloves, a faceshield and coveralls. Wear full-length PVC or full-length rubber gloves, splash-proof goggles, a PVC apron, rubber boots, full PVC coveralls (or better) and a faceshield. Where an inhalation risk exists, wear: a Full-face Type B (Inorganic and Acid gas) or an Air-line respirator.













#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Page 2 of 5 **RMT** 

Reviewed: 16 Jul 2010 Printed: 19 Jul 2010

CHEM ALERT





## Product Name HYDROCHLORIC ACID 32% (COOGEE CHEMICALS)

Appearance COLOURLESS TO SLIGHTLY YELLOW Solubility (Water) SOLUBLE

LIQUID

 Odour
 PUNGENT ODOUR
 Specific Gravity
 1.161

 pH
 < 1</td>
 % Volatiles
 100 %

18 mm Hg @ 20°C Flammability NON FLAMMABLE Vapour Pressure **Flash Point** NOT RELEVANT Vapour Density 1.3 (Air = 1)109°C NOT RELEVANT **Boiling Point Upper Explosion Limit Melting Point** < -20°C **Lower Explosion Limit** NOT RELEVANT

Evaporation Rate AS FOR WATER

## 10. STABILITY AND REACTIVITY

Chemical Stability Stable under recommended conditions of storage.

Conditions to Avoid Avoid heat, sparks, open flames and other ignition sources.

Material to Avoid

Incompatible with oxidising agents (eg. hypochlorites), alkalis (eg. hydroxides), most metals, acids (eg. nitric acid), alcohols, dinitroanilines, cyanides, sulphides and heat sources. Corrodes most materials when moist. Also

incompatible with amines.

**Decomposition** May evolve toxic gases (chlorides) when heated to decomposition.

Hazardous Reactions Polymerization is not expected to occur.

#### 11. TOXICOLOGICAL INFORMATION

Health Hazard Summary

Eve

Highly corrosive. This product has the potential to cause serious adverse health effects. Use safe work practices to avoid eye or skin contact and inhalation. Over exposure may result in severe skin, eye and respiratory burns with permanent lung and tissue damage. Upon dilution, the potential for adverse health effects may be reduced.

Highly corrosive. Contact may result in irritation, lacrimation, pain, redness, conjunctivitis and corneal burns with

possible permanent damage.

Inhalation Toxic - corrosive. Over exposure may result in irritation of the nose and throat, coughing and bronchitis. High level

exposure may result in intense thirst, ulceration, lung tissue damage, chemical pneumonitis and pulmonary

oedema. Effects may be delayed.

**Skin** Highly corrosive. Contact may result in irritation, redness, pain, rash, dermatitis, blistering and severe burns. May

cause discolouration of the skin. Effects may be delayed.

Ingestion Highly corrosive. Ingestion may result in burns to the mouth and throat, nausea, vomiting, abdominal pain and

diarrhoea. Ingestion of large quantities may result in ulceration, unconsciousness, convulsions and death.

Toxicity Data HYDROCHLORIC ACID (7647-01-0)

LC50 (Inhalation): 1108ppm/1 hour (human - respiratory irritation)

LCLo (Inhalation): 1300 ppm/30 minutes (human)

LD50 (Ingestion): 900 mg/kg (rabbit) LDLo (Ingestion): 81 mg/kg (man)

TCLo (Inhalation): 450 mg/m3/1 hour (pregnant rat - teratogenic effects)

#### 12. ECOLOGICAL INFORMATION

**Environment** 

If hydrochloric acid is spilled on soil, it will infiltrate. During its transport through soil, the acid will dissolve some of the soil material, in particular carbonates, and will be neutralised to some degree. However, significant amounts of acid are expected to remain for transport down to groundwater. Toxic to aquatic invertebrates at low levels (LC50: 1.21 ppm/96 hours).

#### 13. DISPOSAL CONSIDERATIONS

Waste Disposal Wearing the protective equipment detailed above, neutralise to pH 6-8 by SLOW addition to a saturated sodium

bicarbonate solution or similar basic solution. Dilute with excess water and flush to drain. Waste disposal should

only be undertaken in a well ventilated area.

**Legislation** Dispose of in accordance with relevant local legislation.

Page 3 of 5

RMT

16 Header Report

#### **Product Name**

## **HYDROCHLORIC ACID 32% (COOGEE CHEMICALS)**

#### 14. TRANSPORT INFORMATION



#### CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

Shipping Name HYDROCHLORIC ACID

UN No. 1789 DG Class 8 Subsidiary Risk(s) None Allocated

Packing Group II Hazchem Code 2R EPG 8A1

#### 15. REGULATORY INFORMATION

Poison Schedule Classified as a Schedule 6 (S6) Poison using the criteria in the Standard for the Uniform Scheduling of Drugs and

Poisons (SUSDP).

AICS All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

#### 16. OTHER INFORMATION

## Additional Information

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

ACIDS: When mixing acids with water (diluting), caution must be taken as heat will be generated which causes violent spattering. Always add a small volume of acid to a large volume of water, NEVER the reverse.

#### **ABBREVIATIONS:**

ADB - Air-Dry Basis.

BEI - Biological Exposure Indice(s)

CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds.

CNS - Central Nervous System.

EINECS - European INventory of Existing Commercial chemical Substances.

IARC - International Agency for Research on Cancer.

M - moles per litre, a unit of concentration.

mg/m3 - Milligrams per cubic metre.

NOS - Not Otherwise Specified.

NTP - National Toxicology Program.

OSHA - Occupational Safety and Health Administration.

pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).

ppm - Parts Per Million.

RTECS - Registry of Toxic Effects of Chemical Substances.

TWA/ES - Time Weighted Average or Exposure Standard.

#### **HEALTH EFFECTS FROM EXPOSURE:**

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Chem Alert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

#### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this Chem Alert report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

COLOUR RATING SYSTEM: RMT has assigned all Chem Alert reports a colour rating of Green, Amber or Red for the sole purpose of providing users with a quick and easy means of determining the hazardous nature of a product. Safe handling recommendations are provided in all Chem Alert reports so as to clearly identify how users

Page 4 of 5

RMT





16 Header Report

## Product Name HYDROCHLORIC ACID 32% (COOGEE CHEMICALS)

can control the hazards and thereby reduce the risk (or likelihood) of adverse effects. As a general guideline, a Green colour rating indicates a low hazard, an Amber colour rating indicates a moderate hazard and a Red colour rating indicates a high hazard.

While all due care has been taken by RMT in the preparation of the Colour Rating System, it is intended as a guide only and RMT does not provide any warranty in relation to the accuracy of the Colour Rating System. As far as is lawfully possible, RMT accepts no liability or responsibility whatsoever for the actions or omissions of any person in reliance on the Colour Rating System.

#### **Report Status**

This Chem Alert report has been independently compiled by RMT's scientific department utilising the original Material Safety Data Sheet ('MSDS') for the product provided to RMT by the manufacturer. The information is based on the latest chemical and toxicological research and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue.

This Chem Alert report does not constitute the manufacturer's original MSDS and is not intended to be a replacement for same. It is provided to subscribers of Chem Alert as a reference tool only, is not all-inclusive and does not represent any guarantee as to the properties of the product. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer.

While RMT has taken all due care to include accurate and up-to-date information in this Chem Alert report, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this Chem Alert report.

#### **Prepared By**

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmt.com.au

Email: info@rmt.com.au Web: www.rmt.com.au

Last Reviewed: 16 Jul 2010

Date Printed: 19 Jul 2010

End of Report

Page 5 of 5 RMT

## **HALLIBURTON**

## SAFETY DATA SHEET

Product Trade Name: ACETIC ACID

Revision Date: 04-Oct-2016 Revision Number: 30

#### 1. Identification

1.1. Product Identifier

Product Trade Name: ACETIC ACID

Synonyms None

Chemical Family: Organic acid Internal ID Code HM001728

1.2 Recommended use and restrictions on use

Application: Acid

Uses advised against No information available

## 1.3 Manufacturer's Name and Contact Details

Manufacturer/Supplier

Halliburton Energy Services Inc.

P.O. Box 1431

Duncan, Oklahoma 73536-0431

Emergency Telephone: 1-866-519-4752 (US, Canada, Mexico) or 1-760-476-3962

Halliburton Energy Services 645 - 7th Ave SW Suite 1800

Calgary, AB T2P 4G8 Canada

Prepared By Chemical Stewardship

Telephone: 1-281-871-6107

e-mail: fdunexchem@halliburton.com

1.4. Emergency telephone number

**Emergency Telephone Number:** 1-866-519-4752 or 1-760-476-3962

## 2. Hazard Identification

#### 2.1 Classification of the substance or mixture

Skin Corrosion / Irritation	Category 1 - H314
Serious Eye Damage/Irritation	Category 1 - H318
Specific Target Organ Toxicity - (Single Exposure)	Category 3 - H335
Flammable liquids.	Category 3 - H226

#### 2.2. Label Elements

#### **Hazard Pictograms**

ACETIC ACID Revision Date: 04-Oct-2016



Signal Word: Danger

Hazard Statements H226 - Flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage H335 - May cause respiratory irritation

#### **Precautionary Statements**

Prevention P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P233 - Keep container tightly closed

P240 - Ground/Bond container and receiving equipment

P241 - Use explosion-proof electrical/ventilating/lighting/equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/eye protection/face protection

Response P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower P363 - Wash contaminated clothing before reuse

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor/physician

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P370 + P378 - In case of fire: Use water spray for extinction

Storage P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P403 + P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up

**Disposal** P501 - Dispose of contents/container in accordance with

local/regional/national/international regulations

#### 2.3 Other hazards which do not result in classification

None known

## 3. Composition/information on Ingredients

Substances	CAS Number	PERCENT (w/w)		HMIRA Registry Number	3	Decision Granted Date
Acetic acid	64-19-7	30 - 40%	Skin Corr. 1A (H314)	Not applicable	Not	Not

	Eye Corr. 1 (H318)	applicable	applicable
	STOT SE 3 (H335)		
	Flam. Liq. 3 (H226)		

#### 4. First aid measures

4.1. Description of first aid measures

**Inhalation** If inhaled, remove from area to fresh air. Get medical attention if respiratory

irritation develops or if breathing becomes difficult.

Eyes Immediately flush eyes with large amounts of water for at least 30 minutes. Seek

prompt medical attention.

**Skin** In case of contact, immediately flush skin with plenty of soap and water for at least

30 minutes and remove contaminated clothing, shoes and leather goods

immediately. Get medical attention immediately. Remove contaminated clothing

and launder before reuse.

**Ingestion** Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical

attention.

#### 4.2 Most important symptoms/effects, acute and delayed

Causes severe eye irritation which may damage tissue. Causes severe skin irritation with tissue destruction. May cause respiratory irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# 5. Fire-fighting measures

#### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical.

#### Extinguishing media which must not be used for safety reasons

None known.

# 5.2 Specific hazards arising from the substance or mixture

#### Special exposure hazards in a fire

Use water spray to cool fire exposed surfaces. Decomposition in fire may produce harmful gases. Do not allow runoff to enter waterways.

#### 5.3 Special protective equipment and precautions for fire-fighters

#### Special protective equipment for firefighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

# 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Remove sources of ignition. Use appropriate protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing vapors. Ensure adequate ventilation. Evacuate all persons from the area.

See Section 8 for additional information

#### 6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas. Consult local authorities.

#### 6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Neutralize with lime slurry, limestone, or soda ash. Contain spill with sand or other inert materials. Scoop up and remove.

# 7. Handling and Storage

#### 7.1. Precautions for safe handling

#### **Handling Precautions**

Remove sources of ignition. Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### **Storage Information**

Store away from alkalis. Store away from oxidizers. Store in a cool well ventilated area. Keep container closed when not in use.

# 8. Exposure Controls/Personal Protection

8.1 Occupational Exposure Limits

Substances	CAS Number	OSHA PEL-TWA	ACGIH TLV-TWA
Acetic acid	64-19-7	TWA: 10 ppm	TWA: 10 ppm
			STEL: 15 ppm

#### 8.2 Appropriate engineering controls

**Engineering Controls**Use in a well ventilated area. Local exhaust ventilation should be used in areas

without good cross ventilation.

#### 8.3 Individual protection measures, such as personal protective equipment

Personal Protective Equipment If engineering controls and work practices cannot prevent excessive exposures,

the selection and proper use of personal protective equipment should be

determined by an industrial hygienist or other qualified professional based on the

specific application of this product.

Respiratory Protection If engineering controls and work practices cannot keep exposure below

occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or

other qualified professional.

Hand Protection Chemical-resistant protective gloves (EN 374) Suitable materials for longer, direct

contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Nitrile gloves. (>= 0.35 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced. Manufacturer's directions

for use should be observed because of great diversity of types.

**Skin Protection** Full protective chemical resistant clothing.

**Eye Protection**Chemical goggles; also wear a face shield if splashing hazard exists. **Other Precautions**Eyewash fountains and safety showers must be easily accessible.

# 9. Physical and Chemical Properties

# 9.1. Information on basic physical and chemical properties

Physical State: Liquid Color Clear

Odor: Acrid Odor No information available

Threshold:

Property Values
Remarks/ - Method

<del>pH</del>: 2.9

Freezing Point / Range 16 °C / 62 °F Melting Point / Range No data available Boiling Point / Range 117 °C / 244 °F

Flash Point 42 °C / 109 °F PMCC

Flammability (solid, gas)

No data available

Upper flammability limit 16% Lower flammability limit 5.4%

Evaporation rateNo data availableVapor Pressure11.7 mmHg @ 20 CVapor DensityNo data available

Specific Gravity 1.05

Water SolubilitySoluble in waterSolubility in other solventsNo data availablePartition coefficient: n-octanol/waterNo data availableAutoignition TemperatureNo data availableDecomposition TemperatureNo data availableViscosityNo data available

**Explosive Properties**No information available
Oxidizing Properties
No information available

9.2. Other information

Molecular Weight60.6 (g/mole)VOC Content (%)No data available

# 10. Stability and Reactivity

#### 10.1. Reactivity

Not expected to be reactive.

#### 10.2. Chemical stability

Stable

#### 10.3. Possibility of hazardous reactions

Will Not Occur

#### 10.4. Conditions to avoid

Keep away from heat, sparks and flame.

#### 10.5. Incompatible materials

Strong alkalis.

#### 10.6. Hazardous decomposition products

Toxic fumes. Carbon monoxide and carbon dioxide.

# 11. Toxicological Information

#### 11.1 Information on likely routes of exposure

**Principle Route of Exposure** Eye or skin contact, inhalation.

# 11.2 Symptoms related to the physical, chemical and toxicological characteristics

**Acute Toxicity** 

**Inhalation** Causes severe respiratory irritation.

**Eye Contact** Causes severe eye burns. **Skin Contact** Causes severe burns.

**Ingestion** Causes burns of the mouth, throat and stomach.

Chronic Effects/Carcinogenicity Prolonged, excessive exposure may cause erosion of the teeth.

#### 11.3 Toxicity data

Toxicology data for the components

Toxicology data	for the compone			
Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetic acid	64-19-7	No data available	1060 mg/kg-bw (rabbit)	11.4 mg/L (rat, 4 h, vapor)
Substances	CAS Number	Skin corrosion/irritation		
Acetic acid	64-19-7		sive and destructive to tissue Skin,	rabbit:
Substances	CAS Number	0:		
		Serious eye damage/irritatio		
Acetic acid	64-19-7	Corrosive to eyes Eye, rabbit: Ca	uses serious eye damage	
Substances	CAS Number	Skin Sensitization		
Acetic acid	64-19-7	Not regarded as a sensitizer.		
Substances	CAS Number	Respiratory Sensitization		
Acetic acid	64-19-7	No information available		
	loan II	<u></u>		
Substances		Mutagenic Effects		
Acetic acid	64-19-7	In vivo tests did not show mutage	enic effects. In vitro tests did not sho	ow mutagenic effects.
Substances	CAS Number	Carcinogenic Effects		
Acetic acid	64-19-7	Did not show carcinogenic effects	s in animal experiments	
Substances	CAS Number	Reproductive toxicity		
Acetic acid	64-19-7		in animal experiments. Animal testin	ng did not show any effects on
Substances	CAS Number	STOT single expenses		
		STOT - single exposure		
Acetic acid	64-19-7	May cause respiratory irritation.		
Substances	CAS Number	STOT - repeated exposure		
Acetic acid	64-19-7	Not applicable due to corrosivity	of the substance.	
Substances	CAS Number	Aspiration hazard		
Acetic acid	64-19-7	Not applicable		
100tio doid	0- 10 /	i tot applioable		

# 12. Ecological Information

#### 12.1. Toxicity

# **Ecotoxicity effects**

Product is not classified as hazardous to the environment.

#### **Product Ecotoxicity Data**

No data available

**Substance Ecotoxicity Data** 

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	•	Toxicity to Invertebrates
				Microorganisms	
Acetic acid	64-19-7	EC50 (72 h) =55.22 mg/L	LC50 (96 h) =75 mg/L	NOAEC (16 h) =1150	EC50 (48 h) =65 mg/L
		(Anabaena)	(Lepomis macrochirus)	mg/L (Pseudomonas	(Daphnia magna)
		(Effect concentrations in	LC50 (96 h) =251 mg/L	putida)	(Effect concentrations in
		the aquatic environment	(Gambusia affinis)		the aquatic environment
		are attributable to a	(Effect concentrations in		are attributable to a

change in pH value.)	the aquatic environment	change in pH value.)
	are attributable to a	
	change in pH value.)	

#### 12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Acetic acid	64-19-7	Readily biodegradable (99% @ 7d)

#### 12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Acetic acid	64-19-7	Log Kow =-0.17

#### 12.4. Mobility in soil

Substances	CAS Number	Mobility
Acetic acid	64-19-7	No information available

#### 12.5 Other adverse effects

No information available

# 13. Disposal Considerations

13.1. Waste treatment methods

**Disposal methods** Disposal should be made in accordance with federal, state, and local regulations.

**Contaminated Packaging** Follow all applicable national or local regulations.

# 14. Transport Information

Canadian TDG

UN Number UN2790

UN proper shipping name: Acetic Acid Solution

Transport Hazard Class(es): 8 (3) Packing Group:

**Environmental Hazards:** Not applicable

**US DOT** 

UN Number UN2790

**UN proper shipping name:** Acetic Acid Solution

Transport Hazard Class(es): 8 (3) Packing Group:

**Environmental Hazards:** Not applicable

Reportable Quantity: RQ (Acetic Acid - 5683 kg.)

NAERG: NAERG 153

IMDG/IMO

UN Number UN2790

UN proper shipping name: Acetic Acid Solution

Transport Hazard Class(es): 8 (3) Packing Group:

**Environmental Hazards:** Not applicable

Reportable Quantity: RQ (Acetic Acid - 5683 kg.)

EMS: EmS F-A, S-B

IATA/ICAO

UN Number UN2790

UN proper shipping name: Acetic Acid Solution

Transport Hazard Class(es): 8 (3) Packing Group:

**Environmental Hazards:** Not applicable

Reportable Quantity: RQ (Acetic Acid - 5683 kg.)

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

Special Precautions for User None

# 15. Regulatory Information

#### **Canadian Regulations**

Canadian Domestic Substances All components listed on inventory or are exempt. List (DSL)

# **US Regulations**

**US TSCA Inventory** All components listed on inventory or are exempt.

**TSCA Significant New Use Rules - S5A2** 

Substances	CAS Number	TSCA Significant New Use Rules - S5A2
Acetic acid	64-19-7	Not applicable

**EPA SARA Title III Extremely Hazardous Substances** 

Substances	CAS Number	EPA SARA Title III Extremely Hazardous Substances
Acetic acid	64-19-7	Not applicable

#### EPA SARA (311,312) Hazard Class

Acute Health Hazard

Fire Hazard

**EPA SARA (313) Chemicals** 

El A CARA (CTC) Chomicale					
Substances	CAS Number	Toxic Release Inventory (	TRI) - Toxic Release Inventory (TRI) -		
		Group I	Group II		
Acetic acid	64-19-7	Not applicable	Not applicable		

EPA CERCLA/Superfund Reportable Spill Quantity

Substances	CAS Number	CERCLA RQ
Acetic acid	64-19-7	5000 lb
		2270 kg

#### **EPA RCRA Hazardous Waste Classification**

If product becomes a waste, it does meet the criteria of a hazardous waste as defined by the US EPA, because of:

Ignitability D001

NFPA Ratings: Health 2, Flammability 2, Reactivity 0
HMIS Ratings: Health 2, Flammability 2, Reactivity 0

# 16. Other information

Preparation Information

Prepared By Chemical Stewardship

Telephone: 1-281-871-6107

e-mail: fdunexchem@halliburton.com

Revision Date: 04-Oct-2016

Reason for Revision SDS sections updated:

2

#### **Additional information**

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Stewardship at 1-580-251-4335.

# Key or legend to abbreviations and acronyms used in the safety data sheet

bw - body weight

CAS - Chemical Abstracts Service

EC50 - Effective Concentration 50%

ErC50 – Effective Concentration growth rate 50%

LC50 - Lethal Concentration 50%

LD50 - Lethal Dose 50%

LL50 - Lethal Loading 50%

mg/kg - milligram/kilogram

mg/L - milligram/liter

NIOSH - National Institute for Occupational Safety and Health

NTP - National Toxicology Program

OEL - Occupational Exposure Limit

PEL – Permissible Exposure Limit

ppm - parts per million

STEL - Short Term Exposure Limit

TWA - Time-Weighted Average

UN - United Nations

h - hour

mg/m3 - milligram/cubic meter

mm - millimeter

mmHg - millimeter mercury

w/w - weight/weight

d - day

#### Key literature references and sources for data

www.ChemADVISOR.com/

#### **Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**End of Safety Data Sheet** 



# **Safety Data Sheet**

Page 1 of 7

BONDERITE S-AD 85 ACID INHIBITOR ADDITIVE known as RODINE 85 20LT

MSDS-No.: 319615 V001.4

Date of issue: 07.07.2015

# Section 1. Identification of the substance/preparation and of the company/undertaking

**Product name:** BONDERITE S-AD 85 ACID INHIBITOR ADDITIVE known as RODINE 85

20LT

**Intended use:** Acid inhibitor additive

Supplier:

Henkel Australia Pty Ltd 135-141 Canterbury Road Kilsyth, Victoria, 3137

Australia

Phone: +61 (3) 9724 6444

**Emergency information:** 24 HOUR EMERGENCY CONTACT NUMBER: 1800 032 379

# Section 2. Hazards identification

#### Classification of the substance or mixture

Hazardous according to the criteria of Safe Work Australia.

# **GHS Classification:**

Hazard Class	Hazard Category	Route of Exposure
Acute toxicity	Category 4	Oral
Skin corrosion	Category 1	
Serious eye damage/eye irritation	Category 1	
Skin sensitizer	Category 1	
Carcinogenicity	Category 2	
Chronic hazards to the aquatic	Category 3	
environment		

Hazard pictogram:



Signal word: Danger

MSDS-No.: 319615 V001.4

# BONDERITE S-AD 85 ACID INHIBITOR ADDITIVE known as RODINE 85 20LT

**Hazard statement(s):** H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H412 Harmful to aquatic life with long lasting effects.

**Precautionary Statement(s):** 

**Prevention:** P280 Wear eye protection/face protection.

P280 Wear protective gloves.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace. P202 Do not handle until all safety precautions have been read and understood.

P281 Use personal protective equipment as required.

P201 Obtain special instructions before use.

**Response:** P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing

P305+P351+P338+P315 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing. Get immediate

medical advice/attention.

P308+P313 IF exposed or concerned: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

**Storage:** P405 Store locked up.

**Disposal:** P501 Dispose of contents/container to an appropriate treatment and disposal facility in

accordance with applicable laws and regulations.

Classification of material C - Corrosive Xi - Irritant Xn - Harmful

#### Risk phrases:

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R40 Limited evidence of a carcinogenic effect.

R41 Risk of serious damage to eyes.

R34 Causes burns.

R43 May cause sensitisation by skin contact.

#### Safety phrases:

S23 Do not breathe vapour.

S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S27/28 After contact with skin, take off immediately all contaminated clothing, and wash the skin immediately with plenty of water and soap.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S60 This material and its container must be disposed of as hazardous waste.

S7/9 Keep container tightly closed and in a well-ventilated place.

#### **Dangerous Goods information:**

Classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

#### Signal word:

HAZARDOUS

Page 3 of 7

MSDS-No.: 319615 V001.4

# BONDERITE S-AD 85 ACID INHIBITOR ADDITIVE

known as RODINE 85 20LT

#### Section 3. Composition / information on ingredients

**General chemical description:** Mixture

**Identity of ingredients:** 

Chemical ingredients	CAS-No.	Proportion
Prop-2-yn-1-ol	107-19-7	< 10 %
1,3-Diethyl-2-thiourea	105-55-5	< 5 %
	68411-63-2	10- <= 30 %
Remainder not hazardous including water~		60 %

#### Section 4. First aid measures

**Ingestion:** Do not induce vomiting.

Call a physician immediately.

Skin: In case of contact, immediately remove contaminated clothing and flush skin with copious

amounts of water. Seek medical advice.

**Eyes:** Immediately flush eyes with water for at least 15 minutes, while holding eyelids open.

Seek medical attention at once.

**Inhalation:** Move to fresh air, consult doctor if complaint persists.

First Aid facilities:
Medical attention and special

treatment:

Eye wash and safety shower Treat symptomatically.

#### Section 5. Fire fighting measures

Suitable extinguishing media: Water fog.

Dry chemical.
Carbon dioxide.

Decomposition products in case of fire::

**Decomposition products in case of** In case of fire toxic gases can be released.

Chlorine.

Oxides of nitrogen. Oxides of sulfur.

Special protective equipment for

fire-fighters:

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

Hazchem code: 2X

# Section 6. Accidental release measures

**Personal precautions:** See advice in section 8

Avoid skin and eye contact.

**Environmental precautions:** Do not empty into drains / surface water / ground water.

Clean-up methods: Remove with liquid-absorbing material (sand, peat, sawdust).

Scrape up spilled material and place in a closed container for disposal.

Page 4 of 7

MSDS-No.: 319615 V001.4

# **BONDERITE S-AD 85 ACID INHIBITOR ADDITIVE 20LT**

known as RODINE 85

Dispose of contaminated material as waste according to Section 13.

# Section 7. Handling and storage

Precautions for safe handling: See advice in section 8

Ensure that workrooms are adequately ventilated. Avoid breathing vapors or mists of this product.

Store in a cool, dry, well-ventilated area. **Conditions for safe storage:** 

Keep away from heat and direct sunlight.

Must be stored in the facility for the dangerous goods

#### Section 8. Exposure controls / personal protection

#### National exposure standards:

Ingredient [Regulated substance]	form of exposure	TWA (ppm)	TWA (mg/m3)	Peak Limit. (ppm)	Peak Limit. (mg/m3)	STEL (ppm)	STEL (mg/m3)
PROPARGYL ALCOHOL		1	2.3	-	-	-	-
107-19-7							

**Engineering controls:** Provide local and general exhaust ventilation to effectively remove and prevent buildup of

any vapors or mists generated from the handling of this product.

Eye protection: Wear chemical goggles and face shield.

**Skin protection:** Use of protective coveralls and long sleeves is recommended.

Recommended gloves include butyl rubber and neoprene.

Respiratory protection: If inhalation risk exists, wear a respirator or air supplied mask complying with the

requirements of AS/NZS 1715 and AS/NZS 1716.

#### Section 9. Physical and chemical properties

Red-brown Appearance: dark

Odor: characteristic

pH: 0.3

1.05 - 1.06 g/cm3 Density: Solubility in water: Miscible

### Section 10. Stability and reactivity

Stable under normal conditions of temperature and pressure. Stability:

Heat, flames, sparks and other sources of ignition. Conditions to avoid:

MSDS-No.: 319615

V001.4

# BONDERITE S-AD 85 ACID INHIBITOR ADDITIVE known as RODINE 85 20LT

**Incompatible materials:** Alkalis.

Alkali metals. Fluorine.

Organic materials. Oxidizing agents.

Hazardous decomposition

products:

In case of fire toxic gases can be released.

Chlorine.

Oxides of nitrogen. Oxides of sulfur.

# Section 11. Toxicological information

**Health Effects:** 

**Ingestion:** If ingested, severe burns of the mouth and throat may occur, as well as perforation of the

esophagus and the stomach.

Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Skin: Causes burns.

May cause skin sensitization.

**Eyes:** Contact with the eyes can cause severe burns and permanent eye damage.

**Inhalation:** May cause respiratory tract irritation.

Excessive inhalation of this material causes headache, dizziness, nausea and incoordination.

Aggrevated med.

condition:

Pre-existing skin disorders.

**Toxicity data:** No data available.

# Section 12. Ecological information

General ecological information: Do not empty into drains / surface water / ground water., Harmful to aquatic

organisms., May cause long-term adverse effects in the aquatic environment.

#### **Toxicity:**

Hazardous components	Value	Value	Acute	Exposure	Species	Method
CAS-No.	type		Toxicity	time		
			Study			
Prop-2-yn-1-ol 107-19-7	LC50	4.6 mg/l	Fish	96 h	Leuciscus idus	DIN 38412-15
Prop-2-yn-1-ol 107-19-7	EC50	11 mg/l	Daphnia	24 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Prop-2-yn-1-ol 107-19-7	EC50	> 18 mg/l	Algae	8 d	Scenedesmus quadricauda	OECD Guideline 201 (Alga, Growth Inhibition Test)
Prop-2-yn-1-ol 107-19-7	EC0	< 18 mg/l	Algae	8 d	Scenedesmus quadricauda	OECD Guideline 201 (Alga, Growth Inhibition Test)
1,3-Diethyl-2-thiourea 105-55-5	EC50	56 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

MSDS-No.: 319615 V001.4

#### BONDERITE S-AD 85 ACID INHIBITOR ADDITIVE known as RODINE 85 **20LT**

#### Persistence and degradability:

Hazardous components CAS-No.	Result	Route of application	Degradability	Method
Prop-2-yn-1-ol 107-19-7		aerobic	37 %	EU Method C.4-E (Determination of the "Ready" BiodegradabilityClosed Bottle Test)
1,3-Diethyl-2-thiourea 105-55-5		aerobic	3 %	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)

# Bioaccumulative potential / Mobility in soil:

Hazardous components	LogKow	Bioconcentration	Exposure	Species	Temperature	Method
CAS-No.		factor (BCF)	time			
Prop-2-yn-1-ol	-0.35				25 °C	OECD Guideline 107
107-19-7						(Partition Coefficient (n-
						octanol / water), Shake
						Flask Method)
1,3-Diethyl-2-thiourea	0.57					OECD Guideline 107
105-55-5						(Partition Coefficient (n-
						octanol / water), Shake
						Flask Method)

# Section 13. Disposal considerations

Waste disposal of product: Collection and delivery to recycling enterprise or other registered elimination institution.

**Recommended cleanser:** Clean the packaging with water.

Disposal for uncleaned package: Packaging that cannot be cleaned are to be disposed of in the same manner as the product.

# Section 14. Transport information

#### Road and Rail Transport:

Dangerous Goods information: Classified as Dangerous Goods according to the criteria of the

Australian Code for the Transport of Dangerous Goods by Road and

Rail (ADG Code).

UN no .: 3265

Proper shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Propargyl

alcohol)

Class or division: Packing group: III Hazchem code:

Emergency information: Refer to the Dangerous Goods - Initial Emergency Response Guide

HB 76.

#### **Marine transport IMDG:**

UN no .: 3265

Proper shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Propargyl

alcohol)

Class or division: Packing group: Ш F-A,S-B EmS:

Seawater pollutant:

Page 7 of 7

MSDS-No.: 319615 V001.4

# BONDERITE S-AD 85 ACID INHIBITOR ADDITIVE known as RODINE 85 20LT

Air transport IATA:

UN no.: 3265

Proper shipping name: Corrosive liquid, acidic, organic, n.o.s. (Propargyl alcohol)

Class or division: 8
Packing group: III
Packing instructions (passenger) 852
Packing instructions (cargo) 856

# Section 15. Regulatory information

SUSMP Poisons Schedule None

# Section 16. Other information

Abbreviations/acronyms: ADGC - Australian Dangerous Goods Code

STEL - Short term exposure limit TWA - Time weighted average

**Reason for issue:** Reviewed MSDS. Reissued with new date. involved chapters: 2,3,9,11,16

**Date of previous issue:** 04.07.2014

Disclaimer:

The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel Australia Pty. Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel Australia Pty. Limited concerning the properties of the material. The information contained in the Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel Australia Pty. Limited assumes no legal responsibility for reliance upon same. Henkel Australia Pty. Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Safety Data Sheet. This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.

# **HALLIBURTON**

# SAFETY DATA SHEET CITRIC ACID

Revision Date: 14-May-2015 Revision Number: 33

# 1. Product and Company Identification

**Product Name** 

Product Trade Name: CITRIC ACID

Other Names

Synonyms: None Product Code: HM004421

Recommended Use

Recommended Use Scale Remover; pH Control Uses Advised Against No information available

Company Name, Address and Contact Details

Manufacturer/Supplier Halliburton New Zealand

1 Paraite Rd,

Bell Block, New Plymouth

New Zealand Registration No.: 824207

**E-Mail address:** fdunexchem@halliburton.com

Emergency Telephone Number +64-6-7559274

**New Zealand National Poisons** 

Centre

0800 764 766 (24 hours)

# 2. Hazard(s) Identification

#### Statement of Hazardous Nature

Classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulation 2001; Not Classified as dangerous good according to NZS 5433:2012, UN, IMDG or IATA

#### Classification

6.1E (Inhalation) Acutely Toxic Substances

6.3B Mildly irritating to the skin

8.3A Corrosive to ocular tissue

#### **Hazard and Precautionary Statements**

#### **Hazard Pictograms**



Signal Word Danger

Hazard Statements H316 - Causes mild skin irritation

H318 - Causes serious eye damage H333 - May be harmful if inhaled

**Precautionary Statements** 

Prevention P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P103 - Read label before use

P104 - Read Safety Data Sheet before use. P280 - Wear eye protection/face protection

Response P304 + P312 - IF INHALED: Call a POISON CENTER or doctor/physician if you feel

unwell

P331 - Do NOT induce vomiting

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician

**Storage** None

**Disposal** P501 - Dispose of contents/container in accordance with

local/regional/national/international regulations

#### **Contains**

Substances	CAS Number	Substance HSNO Classification
Citric acid	77-92-9	6.1E (Inhalation)
		6.3B
		8.3A

#### 2.3. Other Hazards

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).

This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

# 3. Composition and Information on Ingredients

Substances	CAS Number	PERCENT (w/w)
Citric acid	77-92-9	60 - 100%

# 4. First-Aid Measures

#### Requirements for First Aid or Medical Care

**Inhalation** If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation

develops or if breathing becomes difficult.

Eyes Immediately flush eyes with large amounts of water for at least 15 minutes. Get

immediate medical attention.

**Skin** For skin contact, wipe away excess material with dry towel. Then wash affected areas

with plenty of water, and soap if available, for several minutes. Get medical attention if

irritation occurs.

**Ingestion** Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical attention.

#### **Workplace Facilities Required**

None

#### Relation to Health Effect

**Most Important Symptoms/Effects** 

Causes eye irritation. Causes eye irritation

# Medical Attention and Special Treatment

Notes to Physician

Treat symptomatically

# 5. Fire-fighting measures

#### Type of Hazard

# Flammability Hazard

Combustible dust when in finely divided and highly suspended state.

#### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical.

#### Extinguishing media which must not be used for safety reasons

None known.

**HAZCHEM Code** 

Hazchem Code: None Allocated

#### Special Protective Equipment and Precautions for Fire Fighters

#### **Special Protective Equipment for Fire-Fighters**

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

#### **Special Exposure Hazards**

Decomposition in fire may produce harmful gases. Organic dust in the presence of an ignition source can be explosive in high concentrations. Good housekeeping practices are required to minimize this potential.

# 6. Spillage, Accidental Release Measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid creating and breathing dust. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

See Section 8 for additional information

#### 6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

#### 6.3. Methods and material for containment and cleaning up

Scoop up and remove.

#### 6.4. Reference to other sections

See Section 8 and 13 for additional information.

# 7. Handling and storage

#### 7.1. Precautions for Safe Handling

#### **Handling Precautions**

Avoid contact with eyes, skin, or clothing. Avoid creating or inhaling dust. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment.

#### **Handling Practices**

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

#### **Approved Handlers**

This product does NOT require an approved handler.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry location. Product has a shelf life of 60 months.

#### Store Site Requirements

No special controls required

#### **Packaging**

No special packaging required

# 8. Exposure Controls and Personal Protection

#### Workplace Exposure Standards

**Exposure Limits** 

Substances	CAS Number	New Zealand WES	ACGIH TLV-TWA
Citric acid	77-92-9	Not applicable	Not applicable

#### **Engineering Controls**

**Engineering Controls** Use in a well ventilated area.

# Personal Protective Equipment (PPE)

Respiratory Protection If engineering controls and work practices cannot keep exposure below occupational

exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard

EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional.

Dust/mist respirator. (N95, P2/P3)

**Hand Protection** Chemical-resistant protective gloves (EN 374) Suitable materials for longer, direct

contact (recommended: protection index 6, corresponding to > 480 minutes permeation

time as per EN 374): Nitrile gloves. (>= 0.35 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced. Manufacturer's directions for use should be

observed because of great diversity of types.

**Skin Protection** Normal work coveralls.

**Eve Protection** Chemical goggles; also wear a face shield if splashing hazard exists.

Other Precautions None known.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Solid Color: White

Odor: Odorless Odor Threshold: No information available

<u>Property</u> <u>Values</u>

Remarks/ - Method

**pH**: 1.8

Freezing Point/RangeNo data availableMelting Point/Range153 °C / 307.4 °FBoiling Point/RangeDecomposesFlash Point345 °C / 653 °F

upper flammability limit 65 lower flammability limit %

Evaporation rateNo data availableVapor Pressure0.00000221 PaVapor DensityNo data available

Specific Gravity 1.66

Water Solubility
Soluble in water
No data available
Partition coefficient: n-octanol/water
Autoignition Temperature
Decomposition Temperature
Viscosity
Soluble in water
No data available
-1.61 to -1.80
1010 °C / 1832 °F
No data available
No data available

Explosive PropertiesNo information availableOxidizing PropertiesNo information available

9.2. Other information

Molecular Weight 192.12

VOC Content (%) No data available

# 10. Stability and Reactivity

#### 10.2. Chemical Stability

Stable

#### 10.4. Conditions to Avoid

None anticipated

#### 10.5. Incompatible Materials

Strong alkalis.

#### 10.6. Hazardous Decomposition Products

Carbon monoxide and carbon dioxide.

**Hazardous Reactions** 

Hazardous Polymerization: Will Not Occur

# 11. Toxicological Information

# Health Effect from Likely Routes of Exposure

**Acute Toxicity** 

**Inhalation** May cause mild respiratory irritation.

Eye Contact Causes eye irritation.

Skin Contact May cause mild skin irritation.

Ingestion Irritation of the mouth, throat, and stomach. May cause abdominal pain, vomiting,

nausea, and diarrhea.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 0.1% are

chronic health hazards.

**Toxicity Data** 

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Citric acid	77-92-9	5400 mg/kg (Rat) 5790 mg/kg (Mouse) 11,700 mg/kg (Rat)	> 2000 mg/kg	No data available
Substances	CAS Number	Skin corrosion/irritation		
Citric acid	77-92-9	Not irritating to skin in rabbits.		
Substances	CAS Number	Eye damage/irritation		
Citric acid	77-92-9	Causes severe eye irritation.		
Substances	CAS Number	Skin Sensitization		
Citric acid	77-92-9	Patch test on human volunteers di	d not demonstrate sensitization p	properties
Substances	CAS Number	Respiratory Sensitization		
Citric acid	77-92-9	No information available		
Substances	CAS Number	Mutagenic Effects		
Citric acid	77-92-9	Did not show mutagenic effects in	animal experiments	
Substances	CAS Number	Carcinogenic Effects		
Citric acid	77-92-9	Did not show carcinogenic effects	in animal experiments	
Substances	CAS Number	Reproductive toxicity		
Citric acid	77-92-9	Animal testing did not show any ef experiments.	fects on fertility. Did not show ter	atogenic effects in animal
Substances	CAS Number	STOT - single exposure		
Citric acid	77-92-9	No data of sufficient quality are av	ailable.	
Substances	CAS Number	STOT - repeated exposure		
Citric acid	77-92-9	No significant toxicity observed in	animal studies at concentration re	equiring classification.
Substances	CAS Number	Aspiration hazard		
Citric acid	77-92-9	No adverse health effects are expe	ected from swallowing.	
	•		<u> </u>	

# 12. Ecological Information

#### 12.1. Toxicity Ecotoxicity Effects

#### **Product Ecotoxicity Data**

No data available

Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Citric acid	77-92-9	NOEC (8d) 425 mg/L (cell density) (Scenedesmus quadricauda) LOEC (8d) >80 mg/L (Microcystis aeruginosa)	LC50 (96h) 1516 mg/L (Lepomis macrochirus) LC50 (48h) 440 mg/L (Leuciscus idus melanotus) LC50 (96h) >100 mg/L (Pimephales promelas)	TT (72h) 485 mg/L (Entosiphon sulcatum)	TLM96 100-330 ppm (Crangon crangon) EC50 (24h) 1535 mg/L (Daphnia magna) LC50 (48h) 160 mg/L (Daphnia magna) EC50 (48h) >50 mg/L (Daphnia magna)

#### 12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Citric acid	77-92-9	Readily biodegradable (97% @ 28d)

#### 12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Citric acid	77-92-9	-1.61 to -1.80

# 12.4. Mobility in soil

Substances	CAS Number	Mobility
Citric acid	77-92-9	No information available

# **Ecotoxicity Hazard Statements**

None known

#### 12.6. Other adverse effects

#### **Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

# 13. Disposal Considerations

#### 13.1. Waste treatment methods

Disposal Method Contaminated Packaging Bury in a licensed landfill according to federal, state, and local regulations. Follow all applicable national or local regulations. Contaminated packaging may be

disposed of by: rendering packaging incapable of containing any substance, or treating packaging to remove residual contents, or treating packaging to make sure the residual contents are no longer hazardous, or by disposing of packaging into commercial waste

collection.

# 14. Transport Information

IMDG/IMO

UN Number:
UN Proper Shipping Name:
Transport Hazard Class(es):
Packing Group:
Not applicable
Environmental Hazards:
Not restricted
Not applicable
Not applicable

NZ 5433.1999

UN Number: Not restricted
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable

·

IATA/ICAO

UN Number: Not restricted
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable

Special Precautions for User: None

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

# 15. Regulatory Information

**New Zealand Inventory of** 

Chemicals

All components listed on inventory or are exempt.

**Group Name ERMA Register Approval Number**Not Applicable
HSR003138

**HSNO Controls** Refer to the NZ EPA website for more information: http://www.epa.govt.nz

Approved Handlers Not Applicable

Poisons Schedule: None Allocated

# 16. Other information

#### The following sections have been revised since the last issue of this SDS

Not applicable

Additional information For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact

Chemical Stewardship at 1-580-251-4335.

#### Key literature references and sources for data

www.ChemADVISOR.com/

OSHA ECHA C&L NZ CCID

Revision Date: 14-May-2015
Revision Note Revision Note

SDS sections updated:

2

#### **Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**End of Safety Data Sheet** 

# **HALLIBURTON**

# SAFETY DATA SHEET

# **SODA ASH F.G.**

Revision Date: 27-Jun-2016 Revision Number: 23

# 1. Product Identifier & Identity for the Chemical

Statement of Hazardous Nature Hazardous according to the criteria of the 3rd Revised Edition of the Globally Harmonised

System of Classification and Labelling of Chemicals (GHS), Non-Dangerous Goods

according to the criteria of ADG.

1.1. Product Identifier

Product Name SODA ASH F.G.

Other means of Identification

Synonyms None

Hazardous Material Number: HM003760

Recommended use of the chemical and restrictions on use

Recommended Use pH Control

Uses advised against No information available

Supplier's name, address and phone number

Manufacturer/Supplier Halliburton/Baroid Australia Pty. Ltd.

15 Marriott Road Jandakot WA 6164 Australia

ACN Number: 009 000 775

Telephone Number: 61 (08) 9455 8300 Fax Number: 61 (08) 9455 5300

**Product Emergency Telephone** 

Australia: + 61 1 800 686 951

Papua New Guinea: + 61 1 800 686 951

NewZealand: +64 800 451719

Fire, Police & Ambulance - Emergency Telephone

Australia: 000

Papua New Guinea: 000

New Zealand: 111

E-mail Address fdunexchem@halliburton.com

Emergency phone number

+ 61 1 800 686 951

**Australian Poisons Information Centre** 

24 Hour Service: - 13 11 26

Police or Fire Brigade: - 000 (exchange): - 1100

# 2. Hazard Identification

Statement of Hazardous Nature Hazardous according to the criteria of the 3rd Revised Edition of the Globally Harmonised

System of Classification and Labelling of Chemicals (GHS), Non-Dangerous Goods

according to the criteria of ADG.

Classification of the hazardous chemical

Serious Eye Damage/Irritation Category 2 - H319

#### Label elements, including precautionary statements

#### **Hazard pictograms**



Signal Word Warning

Hazard Statements: H319 - Causes serious eye irritation

**Precautionary Statements** 

Prevention P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear eye protection/face protection

**Response** P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

Storage None Disposal None

**Contains** 

SubstancesCAS NumberSodium carbonate497-19-8

#### Other hazards which do not result in classification

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

For the full text of the H-phrases mentioned in this Section, see Section 16

3. Composition/information on Ingredients	
	•

Substances	CAS Number	PERCENT (w/w)	GHS Classification - Australia
Sodium carbonate	497-19-8	60 - 100%	Eye Irrit. 2 (H319)

#### 4. First aid measures

Description of necessary first aid measures

**Inhalation** If inhaled, remove from area to fresh air. Get medical attention if respiratory

irritation develops or if breathing becomes difficult.

Eyes In case of contact, immediately flush eyes with plenty of water for at least 15

minutes and get medical attention if irritation persists.

**Skin** Wash with soap and water. Get medical attention if irritation persists.

Ingestion Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical

attention.

Symptoms caused by exposure

Causes eye irritation

**Medical Attention and Special Treatment** 

Notes to Physician Treat symptomatically

# 5. Fire Fighting Measures

Suitable extinguishing equipment

**Suitable Extinguishing Media** 

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

None known.

Specific hazards arising from the chemical

Special exposure hazards in a fire

Decomposition in fire may produce harmful gases.

Special protective equipment and precautions for fire fighters

Special protective equipment for firefighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

#### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid creating and breathing dust. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

#### 6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

# 6.3. Methods and material for containment and cleaning up

Scoop up and remove.

# 7. Handling and storage

#### 7.1. Precautions for safe handling

#### **Handling Precautions**

Avoid contact with eyes, skin, or clothing. Avoid creating or inhaling dust. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage Information

Store away from acids. Store in a cool, dry location. Product has a shelf life of 36 months.

**Other Guidelines** 

No information available

# 8. Exposure Controls/Personal Protection

#### Control parameters - exposure standards, biological monitoring

**Exposure Limits** 

Substances	CAS Number	Australia NOHSC	ACGIH TLV-TWA	
Sodium carbonate	497-19-8	Not applicable	Not applicable	

Appropriate engineering controls

**Engineering Controls** 

Use in a well ventilated area. Localized ventilation should be used to control dust levels.

Personal protective equipment (PPE)

Personal Protective Equipment If engineering controls and work practices cannot prevent excessive exposures, the

selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this

product.

Respiratory Protection If engineering controls and work practices cannot keep exposure below occupational

exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be

performed by an Industrial Hygienist or other qualified professional.

Dust/mist respirator. (N95, P2/P3)

Hand Protection
Skin Protection
Skin Protection
Eye Protection
Other Precautions
Normal work gloves.

Environmental Exposure Controls Do not allow material to contaminate ground water system

# 9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State:PowderColorWhite to off whiteOdor:OdorlessOdor Threshold:No information available

<u>Property</u> <u>Values</u>

Remarks/ - Method

**pH:** 11.5

Freezing Point / Range
Melting Point / Range
No data available
Boiling Point / Range
No data available
No data available
Flash Point
No data available
Evaporation rate
No data available
Vapor Pressure
No data available
Vapor Density
No data available

Specific Gravity 2.5

Water Solubility

Solubility in other solvents

Partition coefficient: n-octanol/water

Autoignition Temperature

Decomposition Temperature

Viscosity

No data available

No data available

No data available

No data available

Explosive PropertiesNo information availableOxidizing PropertiesNo information available

9.2. Other information

Molecular Weight 105.99 g/mol VOC Content (%) No data available

# 10. Stability and Reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

Will Not Occur

10.4. Conditions to avoid

None anticipated

10.5. Incompatible materials

Strong acids.

10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide.

# 11. Toxicological Information

Information on routes of exposure

Principle Route of Exposure Eye or skin contact, inhalation.

Symptoms related to exposure
Most Important Symptoms/Effects

Causes eye irritation

#### Numerical measures of toxicity

#### Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium carbonate	497-19-8	4090 mg/kg (Rat)	2210 mg/kg (Mouse)	2.3 mg/L (Rat) 2h
		2800 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	

Immediate, delayed and chronic health effects from exposure

Inhalation None known.

**Eye Contact** May cause eye irritation.

Skin Contact None known.

**Ingestion** Irritation of the mouth, throat, and stomach.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 0.1%

are chronic health hazards.

**Exposure Levels** 

No data available

Interactive effects

None known.

#### **Data limitations**

No data available

Substances	CAS Number	Skin corrosion/irritation
Sodium carbonate	497-19-8	Non-irritating to the skin
Substances	CAS Number	Serious eye damage/irritation
Sodium carbonate	497-19-8	Irritating to eyes
Substances	CAS Number	Skin Sensitization
Sodium carbonate	497-19-8	Not classified
Substances	CAS Number	Respiratory Sensitization
Sodium carbonate	497-19-8	No information available
Substances	CAS Number	Mutagenic Effects
Sodium carbonate	497-19-8	In vivo tests did not show mutagenic effects.
Substances	CAS Number	Carcinogenic Effects
Sodium carbonate		No information available
Substances	CAS Number	Reproductive toxicity
Sodium carbonate	497-19-8	Did not show teratogenic effects in animal experiments.
Substances	CAS Number	STOT - single exposure
Sodium carbonate		No significant toxicity observed in animal studies at concentration requiring classification.
	·	
Substances	CAS Number	STOT - repeated exposure
Sodium carbonate		No significant toxicity observed in animal studies at concentration requiring classification.

Substances CAS Number Aspiration hazard Sodium carbonate 497-19-8 Not applicable

# 12. Ecological Information

#### **Ecotoxicity**

# Product Ecotoxicity Data

No data available

Substance Ecotoxic	ity Data				
Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to	Toxicity to Invertebrates
			-	Microorganisms	
Sodium carbonate	497-19-8	EC50 242 mg/L	TLM24 385 mg/L	No information available	EC50 265 mg/L (Daphnia
		(Nitzschia)	(Lepomis macrochirus)		magna)
			LC50 310-1220 mg/L		EC50 (48h) 200 - 227
			(Pimephales promelas)		mg/L (Ceriodaphnia sp.)
			LC50 (96h) 300 mg/L		
			(Lepomis macrochirus)		

#### 12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Sodium carbonate	497-19-8	The methods for determining biodegradability are
		not applicable to inorganic substances.

#### 12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Sodium carbonate	497-19-8	No information available

#### 12.4. Mobility in soil

Substances	CAS Number	Mobility
Sodium carbonate	497-19-8	No information available

#### 12.6. Other adverse effects

# **Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

# 13. Disposal Considerations

# Safe handling and disposal methods

Bury in a licensed landfill according to federal, state, and local regulations.

#### Disposal of any contaminated packaging

Follow all applicable national or local regulations.

#### **Environmental regulations**

Not applicable

# 14. Transport Information

<u>Transportation Information</u>

**UN Number** Not restricted UN proper shipping name: Not restricted **Transport Hazard Class(es):** Not applicable **Packing Group:** Not applicable Not applicable **Environmental Hazards:** 

#### Special precautions during transport

#### HazChem Code

None Allocated

# 15. Regulatory Information

## Safety, health and environmental regulations specific for the product

International Inventories

**Australian AICS Inventory** All components are listed on the AICS or are subject to a relevant exemption, permit, or

assessment certificate.

**New Zealand Inventory of** 

All components are listed on the NZIoC or are subject to a relevant exemption, permit, or

assessment certificate.

**EINECS** (European Inventory of

This product, and all its components, complies with EINECS

**Existing Chemical Substances) US TSCA Inventory** 

All components listed on inventory or are exempt. Canadian Domestic Substances List All components listed on inventory or are exempt.

(DSL)

Chemicals

#### Poisons Schedule number

None Allocated

International Agreements

**Montreal Protocol - Ozone Depleting Substances:** Does not apply **Stolkhom Convention - Persistent Organic Pollutants:** Does not apply **Rotterdam Convention - Prior Informed Consent:** Does not apply **Basel Convention - Hazardous Waste:** Does not apply

#### 16. Other information

#### Date of preparation or review

27-Jun-2016 **Revision Date:** 

**Revision Note** 

SDS sections updated: 2

#### Full text of H-Statements referred to under sections 2 and 3

H319 - Causes serious eye irritation

For additional information on the use of this product, contact your local Halliburton Additional information

representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact

Chemical Stewardship at 1-580-251-4335.

#### Key abreviations or acronyms used

bw - body weight

CAS - Chemical Abstracts Service

EC50 - Effective Concentration 50%

LC50 - Lethal Concentration 50%

LD50 - Lethal Dose 50%

LL50 - Lethal Loading 50%

mg/kg - milligram/kilogram

mg/L - milligram/liter

NOEC - No Observed Effect Concentration

OEL - Occupational Exposure Limit

PBT - Persistent Bioaccumulative and Toxic

ppm – parts per million STEL – Short Term Exposure Limit TWA – Time-Weighted Average vPvB – very Persistent and very Bioaccumulative h - hour mg/m³ - milligram/cubic meter mm - millimeter mmHg - millimeter mercury w/w - weight/weight d - day

#### Key literature references and sources for data

www.ChemADVISOR.com/ NZ CCID

#### **Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**End of Safety Data Sheet** 

# **HALLIBURTON**

# SAFETY DATA SHEET

# SODIUM BICARBONATE

Revision Date: 22-Sep-2015 Revision Number: 26

# 1. Product Identifier & Identity for the Chemical

Statement of Hazardous Nature Non-Hazardous according to the criteria of the 3rd Revised Edition of the Globally

Harmonised System of Classification and Labelling of Chemicals (GHS), Non-Dangerous

Goods according to the criteria of ADG.

1.1. Product Identifier

Product Name SODIUM BICARBONATE

Other means of Identification

Synonyms: None Product Code: HM001824

Recommended use of the chemical and restrictions on use

Recommended Use Buffer

Uses Advised Against No information available

Supplier's name, address and phone number

Manufacturer/Supplier Halliburton Australia Pty. Ltd.

15 Marriott Road Jandakot WA 6164 Australia

ACN Number: 009 000 775

Telephone Number: + 61 1 800 686 951

Fax Number: 61 (08) 9455 5300

E-Mail address: fdunexchem@halliburton.com

Emergency phone number

+ 61 1 800 686 951

**Australian Poisons Information Centre** 

24 Hour Service: - 13 11 26

Police or Fire Brigade: - 000 (exchange): - 1100

# 2. Hazard Identification

Statement of Hazardous Nature Non-Hazardous according to the criteria of the 3rd Revised Edition of the Globally

Harmonised System of Classification and Labelling of Chemicals (GHS), Non-Dangerous

Goods according to the criteria of ADG.

Classification of the hazardous chemical

Not classified

Label elements, including precautionary statements

**Hazard Pictograms** 

Signal Word Not Hazardous

Hazard Statements Not Classified

**Precautionary Statements** 

PreventionNoneResponseNoneStorageNone

Contains

**Disposal** 

Substances CAS Number

None

Contains no hazardous substances in concentrations above

cut-off values according to the competent authority

#### Other hazards which do not result in classification

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

#### **Australia Classification**

For the full text of the H-phrases mentioned in this Section, see Section 16

Classification Not Classified

Risk Phrases None

# 3. Composition/information on Ingredients

NA

Substances	CAS Number	PERCENT (w/w)	GHS Classification - Australia
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	60 - 100%	Not Applicable

#### 4. First aid measures

Description of necessary first aid measures

**Inhalation** If inhaled, remove from area to fresh air. Get medical attention if respiratory

irritation develops or if breathing becomes difficult.

**Eyes** In case of contact, immediately flush eyes with plenty of water for at least 15

minutes and get medical attention if irritation persists.

**Skin**Wash with soap and water. Get medical attention if irritation persists.

**Ingestion** Under normal conditions, first aid procedures are not required.

# Symptoms caused by exposure

No significant hazards expected.

#### **Medical Attention and Special Treatment**

Notes to Physician Treat symptomatically

# 5. Fire Fighting Measures

Suitable extinguishing equipment

**Suitable Extinguishing Media** 

All standard fire fighting media

Extinguishing media which must not be used for safety reasons

None known.

#### Specific hazards arising from the chemical

**Special Exposure Hazards** 

Not applicable.

#### Special protective equipment and precautions for fire fighters

#### **Special Protective Equipment for Fire-Fighters**

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

#### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid creating and breathing dust. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

#### 6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

#### 6.3. Methods and material for containment and cleaning up

Scoop up and remove.

# 7. Handling and storage

#### 7.1. Precautions for Safe Handling

#### **Handling Precautions**

Avoid creating or inhaling dust. Avoid contact with eyes, skin, or clothing. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Storage Information

Store away from acids. Store in a dry location.

#### **Other Guidelines**

No information available

# 8. Exposure Controls/Personal Protection

# Control parameters - exposure standards, biological monitoring

**Exposure Limits** 

Substances	CAS Number	Australia NOHSC	ACGIH TLV-TWA
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable	Not applicable

Appropriate engineering controls

Engineering Controls A well ventilated area to control dust levels. Local exhaust ventilation should be used in

areas without good cross ventilation.

Personal protective equipment (PPE)

**Respiratory Protection**Not normally needed. But if significant exposures are possible then the following respirator

is recommended:

Dust/mist respirator. (N95, P2/P3)

Hand Protection Normal work gloves.

Skin Protection Normal work coveralls.

**Eye Protection** Wear safety glasses or goggles to protect against exposure.

Other Precautions None known.

Environmental Exposure Controls Do not allow material to contaminate ground water system

Page 2/0

# 9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Solid Color: White

Odor: Odorless Odor Threshold: No information available

<u>Property</u> <u>Values</u>

Remarks/ - Method

pH:

Freezing Point/Range
Melting Point/Range
No data available
Boiling Point/Range
No data available
Flash Point
No data available
Evaporation rate
No data available
Vapor Pressure
No data available
Vapor Density
No data available

Specific Gravity 2.16

Water Solubility Soluble in water Solubility in other solvents No data available Partition coefficient: n-octanol/water No data available No data available **Autoignition Temperature Decomposition Temperature** No data available **Viscosity** No data available **Explosive Properties** No information available **Oxidizing Properties** No information available

9.2. Other information

VOC Content (%) No data available

# 10. Stability and Reactivity

# 10.1. Reactivity

Not expected to be reactive.

10.2. Chemical Stability

Stable

10.3. Possibility of Hazardous Reactions

Will Not Occur

10.4. Conditions to Avoid

None anticipated

10.5. Incompatible Materials

Strong acids.

10.6. Hazardous Decomposition Products

Carbon monoxide and carbon dioxide.

#### 11. Toxicological Information

Information on routes of exposure

Principle Route of Exposure Eye or skin contact, inhalation.

Sympotoms related to exposure

**Most Important Symptoms/Effects** 

No significant hazards expected.

#### Numerical measures of toxicity

#### Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Contains no hazardous	NA	No data available	No data available	No data available
substances in				
concentrations above				

SODIUM BICARBONATE		Revision Date: 22-Sep-2015		
cut-off values according to the competent authority				
Immediate, delayed and chronic hea Inhalation Eye Contact Skin Contact Ingestion		Ith effects from exposure  May cause mild respiratory irritation.  May cause mild eye irritation.  May cause mild skin irritation.  None known.		
Chronic Effects/Carcinogenicity		No data available to indicate product or components present at greater than 0.1% are chronic health hazards.		
Exposure Levels No data available				
Interactive effects None known.				
<u>Data limitations</u> No data available				
Substances	CAS Number	Skin corrosion/irritation		
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable.		
Substances	CAS Number	Eye damage/irritation		
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable.		
Cubatanasa	CAS Number	Skin Sensitization		
Substances Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable		
Cubatanasa	CAC Number	D		
Substances Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Respiratory Sensitization Not applicable		
Substances	CAS Number	Mutagenic Effects		
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable		
Substances	CAS Number	Carcinogenic Effects		
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable		
Substances	CAS Number	Reproductive toxicity		

#### **SODIUM BICARBONATE** Revision Date: 22-Sep-2015 Contains no hazardous NΑ Not applicable substances in concentrations above cut-off values according to the competent authority Substances CAS Number STOT - single exposure Contains no hazardous NΑ Not applicable substances in concentrations above cut-off values according to the competent authority Substances CAS Number STOT - repeated exposure Contains no hazardous Not applicable substances in concentrations above cut-off values according to the competent authority CAS Number Aspiration hazard Substances Contains no hazardous Not applicable substances in concentrations above cut-off values according to the competent authority 12. Ecological Information **Ecotoxicity Product Ecotoxicity Data** No data available **Substance Ecotoxicity Data**

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to	Toxicity to Invertebrates
				Microorganisms	-
Contains no	NA	No information available	No information available	No information available	No information available
hazardous substances					
in concentrations					
above cut-off values					
according to the					

#### 12.2. Persistence and degradability

competent authority

Substances	CAS Number	Persistence and Degradability
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available

#### 12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Contains no hazardous substances in	NA	No information available
concentrations above cut-off values according to		
the competent authority		

# 12.4. Mobility in soil

Substances	CAS Number	Mobility
Contains no hazardous substances in concentrations	NA	No information available
above cut-off values according to the competent authority		

#### 12.6. Other adverse effects

#### **Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

# 13. Disposal Considerations

#### Safe handling and disposal methods

Bury in a licensed landfill according to federal, state, and local regulations.

#### Disposal of any contaminated packaging

Follow all applicable national or local regulations.

#### **Environmental regulations**

Not applicable

# 14. Transport Information

Transportation Information

UN Number:
UN Proper Shipping Name:
Not restricted
Not restricted
Not applicable
Packing Group:
Not applicable
Environmental Hazards:
Not applicable

#### Special precautions during transport

None

#### HazChem Code

None Allocated

# 15. Regulatory Information

#### Safety, health and environmental regulations specific for the product

**International Inventories** 

Australian AICS Inventory
New Zealand Inventory of

All components listed on inventory or are exempt.

All components listed on inventory or are exempt.

Chemicals

EINECS Inventory This product, and all its components, complies with EINECS

US TSCA Inventory
Canadian DSL Inventory
All components listed on inventory or are exempt.
All components listed on inventory or are exempt.

# Poisons Schedule number

None Allocated

# 16. Other information

#### Date of preparation or review

Revision Date: 22-Sep-2015

**Revision Note** 

SDS sections updated: 2

Full text of R-phrases referred to under Sections 2 and 3

None

Full text of H-Statements referred to under sections 2 and 3

None

SODIUM BICARBONATE Revision Date: 22-Sep-2015

### Additional information

For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Stewardship at 1-580-251-4335.

### Key abreviations or acronyms used

bw – body weight CAS – Chemical Abstracts Service EC50 – Effective Concentration 50% LC50 – Lethal Concentration 50% LD50 Lethal Dose 50% LL50 – Lethal Loading 50% mg/kg – milligram/kilogram mg/L – milligram/liter NOEC – No Observed Effect
 Concentration OEL – Occupational Exposure Limit PBT – Persistent Bioaccumulative and Toxic ppm – parts per million STEL – Short Term Exposure Limit TWA - Time-Weighted Average vPvB - very Persistent and very Bioaccumulative h - hour mg/m3 milligram/cubic meter mm - millimeter mmHg - millimeter mercury w/w - weight/weight d - day

### Key literature references and sources for data

www.ChemADVISOR.com/ NZ CCID

#### **Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**End of Safety Data Sheet** 

### **HALLIBURTON**

### SAFETY DATA SHEET

### **SODIUM CHLORIDE**

Revision Date: 08-Sep-2015 Revision Number: 23

1. Product Identifier & Identity for the Chemical

Statement of Hazardous Nature Non-Hazardous according to the criteria of the 3rd Revised Edition of the Globally

Harmonised System of Classification and Labelling of Chemicals (GHS), Non-Dangerous

Goods according to the criteria of ADG.

1.1. Product Identifier

Product Name SODIUM CHLORIDE

Other means of Identification

Synonyms: None Product Code: HM001682

Recommended use of the chemical and restrictions on use

Recommended Use Additive

Uses Advised Against No information available

Supplier's name, address and phone number

Manufacturer/Supplier Halliburton Australia Pty. Ltd.

15 Marriott Road Jandakot WA 6164 Australia

ACN Number: 009 000 775

Telephone Number: + 61 1 800 686 951

Fax Number: 61 (08) 9455 5300

E-Mail address: fdunexchem@halliburton.com

Emergency phone number

+ 61 1 800 686 951

**Australian Poisons Information Centre** 

24 Hour Service: - 13 11 26

Police or Fire Brigade: - 000 (exchange): - 1100

2. Hazard Identification

**Statement of Hazardous Nature** Non-Hazardous according to the criteria of the 3rd Revised Edition of the Globally

Harmonised System of Classification and Labelling of Chemicals (GHS), Non-Dangerous

Goods according to the criteria of ADG.

Classification of the hazardous chemical

Not classified

Label elements, including precautionary statements

**Hazard Pictograms** 

Signal Word Not Hazardous

SODIUM CHLORIDE Revision Date: 08-Sep-2015

Hazard Statements Not Classified

**Precautionary Statements** 

PreventionNoneResponseNoneStorageNone

**Contains** 

**Disposal** 

SubstancesCAS NumberSodium chloride7647-14-5

None

#### Other hazards which do not result in classification

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

#### **Australia Classification**

For the full text of the H-phrases mentioned in this Section, see Section 16

Classification Not Classified

Risk Phrases None

### 3. Composition/information on Ingredients

Substances	CAS Number	PERCENT (w/w)	GHS Classification - Australia
Sodium chloride	7647-14-5	60 - 100%	

### 4. First aid measures

Description of necessary first aid measures

**Inhalation** If inhaled, remove from area to fresh air. Get medical attention if respiratory

irritation develops or if breathing becomes difficult.

Eyes In case of contact, immediately flush eyes with plenty of water for at least 15

minutes and get medical attention if irritation persists.

**Skin** Wash with soap and water. Get medical attention if irritation persists.

**Ingestion** Under normal conditions, first aid procedures are not required.

### Symptoms caused by exposure

Causes mild eye irritation.

### **Medical Attention and Special Treatment**

Notes to Physician Treat symptomatically

### 5. Fire Fighting Measures

#### Suitable extinguishing equipment

**Suitable Extinguishing Media** 

All standard fire fighting media

Extinguishing media which must not be used for safety reasons

None known.

Specific hazards arising from the chemical

**SODIUM CHLORIDE** Revision Date: 08-Sep-2015

#### **Special Exposure Hazards**

None anticipated

#### Special protective equipment and precautions for fire fighters

**Special Protective Equipment for Fire-Fighters** 

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid creating and breathing dust.

#### 6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

### 6.3. Methods and material for containment and cleaning up

Scoop up and remove.

### 7. Handling and storage

#### 7.1. Precautions for Safe Handling

**Handling Precautions** 

Avoid creating or inhaling dust.

**Hygiene Measures** 

Handle in accordance with good industrial hygiene and safety practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Information** 

Store in a cool, dry location.

**Other Guidelines** 

No information available

### 8. Exposure Controls/Personal Protection

#### Control parameters - exposure standards, biological monitoring

**Exposure Limits** 

Substances	CAS Number	Australia NOHSC	ACGIH TLV-TWA
Sodium chloride	7647-14-5	Not applicable	Not applicable

Appropriate engineering controls

**Engineering Controls** Use in a well ventilated area.

Personal protective equipment (PPE)

**Respiratory Protection** If engineering controls and work practices cannot keep exposure below occupational

exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be

performed by an Industrial Hygienist or other qualified professional.

Dust/mist respirator. (N95, P2/P3)

**Hand Protection** Normal work gloves. **Skin Protection** Normal work coveralls.

Wear safety glasses or goggles to protect against exposure. **Eye Protection** 

None known. **Other Precautions** 

No information available **Environmental Exposure Controls** 

### 9. Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

SODIUM CHLORIDE Revision Date: 08-Sep-2015

Physical State: Solid Color: White

Odor: Odorless Odor Threshold: No information available

<u>Property</u> <u>Values</u>

Remarks/ - Method

No data available pH: No data available Freezing Point/Range Melting Point/Range 801 °C / 1473.8 °F **Boiling Point/Range** No data available Flash Point No data available No data available **Evaporation rate Vapor Pressure** No data available **Vapor Density** No data available

Specific Gravity 2.16

Water Solubility

Solubility in other solvents

Partition coefficient: n-octanol/water

Autoignition Temperature

Decomposition Temperature

Viscosity

Very soluble

No data available

No data available

No data available

No data available

**Explosive Properties**No information available **Oxidizing Properties**No information available

9.2. Other information

VOC Content (%) No data available

### 10. Stability and Reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical Stability

Stable

10.3. Possibility of Hazardous Reactions

Will Not Occur

10.4. Conditions to Avoid

None anticipated

10.5. Incompatible Materials

None known.

10.6. Hazardous Decomposition Products

None known.

### 11. Toxicological Information

Information on routes of exposure

**Principle Route of Exposure** Eye or skin contact, inhalation.

Sympotoms related to exposure

**Most Important Symptoms/Effects** 

Causes mild eye irritation.

### Numerical measures of toxicity

### Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium chloride	7647-14-5	3000 mg/kg (Rat) 3550 mg/kg (Rat)	>10000 mg/kg (Rabbit)	42 mg/L (Rat) 1h

Immediate, delayed and chronic health effects from exposure

**Inhalation** May cause mild respiratory irritation.

**Eye Contact Skin Contact**Causes mild eye irritation.
May cause mild skin irritation.

**SODIUM CHLORIDE** Revision Date: 08-Sep-2015

Ingestion None known.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 0.1% are chronic health hazards.

### **Exposure Levels**

No data available

### Interactive effects

None known.

### **Data limitations**

No data available

Substances	CAS Number	Skin corrosion/irritation		
Sodium chloride	7647-14-5	Non-irritating to the skin (Rabbit)		
<b>-</b>	lava vi			
Substances		Eye damage/irritation		
Sodium chloride	7647-14-5	May cause mild eye irritation. (Rabbit)		
Substances	CAS Number	Skin Sensitization		
Sodium chloride		No information available		
Substances	CAS Number	Respiratory Sensitization		
Sodium chloride		No information available		
Substances	CAS Number	Mutagenic Effects		
Sodium chloride		No information available		
	1			
Substances		Carcinogenic Effects		
Sodium chloride	7647-14-5	Did not show carcinogenic effects in animal experiments		
Substances	CAS Number	Reproductive toxicity		
Sodium chloride	7647-14-5	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments.		
Substances	CAS Number	STOT - single exposure		
Sodium chloride		No information available		
Socium chionae	1/04/-14-5	INO IIIIOITTIALIOTI AVAIIADIE		
Substances	CAS Number	STOT - repeated exposure		
Sodium chloride	7647-14-5	No significant toxicity observed in animal studies at concentration requiring classification.		
Substances	CAS Number	Aspiration hazard		
Sodium chloride		Not applicable		

### 12. Ecological Information

# **Ecotoxicity Product Ecotoxicity Data**

No data available

**Substance Ecotoxicity Data** 

Substance Ecotoxic					
Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to	Toxicity to Invertebrates
			-	Microorganisms	-
Sodium chloride	7647-14-5	EC50 (120h) 2430 mg/L	TLM96 > 1000 mg/L	NOEC 5000 - 8000 mg/L	TLM96 > 1,000,000 ppm
		(Nitzschia sp.)	(Oncorhynchus mykiss)	(activated sludge)	(Mysidopsis bahia)
			LC50 (96h) 5840 mg/L	NOEC 292-584 mg/L	LC50 (48h) 874-4136
			(Lepomis macrochirus)	(Escherichia coli)	mg/L (Daphnia magna)
			NOEC (33d) 252 mg/L		NOEC (21d) 314 mg/L
			(Pimephales promelas)		(Daphnia pulex)

### 12.2. Persistence and degradability

SODIUM CHLORIDE Revision Date: 08-Sep-2015

 Substances
 CAS Number
 Persistence and Degradability

 Sodium chloride
 7647-14-5
 No information available

#### 12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Sodium chloride	7647-14-5	No information available

#### 12.4. Mobility in soil

Substances	CAS Number	Mobility
Sodium chloride	7647-14-5	No information available

#### 12.6. Other adverse effects

#### **Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

### 13. Disposal Considerations

#### Safe handling and disposal methods

Bury in a licensed landfill according to federal, state, and local regulations.

#### Disposal of any contaminated packaging

Follow all applicable national or local regulations. Contaminated packaging may be disposed of by: rendering packaging incapable of containing any substance, or treating packaging to remove residual contents, or treating packaging to make sure the residual contents are no longer hazardous, or by disposing of packaging into commercial waste collection.

#### **Environmental regulations**

Not applicable

### 14. Transport Information

**Transportation Information** 

UN Number:
UN Proper Shipping Name:
Not restricted
Not restricted
Not applicable
Packing Group:
Not applicable
Environmental Hazards:
Not applicable

### Special precautions during transport

None

#### HazChem Code

None Allocated

### 15. Regulatory Information

#### Safety, health and environmental regulations specific for the product

International Inventories

Australian AICS Inventory
New Zealand Inventory of

All components listed on inventory or are exempt.

All components listed on inventory or are exempt.

Chemicals

EINECS Inventory This product, and all its components, complies with EINECS

US TSCA Inventory
Canadian DSL Inventory
All components listed on inventory or are exempt.
All components listed on inventory or are exempt.

Poisons Schedule number

SODIUM CHLORIDE Revision Date: 08-Sep-2015

None Allocated

### 16. Other information

Date of preparation or review

Revision Date: 08-Sep-2015

**Revision Note** 

SDS sections updated: 2

Full text of R-phrases referred to under Sections 2 and 3

None

Full text of H-Statements referred to under sections 2 and 3

None

**Additional information** For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact

Chemical Stewardship at 1-580-251-4335.

#### Key abreviations or acronyms used

bw – body weight CAS – Chemical Abstracts Service EC50 – Effective Concentration 50% LC50 – Lethal Concentration 50% LD50 – Lethal Dose 50% LL50 – Lethal Loading 50% mg/kg – milligram/kilogram mg/L – milligram/liter NOEC – No Observed Effect Concentration OEL – Occupational Exposure Limit PBT – Persistent Bioaccumulative and Toxic ppm – parts per million STEL – Short Term Exposure Limit TWA – Time-Weighted Average vPvB – very Persistent and very Bioaccumulative h - hour mg/m³ - milligram/cubic meter mm - millimeter mmHg - millimeter mercury w/w - weight/weight d - day

### Key literature references and sources for data

www.ChemADVISOR.com/ NZ CCID

#### **Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**End of Safety Data Sheet** 

\_\_\_\_\_

### **HALLIBURTON**

## SAFETY DATA SHEET

### **POTASSIUM CHLORIDE**

Revision Date: 04-Sep-2015 Revision Number: 22

### 1. Product Identifier & Identity for the Chemical

Statement of Hazardous Nature Non-Hazardous according to the criteria of the 3rd Revised Edition of the Globally

Harmonised System of Classification and Labelling of Chemicals (GHS), Non-Dangerous

Goods according to the criteria of ADG.

1.1. Product Identifier

Product Name POTASSIUM CHLORIDE

Other means of Identification

Synonyms: None Product Code: HM001200

Recommended use of the chemical and restrictions on use

Recommended Use Brine

Uses Advised Against No information available

Supplier's name, address and phone number

Manufacturer/Supplier Halliburton Australia Pty. Ltd.

15 Marriott Road Jandakot WA 6164 Australia

ACN Number: 009 000 775

Telephone Number: + 61 1 800 686 951

Fax Number: 61 (08) 9455 5300

E-Mail address: fdunexchem@halliburton.com

Emergency phone number

+ 61 1 800 686 951

**Australian Poisons Information Centre** 

24 Hour Service: - 13 11 26

Police or Fire Brigade: - 000 (exchange): - 1100

2. Hazard Identification

Statement of Hazardous Nature Non-Hazardous according to the criteria of the 3rd Revised Edition of the Globally

Harmonised System of Classification and Labelling of Chemicals (GHS), Non-Dangerous

Goods according to the criteria of ADG.

Classification of the hazardous chemical

Not classified

Label elements, including precautionary statements

**Hazard Pictograms** 

Signal Word Not Hazardous

Hazard Statements Not Classified

**Precautionary Statements** 

PreventionNoneResponseNoneStorageNone

**Contains** 

**Disposal** 

Substances CAS Number

None

Contains no hazardous substances in concentrations above

cut-off values according to the competent authority

#### Other hazards which do not result in classification

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

#### **Australia Classification**

For the full text of the H-phrases mentioned in this Section, see Section 16

Classification Not Classified

Risk Phrases None

### 3. Composition/information on Ingredients

NA

Substances	CAS Number	PERCENT (w/w)	GHS Classification - Australia
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	60 - 100%	Not Applicable

#### 4. First aid measures

Description of necessary first aid measures

**Inhalation** If inhaled, remove from area to fresh air. Get medical attention if respiratory

irritation develops or if breathing becomes difficult.

**Eyes** In case of contact, or suspected contact, immediately flush eyes with plenty of

water for at least 15 minutes and get medical attention immediately after flushing.

**Skin** Wash with soap and water. Get medical attention if irritation persists.

**Ingestion** Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical

attention.

#### Symptoms caused by exposure

No significant hazards expected.

#### Medical Attention and Special Treatment

Notes to Physician Treat symptomatically

### 5. Fire Fighting Measures

Suitable extinguishing equipment

Suitable Extinguishing Media All standard fire fighting media

Extinguishing media which must not be used for safety reasons

None known.

#### Specific hazards arising from the chemical

**Special Exposure Hazards** 

Not applicable.

#### Special protective equipment and precautions for fire fighters

**Special Protective Equipment for Fire-Fighters** 

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid creating and breathing dust. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

#### 6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

#### 6.3. Methods and material for containment and cleaning up

Scoop up and remove.

### 7. Handling and storage

#### 7.1. Precautions for Safe Handling

#### **Handling Precautions**

Avoid contact with eyes, skin, or clothing. Avoid creating or inhaling dust. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### **Storage Information**

Store in a cool, dry location. Product has a shelf life of 60 months.

#### **Other Guidelines**

No information available

### 8. Exposure Controls/Personal Protection

#### Control parameters - exposure standards, biological monitoring

**Exposure Limits** 

Substances	CAS Number	Australia NOHSC	ACGIH TLV-TWA
Contains no hazardous substances in concentrations above cut-off values according to	NA	Not applicable	Not applicable
the competent authority			

#### Appropriate engineering controls

**Engineering Controls** Use in a well ventilated area.

Personal protective equipment (PPE)

**Respiratory Protection** Dust/mist respirator. (N95, P2/P3)

Hand ProtectionNormal work gloves.Skin ProtectionNormal work coveralls.Eye ProtectionDust proof goggles.Other PrecautionsNone known.

Environmental Exposure Controls No information available

### 9. Physical and Chemical Properties

·

9.1. Information on basic physical and chemical properties

Physical State: Solid Color: White to gray

Odor: Odorless Odor Threshold: No information available

Property Values

Remarks/ - Method

pH: ~7
Freezing Point/Range 771 °C

Melting Point/RangeNo data availableBoiling Point/RangeNo data availableFlash PointNo data availableEvaporation rateNo data availableVapor PressureNo data availableVapor DensityNo data available

Specific Gravity 1.99

Water Solubility
Soluble in water
Solubility in other solvents
Partition coefficient: n-octanol/water
Autoignition Temperature
Decomposition Temperature
Viscosity
No data available
No information available

Explosive PropertiesNo information availableOxidizing PropertiesNo information available

9.2. Other information

Molecular Weight 74.55

VOC Content (%) No data available

### 10. Stability and Reactivity

#### 10.1. Reactivity

Not expected to be reactive.

10.2. Chemical Stability

Stable

10.3. Possibility of Hazardous Reactions

Will Not Occur

10.4. Conditions to Avoid

None anticipated

10.5. Incompatible Materials

None known.

10.6. Hazardous Decomposition Products

None known.

### 11. Toxicological Information

Information on routes of exposure

**Principle Route of Exposure** Eye or skin contact, inhalation.

Sympotoms related to exposure

**Most Important Symptoms/Effects** 

No significant hazards expected.

#### Numerical measures of toxicity

#### Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Contains no hazardous	NA	No data available	No data available	No data available
substances in				
concentrations above				
cut-off values according				

POTASSIUM CHLORIDE Revision Date: 04-Sep-2015 to the competent authority Immediate, delayed and chronic health effects from exposure Inhalation May cause mild respiratory irritation. **Eye Contact** May cause mild eye irritation. **Skin Contact** May cause mild skin irritation. Ingestion May cause abdominal pain, vomiting, nausea, and diarrhea. Irritation of the mouth, throat, and stomach. Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 0.1% are chronic health hazards. **Exposure Levels** No data available Interactive effects Skin disorders. **Data limitations** No data available CAS Number Skin corrosion/irritation Substances NA Contains no hazardous Not applicable. substances in concentrations above cut-off values according to the competent authority CAS Number Eye damage/irritation Substances Contains no hazardous NA Not applicable. substances in concentrations above cut-off values according to the competent authority Substances CAS Number Skin Sensitization Contains no hazardous NΑ Not applicable substances in concentrations above cut-off values according to the competent authority Substances CAS Number Respiratory Sensitization Contains no hazardous NΑ Not applicable substances in concentrations above cut-off values according to the competent authority Substances CAS Number Mutagenic Effects Contains no hazardous NA Not applicable substances in concentrations above cut-off values according to the competent authority CAS Number Carcinogenic Effects Substances Contains no hazardous Not applicable substances in concentrations above cut-off values according to the competent authority Substances CAS Number Reproductive toxicity

### POTASSIUM CHLORIDE Revision Date: 04-Sep-2015 Contains no hazardous NΑ Not applicable substances in concentrations above cut-off values according to the competent authority Substances CAS Number STOT - single exposure Contains no hazardous NΑ Not applicable substances in concentrations above cut-off values according to the competent authority Substances CAS Number STOT - repeated exposure Contains no hazardous Not applicable substances in concentrations above cut-off values according to the competent authority Substances CAS Number Aspiration hazard Contains no hazardous Not applicable substances in concentrations above cut-off values according to the competent authority 12. Ecological Information **Ecotoxicity Product Ecotoxicity Data** No data available Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available	No information available	No information available	No information available

### 12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available

### 12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Contains no hazardous substances in	NA	No information available
concentrations above cut-off values according to		
the competent authority		

### 12.4. Mobility in soil

Substances	CAS Number	Mobility
Contains no hazardous substances in concentrations	NA	No information available
above cut-off values according to the competent authority		

### 12.6. Other adverse effects

#### **Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

### 13. Disposal Considerations

### Safe handling and disposal methods

Bury in a licensed landfill according to federal, state, and local regulations. Substance should NOT be deposited into a sewage facility.

#### Disposal of any contaminated packaging

Follow all applicable national or local regulations. Contaminated packaging may be disposed of by: rendering packaging incapable of containing any substance, or treating packaging to remove residual contents, or treating packaging to make sure the residual contents are no longer hazardous, or by disposing of packaging into commercial waste collection.

#### **Environmental regulations**

Not applicable

### 14. Transport Information

Transportation Information

UN Number:
UN Proper Shipping Name:
Transport Hazard Class(es):
Packing Group:
Not applicable
Environmental Hazards:
Not applicable
Not applicable

#### Special precautions during transport

None

HazChem Code
None Allocated

### 15. Regulatory Information

### Safety, health and environmental regulations specific for the product

**International Inventories** 

Australian AICS Inventory
New Zealand Inventory of
All components listed on inventory or are exempt.
All components listed on inventory or are exempt.

Chemicals

EINECS Inventory This product, and all its components, complies with EINECS

US TSCA Inventory

All components listed on inventory or are exempt.

All components listed on inventory or are exempt.

Poisons Schedule number

None Allocated

#### 16. Other information

Date of preparation or review

Revision Date: 04-Sep-2015

**Revision Note** 

SDS sections updated: 2

Full text of R-phrases referred to under Sections 2 and 3

None

#### Full text of H-Statements referred to under sections 2 and 3

None

**Additional information** For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact

Chemical Stewardship at 1-580-251-4335.

#### Key abreviations or acronyms used

bw – body weight CAS – Chemical Abstracts Service EC50 – Effective Concentration 50% LC50 – Lethal Concentration 50% LD50 – Lethal Dose 50% LL50 – Lethal Loading 50% mg/kg – milligram/kilogram mg/L – milligram/liter NOEC – No Observed Effect Concentration OEL – Occupational Exposure Limit PBT – Persistent Bioaccumulative and Toxic ppm – parts per million STEL – Short Term Exposure Limit TWA – Time-Weighted Average vPvB – very Persistent and very Bioaccumulative h - hour mg/m³ - milligram/cubic meter mm - millimeter mmHg - millimeter mercury w/w - weight/weight d - day

Key literature references and sources for data

www.ChemADVISOR.com/ NZ CCID

#### **Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**End of Safety Data Sheet** 

NALCO Champion

An Ecolab Company

CCTORQ

#### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : CCTORQ

Other means of identification : Not applicable.

Recommended use : LUBRICANT

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : ECOLAB PTY LTD

2 Drake Avenue

Macquarie Park NSW 2113

Australia

A.B.N. 59 000 449 990 TEL: 1300 654 224 FAX: +61 2 8870 8680

Emergency telephone

number

1800 205 506

International: +64 7 958 2372

Issuing date : 10.06.2016

### **Section: 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Not a hazardous substance or mixture.

Precautionary Statements : Prevention:

Wash hands thoroughly after handling.

Response:

Get medical advice/ attention if you feel unwell.

Storage:

Store in accordance with local regulations.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name CAS-No. Concentration: (%)

Corn Oil 8001-30-7 60 - 100

### **Section: 4. FIRST AID MEASURES**

In case of eye contact : Rinse with plenty of water. Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and plenty of water. Get medical attention if symptoms

occur.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand

0800 764 766).

### **CCTORQ**

If inhaled Get medical attention if symptoms occur.

Protection of first-aiders In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

See Section 11 for more detailed information on health effects and symptoms.

### **Section: 5. FIREFIGHTING MEASURES**

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during

firefighting

Not flammable or combustible.

Hazardous combustion

products

Decomposition products may include the following materials: Carbon oxides

Special protective equipment:

for firefighters

Use personal protective equipment.

Specific extinguishing

methods

Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

### Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** No special environmental precautions required.

Methods and materials for containment and cleaning up Stop leak if safe to do so. Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Do not flush into

surface water or sanitary sewer system.

### Section: 7. HANDLING AND STORAGE

Advice on safe handling For personal protection see section 8. Wash hands after handling.

Conditions for safe storage Keep out of reach of children. Keep container tightly closed. Store in suitable

labeled containers.

Suitable material Keep in properly labelled containers.

Unsuitable material not determined

### **CCTORQ**

### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Exposure guidelines have not been established for this product. Available exposure limits for the substance(s) are shown below.

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Corn Oil	8001-30-7	TWA (Mist)	10 mg/m3	AU OEL
Corn Oil	8001-30-7	TWA (mist - total)	10 mg/m3	NIOSH REL
		TWA (mist -	5 mg/m3	NIOSH REL
		respirable)		

Engineering measures : Good general ventilation should be sufficient to control worker exposure to

airborne contaminants.

#### Personal protective equipment

Eye protection : Safety glasses

Hand protection : Wear protective gloves.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Wash hands before breaks and immediately after handling the product.

### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid
Colour : amber
Odour : mild

Flash point : > 148.9 °C, Method: Pensky-Martens closed cup

pH : no data available
Odour Threshold : no data available
Melting point/freezing point : pour point: -17.8 °C
Initial boiling point and boiling : no data available

range

Evaporation rate no data available Flammability (solid, gas) no data available Upper explosion limit no data available Lower explosion limit no data available Vapour pressure no data available Relative vapour density no data available Relative density 0.909 - 0.939,Density no data available

Water solubility : insoluble

### **CCTORQ**

Solubility in other solvents

no data available

Partition coefficient: n-

octanol/water

no data available

Auto-ignition temperature

no data available

Thermal decomposition

no data available

temperature

Viscosity, dynamic Viscosity, kinematic 40 - 80 mPa.s (25 °C)

Molecular weight

no data available no data available

VOC

no data available

### Section: 10. STABILITY AND REACTIVITY

Chemical stability

Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid

None known.

Incompatible materials

no data available

Hazardous decomposition

products

Decomposition products may include the following materials:

Carbon oxides

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation, Eye contact, Skin contact

#### **Potential Health Effects**

Eyes Health injuries are not known or expected under normal use.

Skin Health injuries are not known or expected under normal use.

Health injuries are not known or expected under normal use. Ingestion

Inhalation Health injuries are not known or expected under normal use.

Chronic Exposure Health injuries are not known or expected under normal use.

### **Experience with human exposure**

Eye contact No symptoms known or expected.

Skin contact No symptoms known or expected.

Ingestion No symptoms known or expected.

Inhalation No symptoms known or expected.

**Toxicity** 

**Product** 

### **CCTORQ**

Acute oral toxicity Acute toxicity estimate: > 2,000 mg/kg

Acute inhalation toxicity no data available Acute dermal toxicity no data available no data available Skin corrosion/irritation

Serious eye damage/eye

irritation

Result: Mild eye irritation

Respiratory or skin

sensitization

no data available

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive effects No toxicity to reproduction

Germ cell mutagenicity Contains no ingredient listed as a mutagen

Teratogenicity no data available STOT - single exposure no data available STOT - repeated exposure no data available

Aspiration toxicity No aspiration toxicity classification

**Human Hazard Characterization** 

Based on our hazard characterization, the potential human hazard is: Low

### Section: 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

**Environmental Effects** : This product has no known ecotoxicological effects.

**Product** 

: no data available Toxicity to fish

Toxicity to daphnia and other : no data available

aquatic invertebrates

Toxicity to algae : no data available

### Persistence and degradability

no data available

**Mobility** 

no data available

### Bioaccumulative potential

no data available

#### Other information

no data available

**ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION** 

### **CCTORQ**

Based on our hazard characterization, the potential environmental hazard is: Low

### Section: 13. DISPOSAL CONSIDERATIONS

Disposal methods : Where possible recycling is preferred to disposal or

incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an

approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

### **Section: 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport

Proper shipping name : PRODUCT IS NOT REGULATED DURING

**TRANSPORTATION** 

Air transport (IATA)

Proper shipping name : PRODUCT IS NOT REGULATED DURING

**TRANSPORTATION** 

Sea transport (IMDG/IMO)

Proper shipping name : PRODUCT IS NOT REGULATED DURING

TRANSPORTATION

### **Section: 15. REGULATORY INFORMATION**

Standard for the Uniform : No poison schedule number allocated

Scheduling of Medicines and

**Poisons** 

#### **INTERNATIONAL CHEMICAL CONTROL LAWS:**

### TOXIC SUBSTANCES CONTROL ACT (TSCA)

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

#### CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

#### AUSTRALIA

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

#### **CHINA**

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

#### **JAPAN**

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

### **CCTORQ**

#### **KOREA**

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

#### **NEW ZEALAND**

All substances in this product comply with the Hazardous Substances and New Organisms (HSNO) Act 1996, and are listed on or are exempt from the New Zealand Inventory of Chemicals.

#### Section: 16. OTHER INFORMATION

### **REFERENCES**

Hazardous Substances Data Bank, National Library of Medicine, Bethesda, Maryland (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

Integrated Risk Information System, U.S. Environmental Protection Agency, Washington, D.C. (TOMES CPS™ CD-ROM Version),

Micromedex, Inc., Englewood, CO.

Annual Report on Carcinogens, National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service.

Registry of Toxic Effects of Chemical Substances, National Institute for Occupational Safety and Health, Cincinnati. OH.

(TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

The Teratogen Information System, University of Washington, Seattle, WA (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

Revision Date : 10.06.2016 Date of first issue : 10.06.2016 Version Number : 1.0

December . 1.0

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.