



**Buru**Energy

# Ungani 6H & 7H ESP Installation Environment Plan Bridging Document

Summary Document

HSE-SUM-065 | Revision 1 | 13/02/2020



HSE

## Contents

<b>1</b>	<b>Introduction .....</b>	<b>1</b>
1.1	Contact Details .....	1
<b>2</b>	<b>Overview of Activity .....</b>	<b>1</b>
2.1	Existing Infrastructure .....	2
2.2	Timing .....	2
2.3	Mobilisation .....	2
2.4	ESP Installation .....	2
2.4.1	Downhole Works .....	2
2.4.2	Surface Modification Works .....	2
2.5	Commissioning Process .....	2
2.6	Production Process .....	3
2.6.1	Produced Water Management .....	3
2.7	Inspection and Maintenance .....	3
2.8	Waste .....	4
2.9	Demobilisation and Rehabilitation .....	4
<b>3</b>	<b>ENVIRONMENTAL IMPACTS AND MANAGEMENT MEASURES .....</b>	<b>4</b>
3.1	Communication and Consultation .....	7

## Figures

Figure 1	Location of the Ungani Facility .....	3
----------	---------------------------------------	---

## Table

Table 1	Characteristics of the Ungani Production Facility wells .....	1
Table 2	Summary of the existing environment, potential impacts and management approach with the Activity. ....	5

## Appendices

- Appendix A – Full Chemical Disclosure
- Appendix B – Chemical SDSs

## 1 Introduction

Buru Energy Limited (Company) is an Australian ASX listed company engaged in oil and gas exploration and production in the Kimberley region of Western Australia, in an area known in geological terms as the Canning Basin.

The Company has developed the *Ungani Production Facility Commissioning and Operations Environment Plan* (HSE-PLN-037) (Environment Plan) for the management of environmental aspects associated with the Company's commissioning and production operations at the Ungani Facility (the Activity). The *Ungani 6H & 7H ESP Installation Environment Plan Bridging Document* (HSE-BDG-038) has been developed to link the installation of electric submersible pumps (ESPs) and associated infrastructure at the Ungani 6H and 7H wells (the Activity) to the mitigation and management measures outlined in the Environment Plan.

This Summary Document summarises the operations and mitigation and management measures in the Environment Plan.

### 1.1 Contact Details

Chief Operating Officer  
Buru Energy Limited  
Phone: +61 8 9215 1800  
Fax: +61 8 9215 1899  
Email: [info@buruenergy.com](mailto:info@buruenergy.com)

## 2 Overview of Activity

The well characteristics are provided in Table 1. The Ungani Central and East well sites host multiple wells.

**Table 1 Characteristics of the Ungani Production Facility wells**

Well Site	Well	Date Drilled	Location		
			Easting	Northing	Depth
Ungani Central	Ungani 1 ST1	Aug – Sept 2011	517,375 mE	8,010,864 mN	2,324 m
	Ungani 2	Nov – Jan 2012	517,365 mE	8,010,848 mN	2,800 m
	Ungani 6H	May – Jul 2019	517,373 mE	8,011,024 mN	2,500 m
Ungani East	Ungani 3	Jan – Mar 2014	518,470 mE	8,011,035 mN	2,284 m
	Ungani 5	Dec 2017	518,495 mE	8,011,035 mN	2,239 m
Ungani 4	Ungani 4 ST1	Oct – Nov 2017 Sep – Dec 2018	517,096 mE	8,010,450 mN	2,249 m
	Ungani 7H	Aug – Sep 2019	517,057 mE	8,010,453 mN	2,500 m
Ungani Far West	Ungani Far West 1	Nov 2015 – Feb 2016	514,225 mE	8,008,842 mN	2,400 m
Ungani North	Ungani North 1	July – Dec 2012	517,415 mE	8,017,229 mN	3,701 m
Ungani West	Ungani West 1	Oct – Nov 2018	515,937 mE	8,010,322 mN	2,400 m

The well sites are located within petroleum production licence areas L 20 and L 21, located approximately 100 km east of Broome and 86 km southwest of Derby on Yakka Munga pastoral station.

## 2.1 Existing Infrastructure

In addition to the wells, the existing infrastructure at the Ungani Facility includes:

- bunded three phase (oil, produced water and gas) production separator;
- various storage tanks;
- impermeable lined turkeys nest;
- road tanker load out facility;
- plant processing and well control systems;
- produced water injection equipment;
- other equipment including generators, lighting towers, reverse osmosis plant and office; and
- camp site including accommodation and kitchen.

## 2.2 Timing

Production under licence at the Ungani Production Facility commenced in July 2015 with the granting of the production licences. Production occurs year-round although may be suspended for short periods (e.g. during maintenance or during weather events such as cyclones).

The Ungani 6H & 7H workovers will be undertaken in early to mid-2020.

The Environment Plan will be revised at a minimum of every five years

## 2.3 Mobilisation

During mobilisation, equipment, personnel and supplies required for the Activity will be mobilised to the Activity area using dedicated vehicles. All travel will be in accordance with State road legislation and the Company *Travel Management Procedure* (HSE-PRO-002).

## 2.4 ESP Installation

### 2.4.1 Downhole Works

Installation of the ESPs will involve working over the Ungani 6H and 7H wells using the Company's jacking platform.

### 2.4.2 Surface Modification Works

Upgrades to instrumentation, electrical systems and pipework will be undertaken at both the Ungani 6H and 7H well sites. These works will include installation of additional power generation and associated infrastructure to control the ESPs.

## 2.5 Commissioning Process

The general steps of commissioning are:

- Pre-commissioning checks: safety and process checks to ensure operational components are ready for commissioning.
- Leak testing: use of water to test for leaks prior to introduction of hydrocarbons.
- Commissioning: production wells are flowed and the system inspected for leaks and function.

If production does not commence immediately following commissioning, the Facility will be shut-in and subject to ongoing inspections and maintenance.

## 2.6 Production Process

The oil-water mix will flow from the production wells through the production separator. Depending on reservoir status, reservoir fluids may flow freely to surface, or downhole pumps will be used as artificial lift. The separated oil then flows to stock tanks. Produced water flows to the segregation tank and then water storage tanks, or straight to the water storage tanks. The limited gas given off during the separation process is released via the cold vent system.

The storage of the oil in the stock tanks allows further water separation which is transferred to the water storage tanks. Guided Wave Radar is used to determine the oil-water levels in the tanks. Any remaining gas in the crude oil is vented from each tank. The oil is then pumped to the load out facility.

### 2.6.1 Produced Water Management

Produced water will be produced from the Ungani wells. The primary method for disposal of produced water will be via reinjection into the Ungani 3 or Ungani Far West 1 well. The Ungani Central turkeys nest may also be used for storage of produced water.

All chemicals within the produced water reinjected have been fully disclosed in accordance with Regulation 15(9) of the *Petroleum and Geothermal Energy Resources (Environment) Regulations 2012* and *Chemical Disclosure Guideline* published by DMP, in Appendix A.




Figure 1 Location of the Ungani Facility

## 2.7 Inspection and Maintenance

The Ungani Facility is manned during production and daily inspections will be undertaken. This includes collecting process data, monitoring tank and turkeys nest levels and system integrity checks.

Maintenance operations include, but are not limited to, routine operations such as water injection filter changes, and greasing and topping up oil on rotating equipment (pumps). Maintenance of the Ungani access track will be through a scheduled proactive program dependant on traffic loads. Similar maintenance may be required on the well sites.

Wellhead maintenance operations may be undertaken which include wellhead maintenance, safety valve leak testing and well monitoring. The Company may also undertake wireline, slickline or e-line operations.

## **2.8 Waste**

All putrescible wastes will be stored in lidded skips/bins which remain closed to prevent fauna access and litter generation. Inert recyclable and industrial waste will be stored in skips. All waste types (putrescible, inert, recyclable and industrial) will be removed for disposal in accordance with regulatory requirements.

Sewage and grey water will be treated by an Aerated Wastewater Treatment System. Following treatment, effluent will be discharged into a fenced area.

Waste oil that has been contaminated with solids and is unsuitable for recovery or other hydrocarbon contaminated materials will be stored in bins prior to disposal in accordance with regulatory requirements.

## **2.9 Demobilisation and Rehabilitation**

Following completion of the commissioning phase, all Activity specific machinery and equipment will be removed from the Activity area. No demobilisation of production equipment is planned as a part of the Activity.

If some of the infrastructure at the Ungani Facility is no longer required then progressive decommissioning and remediation will be implemented. Alternatively, if the Company determines that production from the Ungani Facility will be permanently ceased, a decommissioning and rehabilitation plan will be developed for DMIRS' approval and in consultation with all relevant stakeholders.

## **3 ENVIRONMENTAL IMPACTS AND MANAGEMENT MEASURES**

The Activity will be confined to the existing Ungani Facility. A summary of the existing environmental characteristics of surrounding the Activity area, potential impacts that could result from the Activity and the risk of these potential impacts occurring is provided in Table 2. Included in this table are also the management and mitigation measures that form part of the implementation strategy to minimise environmental risk.

**Table 2 Summary of the existing environment, potential impacts and management approach with the Activity.**

Environmental Characteristic	Description	Potential Impact	Key Management Measures	Risk	Implementation Strategy
<b>Surface water</b>	<p>The Fitzroy River, located 53 km from the Ungani Facility, is the largest water course in the vicinity of the Activity area. The closest drainage area to the Activity area is a small drainage depression about 9 km north.</p> <p>No permanent water bodies are located in the close vicinity of the Activity area and drainage lines are internally draining, only flowing to the Fitzroy River under flood conditions. During the wet season, sheet flow can occur due to the low lying topography of the Activity area and surrounds.</p>	Contamination of surface water.	<ul style="list-style-type: none"> <li>Leak testing will be undertaken on clean (free of crude) components only.</li> <li>Vehicles limited to the Activity area, travel in accordance with the <i>Travel Management Procedure</i> (HSE-PRO-002).</li> <li>Operations with spill risks will be undertaken in bunded areas or over drip trays.</li> <li>The Facility will be shut in if maximum capacity of oil and water storage is reached.</li> <li>Implementation of the <i>Waste Management Procedure</i> (HSE-PRO-005).</li> <li>Dangerous and hazardous goods will be stored within bunded areas.</li> <li>Dangerous goods labelled in accordance with regulations and MSDS.</li> <li>Refuelling of vehicles in accordance with the <i>Refuelling Procedure</i> (HSE-PRO-011).</li> <li>Well maintained machinery, vehicles and equipment.</li> <li>Inspections of the Activity area and equipment (including daily and weekly inspections).</li> </ul>	Given the mitigation and management measures that will be implemented, contamination of surface water is unlikely.	<ul style="list-style-type: none"> <li>Person In Charge (PIC) to ensure no personnel or vehicle access outside of the Activity area.</li> <li>PIC to ensure wastes are appropriately stored prior to disposal.</li> <li>PIC to complete weekly operational checklist.</li> <li>PIC to ensure all physical containment measures are well maintained.</li> </ul>
<b>Geology, Landforms and Soil</b>	The area around the existing Activity area is comprised of a series of sand sheets intersected by alluvial flood plains that are either no longer active or not frequently inundated.	Soil erosion, sedimentation or compaction. Contamination of soil.	<ul style="list-style-type: none"> <li>Containment, clean-up and remediation if required of a spill in accordance with the <i>Canning Basin Spill Response Plan</i> (HSE-ER-015).</li> <li>500 mm freeboard will be maintained in turkeys nest.</li> <li>Guided Wave Radar installed on storage tanks to meter water levels.</li> <li>Following high rainfall events, bunds will be inspected for the presence of contaminated water and then (if appropriate) discharged. Any will be managed to prevent erosion.</li> </ul>	Given the mitigation and management measures that will be implemented, soil contamination and erosion is unlikely.	<ul style="list-style-type: none"> <li>PIC to ensure well maintained machinery, vehicles and equipment.</li> <li>Supervision of relevant operations by personnel with well control certification.</li> </ul>
<b>Groundwater</b>	The major aquifer used in the vicinity of the Activity area is the Wallal Sandstone which is located between 130 m and 200 m below ground level. The bore at the Ungani Facility extracts groundwater from this aquifer at 140 m BGL. The nearest water bore operated by a third party is approximately 11 km west.	Contamination of groundwater.	<ul style="list-style-type: none"> <li>Periodic well integrity testing and inspection and appropriate maintenance/rectification procedures (Leak Off Testing, Formation Integrity Testing etc.).</li> <li>Bureau of Meteorology forecasts and warnings monitored.</li> </ul>	Given the mitigation and management measures that will be implemented, groundwater contamination is considered unlikely.	<ul style="list-style-type: none"> <li>Quarterly groundwater sampling.</li> <li>Internal environmental audit.</li> <li>Flowlines inspected daily when operational for leaks.</li> </ul>
<b>Vegetation and Flora</b>	<p>Surrounding the Activity area, the vegetation has been described as pindan on sand plains. Pindan is "grassland wooded by a sparse upper layer of trees and a dense, thicket-forming middle layer of unarmed, phyllodal <i>Acacia</i>".</p> <p>Two priority three flora species have been recorded in the vicinity of the Activity area, <i>Goodenia byrnesii</i> and <i>G. crenata</i>.</p>	<p>Loss of a local population of a conservation significant flora species.</p> <p>Loss of native flora.</p> <p>Invasive weed species competing with native flora.</p> <p>Loss of conservation significant fauna habitat</p>	<ul style="list-style-type: none"> <li>No clearing of vegetation is required.</li> <li>Vehicle and personnel access will be limited to the Activity area.</li> <li>Earthmoving machinery and equipment will be inspected and cleaned.</li> <li>Externally sourced gravel will be weed free.</li> <li>Vehicles and machinery will be regularly maintained and undergo a pre-start check.</li> <li>Inspections of the Activity area and equipment (including daily and weekly inspections).</li> <li>Fire detection equipment and lightning detection system installed.</li> <li>Firebreak will be inspected and maintained.</li> <li>Smoking restricted to designated smoking areas.</li> <li>Firefighting equipment located at camp site and operational personnel trained in its use.</li> <li>The Company will notify DMIRS of any decommissioning planned and develop a decommissioning and rehabilitation plan.</li> </ul>	Given that no clearing is required and through the implementation of management measures, it is unlikely that the Activity will have a significant impact on flora and vegetation.	<ul style="list-style-type: none"> <li>PIC to ensure well maintained firebreaks and firefighting equipment, regular servicing of machinery and equipment, and limiting smoking to designated areas.</li> <li>PIC to ensure no access outside of the Activity area.</li> <li>PIC to ensure all earthmoving machinery/ equipment is checked prior to entering the Activity area.</li> <li>PIC to ensure gravel is weed free.</li> <li>Weekly inspection of the Activity area.</li> </ul>
<b>Environmentally Sensitive Areas (ESAs)</b>	The nearest ESA is Taylors Lagoon, approximately 30 km to the northwest of the Ungani Facility. Ungani Far West 1 is located within the Edgar Range Red Book area.	Loss of environmental values associated with ESA.		Given the distance to the closest ESA and scope of the planned Activities, it is unlikely ESAs will be impacted.	
<b>Fauna</b>	The only of fauna of conservation significance sighted during surveys in the vicinity of the Activity area were the Australian Bustard ( <i>Ardeotis australis</i> ) and Grey Falcon ( <i>Falco hypoleucos</i> ).	<p>Loss of a local population of a conservation significant fauna species.</p> <p>Death or injury of fauna.</p>	<ul style="list-style-type: none"> <li>Vehicles comply with the <i>Travel Management Procedure</i> (HSE-PRO-002).</li> <li>Lighting kept to a minimum required for safe operations with lighting faces inwards.</li> <li>Well maintained and muffled equipment and machinery.</li> <li>Egress path in the turkeys nest visually inspected and repaired as required.</li> </ul>	Given the mitigation and management measures that will be implemented, it is unlikely that the Activity will have a significant impact on fauna species.	<ul style="list-style-type: none"> <li>PIC to ensure lighting is minimum required for safe operation.</li> <li>Weekly inspection of fauna egress paths and fencing.</li> <li>Weekly inspections for impacts outside of the Activity area.</li> </ul>
<b>Social</b>	<p>Land use surrounding the Activity area is dominated by open range pasture grazing of beef stock.</p> <p>The townships of Derby 90 km to the northeast and Broome 100 km to the west are the largest population centres in the</p>	<p>Disturbance of livestock.</p> <p>Disturbance of local landholders.</p>	<ul style="list-style-type: none"> <li>On-going consultation with stakeholders.</li> <li>Vehicles will comply with the <i>Travel Management Procedure</i> (HSE-PRO-002).</li> <li>Bore water sourced from existing water bores or turkeys nest for dust suppression.</li> <li>Experience and modelling have determined that any reduction in air quality will be restricted to the immediate vicinity (approx. 2 m) of the gas vents.</li> </ul>	Through the implementation of management measures, it is unlikely that the Activity will have an impact on local	<ul style="list-style-type: none"> <li>PIC to ensure no disturbance outside of Activity area.</li> <li>Weekly inspection for impacts outside of the Activity area.</li> </ul>

Environmental Characteristic	Description	Potential Impact	Key Management Measures	Risk	Implementation Strategy
	vicinity of the Activity. The nearest Homestead is Yakka Munga approximately 30 km east of the Activity area.	Impact on local air quality.	<ul style="list-style-type: none"> <li>The Company will review gas management methods (e.g. venting vs. flaring) as part of any upgrade to the Facility capacity.</li> <li>Night time operations limited to inspection and tanker loading (i.e. majority of operations are during daylight hours).</li> <li>Any demobilisation will be undertaken in accordance with the <i>Demobilisation Procedure</i> (HSE-PRO-021).</li> </ul>	amenity including land owners.	
<b>Cultural</b>	The Activity will be confined to the existing heritage cleared Ungani Facility. The nearest known culturally important area is Blue Hills, approximately 2 km to the east of the Activity area, and the nearest listed Department of Aboriginal Affairs listed site is approximately 30 km northwest of the Activity area.	Damage to cultural heritage site/s or object/s.	<ul style="list-style-type: none"> <li>Vehicle and personnel activity will be limited to the Activity area.</li> <li>No clearing as part of the Activity.</li> <li>Land access agreements have been signed with relevant Traditional Owner groups for the Ungani Production Facility.</li> <li>Given the large number of exploration activities undertaken in the Ungani area, numerous heritage surveys have been completed.</li> </ul>	Given that no clearing is required and through the management measures, it is unlikely that the Activity will impact cultural heritage site/s or object/s.	<ul style="list-style-type: none"> <li>PIC to ensure no disturbance outside of Activity area.</li> <li>Weekly inspection of the Activity area for impacts outside of the Activity area.</li> </ul>

### 3.1 Communication and Consultation

The Company has engaged in communication and consultation with relevant stakeholders as summarised in the Environment Plan. As the Activity area is located within a sparsely populated region with limited settlement, transport or communications infrastructure, relevant stakeholders are limited to government departments, traditional owners and pastoralists. The stakeholders consulted with to date include:

- Yakka Munga Station;
- Roebuck Plains Station;
- Yawuru Traditional Owners;
- Nyikina Mangala Traditional Owners;
- Karajarri Yanja Traditional Owners;
- Department of Fire and Emergency Services;
- Department of Water and Environmental Regulation; and
- Broome and Derby Police.

These stakeholders have been consulted via phone, written notices and face-to-face meetings.

No issues have been raised in relation to the Activity through the consultation process. The Company will continue to communicate with stakeholders and consult during all phases of the Activity, on a formal and informal basis, and by email, letter, face-to-face and telephone.

## **Appendix A – Full Chemical Disclosure**

Chemical Disclosure

**CHEMICAL DISCLOSURE FOR BURU ENERGY**

**A. SYSTEM DETAILS:**

<b>OPERATOR:</b>	Buru Energy
<b>PROJECT / WELL:</b>	Ungani
<b>SYSTEM:</b>	Produced Water Disposal
<b>TOTAL VOLUME OF SYSTEM:</b>	Approx. 1,000 kL/day

**B. PRODUCT LIST:**

Product Name	Supplier	Purpose	Toxicity, Ecotoxicity & Biodegradability data**	% Product in system fluid	MSDS Attached
Gypton IT-109	Nalco Champion	Scale Inhibitor	<p>This product contains organic components.</p> <p><b>AQUATIC TOXICOLOGY</b></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 1 (60 – 100% concentration)</b> Natural product – exempt under the Chemical Disclosure Guidelines</li> <li>• <b>COMPONENT 2 (1 – 5% concentration)</b> <ul style="list-style-type: none"> <li>○ <i>Daphnia magna</i> (Marine invertebrate) EC50 48 hrs: 24* mg/L</li> <li>○ <i>Onchorhynchus mykiss</i> (Marine fish) LC50 96 hrs: 0.53* mg/L</li> </ul> </li> <li>• <b>COMPONENT 3 (5 – 10% concentration)</b> <ul style="list-style-type: none"> <li>○ <i>Skeletonema costatum</i> (Marine algae) EC50 72 hrs: 163 mg/L</li> <li>○ <i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 258 mg/L</li> <li>○ <i>Scophthalmus maximus</i> (Marine fish) LC50 96 hrs: 550 mg/L</li> </ul> </li> <li>• <b>COMPONENT 4 (5 – 10% concentration)</b> <ul style="list-style-type: none"> <li>○ <i>Skeletonema costatum</i> (Marine algae) EC50 72 hrs: 163* mg/L</li> <li>○ <i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 258* mg/L</li> <li>○ <i>Scophthalmus maximus</i> (Marine fish) LC50 96 hrs: 550* mg/L</li> </ul> </li> </ul> <p><i>*Estimated data based on structural analogue</i></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 5 (1 – 5% concentration)</b> <ul style="list-style-type: none"> <li>○ <i>Skeletonema costatum</i> (Marine algae) EC50 72 hrs: 163* mg/L</li> <li>○ <i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 258* mg/L</li> <li>○ <i>Scophthalmus maximus</i> (Marine fish) LC50 96 hrs: 550* mg/L</li> </ul> </li> </ul> <p><i>*Estimated data based on structural analogue</i></p> <p><b>CHEMICAL FATE</b></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 1 (60 – 100% concentration)</b> Natural product – exempt under the Chemical Disclosure Guidelines</li> <li>• <b>COMPONENT 2 (1 – 5% concentration)</b> Log Pow &lt;3*</li> </ul>	0.0010%	Yes

Chemical Disclosure

Product Name	Supplier	Purpose	Toxicity, Ecotoxicity & Biodegradability data**	% Product in system fluid	MSDS Attached
			<p><i>*Literature data from HSNO CCID</i></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 3 (5 – 10% concentration)</b> Log Pow &lt;0</li> <li>• <b>COMPONENT 4 (5 – 10% concentration)</b> Log Pow &lt;0*</li> </ul> <p><i>*Estimated data based on structural analogue</i></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 5 (1 – 5% concentration)</b> Log Pow &lt;0*</li> </ul> <p><i>*Estimated data based on structural analogue</i></p> <p><b><u>ENVIRONMENTAL FATE</u></b></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 1 (60 – 100% concentration)</b> Natural product – exempt under the Chemical Disclosure Guidelines</li> <li>• <b>COMPONENT 2 (1 – 5% concentration)</b> Biodegradability, 28 days: &gt;60%*</li> </ul> <p><i>*Literature data from HSNO CCID</i></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 3 (5 – 10% concentration)</b> Biodegradability, 28 days: 12%</li> <li>• <b>COMPONENT 4 (5 – 10% concentration)</b> Biodegradability, 28 days: 12**</li> </ul> <p><i>*Estimated data based on structural analogue</i></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 5 (1 – 5% concentration)</b> Biodegradability, 28 days: 12**</li> </ul> <p><i>*Estimated data based on structural analogue</i></p> <p><b><u>ACUTE MAMMALIAN TOXICITY</u></b></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 1 (60 – 100% concentration)</b> Natural product – exempt under the Chemical Disclosure Guidelines</li> <li>• <b>COMPONENT 2 (1 – 5% concentration)</b> Rat LD50 (oral): 350 mg/kg Rat LC50 (inhalation) 4h: 1.4 mg/L</li> <li>• <b>COMPONENT 3 (5 – 10% concentration)</b> Rat LD50 (oral): 4164 mg/kg</li> <li>• <b>COMPONENT 4 (5 – 10% concentration)</b> No scientific data or research is available for this component.</li> <li>• <b>COMPONENT 5 (1 – 5% concentration)</b> No scientific data or research is available for this component.</li> </ul> <p><b><u>CHRONIC TOXICITY</u></b></p>		

Chemical Disclosure

Product Name	Supplier	Purpose	Toxicity, Ecotoxicity & Biodegradability data**	% Product in system fluid	MSDS Attached
			No known carcinogenic, chronic, mutagenic or reproductive effects.		
EC1477A	Nalco Champion	Corrosion Inhibitor	<p>This product contains organic components.</p> <p><b>AQUATIC TOXICOLOGY</b></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 1 (60 – 100% concentration)</b> Natural product – exempt under the Chemical Disclosure Guidelines</li> <li>• <b>COMPONENT 2 (0 – 1% concentration)</b> <ul style="list-style-type: none"> <li>○ <i>Daphnia magna</i> (Marine invertebrate) EC50 48 hrs: 65 mg/L</li> <li>○ <i>Pimephales promelas (fathead minnow)</i> (Marine fish) LC50 96 hrs: 88 mg/L</li> </ul> </li> <li>• <b>COMPONENT 3 (1 – 10% concentration)</b> <ul style="list-style-type: none"> <li>○ <i>Skeletonema costatum</i> (Marine algae) EC50 96 hrs: 93 mg/L</li> <li>○ <i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 70 mg/L</li> <li>○ <i>Scophthalmus maximus</i> (Marine fish) LC50 96 hrs: 252 mg/L</li> </ul> </li> <li>• <b>COMPONENT 4 (1 – 10% concentration)</b> <ul style="list-style-type: none"> <li>○ <i>Skeletonema costatum</i> (Marine algae) EC50 96 hrs: 0.5 mg/L</li> <li>○ <i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 1.2 mg/L</li> <li>○ <i>Scophthalmus maximus</i> (Marine fish) LC50 96 hrs: 3.4 mg/L</li> </ul> </li> <li>• <b>COMPONENT 5 (1 – 10% concentration)</b> <ul style="list-style-type: none"> <li>○ <i>Skeletonema costatum</i> (Marine algae) EC50 96 hrs: 0.26* mg/L</li> <li>○ <i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 0.4* mg/L</li> <li>○ <i>Cyprinodon variegatus (sheepshead minnow)</i> (Marine fish) LC50 96 hrs: 1.7* mg/L</li> </ul> </li> </ul> <p><i>*Estimated data based on structural analogue</i></p> <p><b>CHEMICAL FATE</b></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 1 (60 – 100% concentration)</b> Natural product – exempt under the Chemical Disclosure Guidelines</li> <li>• <b>COMPONENT 2 (0 – 1% concentration)</b> Log Pow &lt;3</li> <li>• <b>COMPONENT 3 (1 – 10% concentration)</b> Log Pow 0.059</li> <li>• <b>COMPONENT 4 (1 – 10% concentration)</b> Log Pow 2.3</li> <li>• <b>COMPONENT 5 (1 – 10% concentration)</b> Log Pow 2.28 (theoretical)</li> </ul> <p><b>ENVIRONMENTAL FATE</b></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 1 (60 – 100% concentration)</b></li> </ul>	0.0030%	Yes

Chemical Disclosure

Product Name	Supplier	Purpose	Toxicity, Ecotoxicity & Biodegradability data**	% Product in system fluid	MSDS Attached
			<p>Natural product – exempt under the Chemical Disclosure Guidelines</p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 2 (0 – 1% concentration)</b> Biodegradability 28 days: &gt;60%</li> <li>• <b>COMPONENT 3 (1 – 10% concentration)</b> Biodegradability, 28 days: 64%</li> <li>• <b>COMPONENT 4 (1 – 10% concentration)</b> Biodegradability, 28 days: 8%</li> <li>• <b>COMPONENT 5 (1 – 10% concentration)</b> Biodegradability, 28 days: 34%</li> </ul> <p><b><u>ACUTE MAMMALIAN TOXICITY</u></b></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 1 (60 – 100% concentration)</b> Natural product – exempt under the Chemical Disclosure Guidelines</li> <li>• <b>COMPONENT 2 (0 – 1% concentration)</b> Rat LD50 (oral): 3310 mg/kg Rabbit LD50 (dermal): 1060 mg/kg</li> <li>• <b>COMPONENT 3 (1 – 10% concentration)</b> No scientific data or research is available for this component.</li> <li>• <b>COMPONENT 4 (1 – 10% concentration)</b> Rat LD50 (oral): &gt;2500 mg/kg</li> <li>• <b>COMPONENT 5 (1 – 10% concentration)</b> Rat LD50 (oral): 344 mg/kg Rabbit LD50 (dermal): 3340 mg/kg Rat LC50 (inhalation) 4h: &gt;0.054 mg/L</li> </ul> <p><b><u>CHRONIC TOXICITY</u></b></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 1 (60 – 100% concentration)</b> Natural product – exempt under the Chemical Disclosure Guidelines</li> <li>• <b>COMPONENT 2 (0 – 1% concentration)</b> No known carcinogenic, chronic, mutagenic or reproductive effects.</li> <li>• <b>COMPONENT 3 (1 – 10% concentration)</b> No known carcinogenic, chronic, mutagenic or reproductive effects.</li> <li>• <b>COMPONENT 4 (1 – 10% concentration)</b> Skin sensitizer.</li> <li>• <b>COMPONENT 5 (1 – 10% concentration)</b> No known carcinogenic, chronic, mutagenic or reproductive effects.</li> </ul>		

Chemical Disclosure

Product Name	Supplier	Purpose	Toxicity, Ecotoxicity & Biodegradability data**	% Product in system fluid	MSDS Attached
EC6733A	Nalco Champion	Biocide	<p>This product contains organic components.</p> <p><b>AQUATIC TOXICOLOGY</b></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 1 (1 – 10% concentration)</b> <ul style="list-style-type: none"> <li>○ <i>Skeletonema costatum</i> (Marine algae) EC50 72 hrs: 0.26 mg/L</li> <li>○ <i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 0.4 mg/L</li> <li>○ <i>Cyprinodon variegatus (sheepshead minnow)</i> (Marine fish) LC50 96 hrs: 1.7 mg/L</li> </ul> </li> <li>• <b>COMPONENT 2 (60 – 100% concentration)</b> <ul style="list-style-type: none"> <li>○ <i>Skeletonema costatum</i> (Marine algae) EC50 72 hrs: 0.16 mg/L</li> <li>○ <i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 0.6 mg/L</li> <li>○ <i>Scophthalmus maximus</i> (Marine fish) LC50 96 hrs: 72 mg/L</li> </ul> </li> <li>• <b>COMPONENT 3 (0 – 1% concentration)</b> <ul style="list-style-type: none"> <li>○ <i>Skeletonema costatum</i> (Marine algae) EC50 72 hrs: 4.1 mg/L</li> <li>○ <i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 38 mg/L</li> <li>○ <i>Scophthalmus maximus</i> (Marine fish) LC50 96 hrs: 611 mg/L</li> </ul> </li> <li>• <b>COMPONENT 4 (10 – 30% concentration)</b> Natural product – exempt under the Chemical Disclosure Guidelines</li> </ul> <p><b>CHEMICAL FATE</b></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 1 (1 – 10% concentration)</b> Log Pow 2.28 (theoretical)</li> <li>• <b>COMPONENT 2 (60 – 100% concentration)</b> Log Pow 0</li> <li>• <b>COMPONENT 3 (0 – 1% concentration)</b> Log Pow &lt;0</li> <li>• <b>COMPONENT 4 (10 – 30% concentration)</b> Natural product – exempt under the Chemical Disclosure Guidelines</li> </ul> <p><b>ENVIRONMENTAL FATE</b></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 1 (1 – 10% concentration)</b> Biodegradability, 28 days: 34%</li> <li>• <b>COMPONENT 2 (60 – 100% concentration)</b> Biodegradability, 28 days: 61%</li> <li>• <b>COMPONENT 3 (0 – 1% concentration)</b> Biodegradability, 28 days: 83%</li> <li>• <b>COMPONENT 4 (10 – 30% concentration)</b> Natural product – exempt under the Chemical Disclosure Guidelines</li> </ul>	0.0011%	Yes

Chemical Disclosure

Product Name	Supplier	Purpose	Toxicity, Ecotoxicity & Biodegradability data**	% Product in system fluid	MSDS Attached
			<p><b>ACUTE MAMMALIAN TOXICITY</b></p> <ul style="list-style-type: none"> <li><b>COMPONENT 1 (1 – 10% concentration)</b> Rat LD50 (oral): 344 mg/kg Rabbit LD50 (dermal): 3340 mg/kg Rat LC50 (inhalation) 4h: &gt;0.054 mg/L</li> <li><b>COMPONENT 2 (60 – 100% concentration)</b> Rat LD50 (oral): 575 mg/kg (75% active ingredient in water) Rat LD50 (dermal): &gt;2000 mg/kg (75% active ingredient in water) Rat LC50 (inhalation) 4h: 0.591 mg/l (75% active ingredient in water)</li> <li><b>COMPONENT 3 (0 – 1% concentration)</b> Guinea pig LD50 (oral): 260* mg/kg Rabbit LD50 (dermal): 270* mg/kg Mouse LC50 (inhalation) 4 hr: 497* mg/kg</li> <li><b>COMPONENT 4 (10 – 30% concentration)</b> Natural product – exempt under the Chemical Disclosure Guidelines</li> </ul> <p><i>*Literature data from HSNO CCID</i></p> <p><b>CHRONIC TOXICITY</b></p> <ul style="list-style-type: none"> <li><b>COMPONENT 1 (1 – 10% concentration)</b> No known carcinogenic, chronic, mutagenic or reproductive effects.</li> <li><b>COMPONENT 2 (60 – 100% concentration)</b> Skin sensitizer. Reproductive toxicant to rabbits/rats at 50mg/kg/day.</li> <li><b>COMPONENT 3 (0 – 1% concentration)</b> Skin sensitizer. May cause cancer, IARC Group 1 Carcinogen.</li> <li><b>COMPONENT 4 (10 – 30% concentration)</b> Natural product – exempt under the Chemical Disclosure Guidelines</li> </ul>		
EC2034A	Nalco Champion	Emulsion Breaker	<p>This product contains organic components.</p> <p><b>AQUATIC TOXICOLOGY</b></p> <ul style="list-style-type: none"> <li><b>COMPONENT 1 (30 – 60% concentration)</b> <ul style="list-style-type: none"> <li><i>Scophthalmus maximus</i> (Marine fish) LC50 96 hrs: &gt;1000* mg/L</li> </ul> </li> </ul> <p><i>*Estimated data based on structural analogue</i></p> <ul style="list-style-type: none"> <li><b>COMPONENT 2 (10 – 30% concentration)tingenc</b> <ul style="list-style-type: none"> <li><i>Daphnia magna</i> (Marine invertebrate) EC50 48 hrs: 24500 mg/L</li> <li><i>Oncorhynchus mykiss (rainbow trout)</i> (Marine fish) LC50 96 hrs: 19000 mg/L</li> </ul> </li> <li><b>COMPONENT 3 (10 – 30% concentration)</b> <ul style="list-style-type: none"> <li><i>Skeletonema costatum</i> (Marine algae) EC50 72 hrs: 114 mg/L</li> </ul> </li> </ul>	0.0042%	Yes

Chemical Disclosure

Product Name	Supplier	Purpose	Toxicity, Ecotoxicity & Biodegradability data**	% Product in system fluid	MSDS Attached
			<ul style="list-style-type: none"> <li>○ <i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 29.2 mg/L</li> <li>○ <i>Cyprinodon variegatus</i> (<i>sheepshead minnow</i>) (Marine fish) LC50 96 hrs: &gt;1000 mg/L</li> <li>● <b>COMPONENT 4 (5 – 10% concentration)</b> <ul style="list-style-type: none"> <li>○ <i>Skeletonema costatum</i> (Marine algae) EC50 72 hrs: 165 mg/L</li> <li>○ <i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 360 mg/L</li> <li>○ <i>Scophthalmus maximus</i> (Marine fish) LC50 96 hrs: 811 mg/L</li> </ul> </li> <li>● <b>COMPONENT 5 (5 – 10% concentration)</b> <ul style="list-style-type: none"> <li>○ <i>Skeletonema costatum</i> (Marine algae) EC50 72 hrs: 0.5 mg/L</li> <li>○ <i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 119 mg/L</li> <li>○ <i>Scophthalmus maximus</i> (Marine fish) LC50 96 hrs: 148 mg/L</li> </ul> </li> </ul> <p><b>CHEMICAL FATE</b></p> <ul style="list-style-type: none"> <li>● <b>COMPONENT 1 (30 – 60% concentration)</b> Log Pow 4.4</li> <li>● <b>COMPONENT 2 (10 – 30% concentration)</b> Log Pow &lt;1</li> <li>● <b>COMPONENT 3 (10 – 30% concentration)</b> Log Pow 3.5 – 5.1</li> <li>● <b>COMPONENT 4 (5 – 10% concentration)</b> Log Pow 4.66</li> <li>● <b>COMPONENT 5 (5 – 10% concentration)</b> Log Pow 4.7</li> </ul> <p><b>ENVIRONMENTAL FATE</b></p> <ul style="list-style-type: none"> <li>● <b>COMPONENT 1 (30 – 60% concentration)</b> Biodegradability, 28 days: 15%</li> <li>● <b>COMPONENT 2 (10 – 30% concentration)</b> Biodegradability, 3 days: 83-91%</li> <li>● <b>COMPONENT 3 (10 – 30% concentration)</b> Biodegradability, 28 days: 29%</li> <li>● <b>COMPONENT 4 (5 – 10% concentration)</b> Biodegradability, 28 days: 70%</li> <li>● <b>COMPONENT 5 (5 – 10% concentration)</b> Biodegradability, 28 days: 21%</li> </ul> <p><b>ACUTE MAMMALIAN TOXICITY</b></p> <ul style="list-style-type: none"> <li>● <b>COMPONENT 1 (30 – 60% concentration)</b> No scientific data or research is available for this component.</li> </ul>		

Chemical Disclosure

Product Name	Supplier	Purpose	Toxicity, Ecotoxicity & Biodegradability data**	% Product in system fluid	MSDS Attached
			<ul style="list-style-type: none"> <li><b>COMPONENT 2 (10 – 30% concentration)</b> Rat LD50 (oral): 5628 mg/kg Rabbit LD50 (dermal): 15800* mg/kg Rat LC50 (inhalation) 4 hr: 64000 ppm</li> <li><b>COMPONENT 3 (10 – 30% concentration)</b> Rat LD50 (oral): &gt;5000 mg/kg Rabbit LD50 (dermal): &gt;2000 mg/kg Rat LC50 (inhalation) 4h: &gt;5 mg/L</li> <li><b>COMPONENT 4 (5 – 10% concentration)</b> Rat LD50 (oral): &gt;5000 mg/kg</li> <li><b>COMPONENT 5 (5 – 10% concentration)</b> No scientific data or research is available for this component.</li> </ul> <p><b>CHRONIC TOXICITY</b></p> <ul style="list-style-type: none"> <li><b>COMPONENT 1 (30 – 60% concentration)</b> No known carcinogenic, chronic, mutagenic or reproductive effects.</li> <li><b>COMPONENT 2 (10 – 30% concentration)</b> No known carcinogenic, chronic, mutagenic or reproductive effects.</li> <li><b>COMPONENT 3 (10 – 30% concentration)</b> May cause genetic defects. May cause cancer.</li> <li><b>COMPONENT 4 (5 – 10% concentration)</b> Suspected of causing cancer.</li> <li><b>COMPONENT 5 (5 – 10% concentration)</b> No known carcinogenic, chronic, mutagenic or reproductive effects.</li> </ul>		
Water	-	Water	-	~ 99.9907%	N/A
<b>TOTAL</b>				<b>100%</b>	
EC9356A	Nalco Champion	Hydrogen Sulfide Scavenger	<p>This product contains organic components.</p> <p><b>AQUATIC TOXICOLOGY</b></p> <ul style="list-style-type: none"> <li><b>COMPONENT 1 (60 – 100% concentration)</b> Natural product – exempt under the Chemical Disclosure Guidelines</li> <li><b>COMPONENT 2 (10 – 30% concentration)</b> <ul style="list-style-type: none"> <li><i>Skeletonema costatum</i> (Marine algae) EC50 72 hrs: 35 mg/L</li> <li><i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 20 mg/L</li> <li><i>Scophthalmus maximus</i> (Marine fish) LC50 96 hrs: 81 mg/L</li> </ul> </li> </ul> <p><b>CHEMICAL FATE</b></p> <ul style="list-style-type: none"> <li><b>COMPONENT 1 (60 – 100% concentration)</b> Natural product – exempt under the Chemical Disclosure Guidelines</li> </ul>	Contingency, 0.003%	Yes

Chemical Disclosure

Product Name	Supplier	Purpose	Toxicity, Ecotoxicity & Biodegradability data**	% Product in system fluid	MSDS Attached
			<ul style="list-style-type: none"> <li>• <b>COMPONENT 2 (10 – 30% concentration)</b> Log Pow &lt; 3</li> </ul> <p><b>ENVIRONMENTAL FATE</b></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 1 (60 – 100% concentration)</b> Natural product – exempt under the Chemical Disclosure Guidelines</li> <li>• <b>COMPONENT 2 (10 – 30% concentration)</b> Biodegradability, 28 days: 70%</li> </ul> <p><b>ACUTE MAMMALIAN TOXICITY</b></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 1 (60 – 100% concentration)</b> Natural product – exempt under the Chemical Disclosure Guidelines</li> <li>• <b>COMPONENT 2 (10 – 30% concentration)</b> Rat LD50 (oral): 500 mg/kg</li> </ul> <p><b>CHRONIC TOXICITY</b></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 1 (60 – 100% concentration)</b> Natural product – exempt under the Chemical Disclosure Guidelines</li> <li>• <b>COMPONENT 2 (10 – 30% concentration)</b> Skin sensitizer. May cause damage to organs through prolonged or repeated exposure if swallowed.</li> </ul>		
EC9610A	Nalco Champion	Cleaner	<p>This product contains organic components.</p> <p><b>AQUATIC TOXICOLOGY</b></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 1 (100% concentration)</b> <ul style="list-style-type: none"> <li>○ <i>Skeletonema costatum</i> (Marine algae) EC50 72 hrs: 1100 mg/L</li> <li>○ <i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 1195 mg/L</li> <li>○ <i>Scophthalmus maximus</i> (Marine fish) LC50 96 hrs: 2100 mg/L</li> </ul> </li> </ul> <p><b>CHEMICAL FATE</b></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 1 (100% concentration)</b> Log Pow 1.6</li> </ul> <p><b>ENVIRONMENTAL FATE</b></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 1 (100% concentration)</b> Biodegradability, 28 days: 67.5%</li> </ul> <p><b>ACUTE MAMMALIAN TOXICITY</b></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 1 (100% concentration)</b> Rat LD50 (oral): 1500 mg/kg</li> </ul> <p><b>CHRONIC TOXICITY</b></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 1 (100% concentration)</b></li> </ul>	Contingency, 0.4%	Yes

Chemical Disclosure

Product Name	Supplier	Purpose	Toxicity, Ecotoxicity & Biodegradability data**	% Product in system fluid	MSDS Attached
			No known carcinogenic, chronic, mutagenic or reproductive effects.		
EC2211A	Nalco Champion	Demulsifier	<p>This product contains organic components.</p> <p><b><u>AQUATIC TOXICOLOGY</u></b></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 1 (30 – 60% concentration)</b> <ul style="list-style-type: none"> <li>○ <i>Skeletonema costatum</i> (Marine algae) EC50 72 hrs: 375 mg/L</li> <li>○ <i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 439 mg/L</li> <li>○ <i>Cyprinodon variegatus (sheepshead minnow)</i> (Marine fish) LC50 96 hrs: 51.43 mg/L</li> </ul> </li> <li>• <b>COMPONENT 2 (10 – 30% concentration)</b> <ul style="list-style-type: none"> <li>○ <i>Skeletonema costatum</i> (Marine algae) EC50 72 hrs: &lt; 0.5 mg/L</li> <li>○ <i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 119 mg/L</li> <li>○ <i>Scophthalmus maximus</i> (Marine fish) LC50 96 hrs: 148 mg/L</li> </ul> </li> <li>• <b>COMPONENT 3 (5 – 10% concentration)</b> <ul style="list-style-type: none"> <li>○ <i>Skeletonema costatum</i> (Marine algae) EC50 72 hrs: 610 mg/L</li> <li>○ <i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 534 mg/L</li> <li>○ <i>Cyprinodon variegatus (sheepshead minnow)</i> (Marine fish) LC50 96 hrs: 550 mg/L</li> </ul> </li> </ul> <p><b><u>CHEMICAL FATE</u></b></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 1 (30 – 60% concentration)</b> Log Pow 4.6</li> <li>• <b>COMPONENT 2 (10 – 30% concentration)</b> Log Pow 4.73</li> <li>• <b>COMPONENT 3 (5 – 10% concentration)</b> Log Pow &gt; 3</li> </ul> <p><b><u>ENVIRONMENTAL FATE</u></b></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 1 (30 – 60% concentration)</b> Biodegradability, 28 days: 86%</li> <li>• <b>COMPONENT 2 (10 – 30% concentration)</b> Biodegradability, 28 days: 17%</li> <li>• <b>COMPONENT 3 (5 – 10% concentration)</b> Biodegradability, 28 days: 11%</li> </ul>	0.0042%	Yes

**Chemical Disclosure**

Product Name	Supplier	Purpose	Toxicity, Ecotoxicity & Biodegradability data**	% Product in system fluid	MSDS Attached
			<p><b><u>ACUTE MAMMALIAN TOXICITY</u></b></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 1 (30 – 60% concentration)</b> Rat LD50 (oral): &gt; 5,000 mg/kg</li> <li>• <b>COMPONENT 2 (10 – 30% concentration)</b> No data available</li> <li>• <b>COMPONENT 3 (5 – 10% concentration)</b> No data available</li> </ul> <p><b><u>CHRONIC TOXICITY</u></b></p> <ul style="list-style-type: none"> <li>• <b>COMPONENT 1 (30 – 60% concentration)</b> Suspected of causing cancer.</li> <li>• <b>COMPONENT 2 (10 – 30% concentration)</b> No known carcinogenic, chronic, mutagenic or reproductive effects.</li> <li>• <b>COMPONENT 3 (5 – 10% concentration)</b> No known carcinogenic, chronic, mutagenic or reproductive effects.</li> </ul>		

\*\* With reference to biodegradation, where a Product is organic than Contractor must state as such in this column

## Chemical Disclosure

### C. CHEMICAL LIST

#### Chemical List (Chemicals within fluid system identified in the table above)

Chemicals Name	CAS Number	Mass Fraction (%)
WATER	7732-18-5	99.99396554 %
OXIRANE, METHYL-, POLYMER WITH 1,3-DIISOCYANATOMETHYLBENZENE AND OXIRANE	9052-50-0	0.00160%
HYDROTREATED HEAVY NAPHTHA	64742-48-9	0.00108%
PHOSPHONIC ACID, ^^((PHOSPHONOMETHYL)IMINO]BIS^6,1-HEXANEDIYLNITRILOBIS(METHYLENE))]TETRAKIS-,	35657-77-3	0.00080%
TETRAKIS(HYDROXYMETHYL)PHOSPHONIUM SULPHATE	55566-30-8	0.00072%
Methanol	67-56-1	0.00050%
SOLVENT NAPHTHA (PETROLEUM), HEAVY AROM.	64742-94-5	0.00038 %
FORMALDEHYDE, POLYMER WITH METHYLOXIRANE, 4-NONYLPHENOL AND OXIRANE	63428-92-2	0.00032%
C12-16 ALKYL BENZYL DIMETHYLAMMONIUM CHLORIDE	68424-85-1	0.00026%
1H-IMIDAZOLE-1-ETHANAMINE, 4,5-DIHYDRO-, 2-NORTALL-OIL ALKYL DERIVS., ACETATES	68140-11-4	0.00017 %
THIOGLYCOLIC ACID	68-11-1	0.00007%
PHOSPHONIC ACID, [(PHOSPHONOMETHYL)IMINO]BIS[6,1-HEXANEDIYLNITRILOBIS(METHYLENE))]TETRAKIS-	34690-00-1	0.00005%
Amine phosphonate, ammonium salt	-	0.00004%
ACETIC ACID	64-19-7	0.00002 %
AMMONIUM HYDROXIDE	1336-21-6	0.00001%
FORMALDEHYDE	50-00-0	< 0.00001 %
<b>TOTAL</b>	-	<b>100%</b>
2-Butoxyethanol	111-76-2	Contingency, 0.4%
WATER	7732-18-5	Contingency, 0.00215 %
Hexahydro-1,3,5-Trimethyl-S-Triazine	108-74-7	Contingency, 0.00084 %
SOLVENT NAPHTHA (PETROLEUM), HEAVY AROM.	64742-94-5	Contingency, 0.00272 %
PHENOL, 4-NONYL-, POLYMER WITH FORMALDEHYDE, METHYLOXIRANE AND OXIRANE	63428-92-2	Contingency, 0.001254 %
FORMALDEHYDE, POLYMER WITH 4-(1,1-DIMETHYLETHYL)PHENOL, METHYLOXIRANE AND OXIRANE	30704-64-4	Contingency, 0.000219 %

## Chemical Disclosure

### A. SYSTEM DETAILS:

<b>OPERATOR:</b>	Buru Energy
<b>PROJECT / WELL:</b>	Ungani Wells
<b>SYSTEM:</b>	Well Circulation Fluid
<b>TOTAL VOLUME OF SYSTEM:</b>	Approx. 150 bbl (24 kL)

### B. PRODUCT LIST:

Product name	Supplier	Purpose	Toxicity, Ecotoxicity and Biodegradability data	Product in system (%)	MSDS Attached
Fresh water	Onsite bore	Mix water	N/A	59.3495%	N/A
Hydrochloric Acid	Coogee Chemicals	pH Control	<p><b>Constituent 1 as an ingredient 15%</b>  <b>Acute Toxicity:</b>                      EC50 (72 h) 0.73 mg/L (non-neutralized) <i>Chlorella vulgaris</i> (freshwater algae).                      LC50 (48 h) 0.44 mg/L (non-neutralized) <i>Daphnia magna</i> (freshwater invertebrate).                      LC50 (96 h) 20.5 mg/L (non-neutralized) <i>Lepomis macrochirus</i> (freshwater fish)                      LD50 (oral) 238 – 277 mg/kg (Non-neutralized) Rat</p> <p><b>Chronic Toxicity:</b>                      No known carcinogenic, chronic, mutagenic or reproductive effects for this product.</p> <p><b>Biodegradation/bioaccumulation:</b>                      Not applicable to inorganic compounds</p> <p><b>Constituent 2 as an ingredient 85%</b>                      Water</p>	34.8902%	Yes
Acetic acid	Halliburton	Chelating agent	<p><b>Acute Toxicity:</b>                      EC50 (72h) 55.22 mg/L <i>Anabaena</i> (algae)                      LC50 (96h) 75 mg/L <i>Lepomis macrochirus</i> (fish)                      LC50 (96h) 251 mg/L <i>Gambusia affinis</i> (fish)                      EC50 (48h) 65 mg/L <i>Daphnia magna</i> (freshwater invertebrate)</p> <p><b>Chronic Toxicity:</b>                      No known carcinogenic, chronic, mutagenic or reproductive effects for this product.</p> <p><b>Biodegradation/bioaccumulation:</b>                      Readily biodegradable (99% @ 7d).                      Log Kow -0.17                      The product is not known to be Bioaccumulative.</p>	0.111%	Yes
Rodine 85	Henkel	Acid inhibitor	<p><b>Toxicology Data:</b>  <b>Component 1 (&lt;10%)</b></p>	0.01843%	Yes

Chemical Disclosure

Product name	Supplier	Purpose	Toxicity, Ecotoxicity and Biodegradability data	Product in system (%)	MSDS Attached
			LC50 (96h) 4.6 mg/L <i>Leuciscus idus</i> (fish) EC50 (24h) 11 mg/L <i>Daphnia magna</i> (freshwater invertebrate) EC50 (8d) >18 mg/L <i>Scenedesmus quadricauda</i> (algae) <b>Component 2 (&lt;5%)</b> EC50 (48h) 56 mg/L <i>Daphnia magna</i> (freshwater invertebrate) <b>Component 3 (&lt;30%)</b> No data available. Data presented for a similar compound LC50 (96h) <i>P. promelas</i> 24 mg/L (fish) LC50 (96h) <i>B. rerio</i> 41 mg/L (fish) EC50 (48h) <i>Daphnia magna</i> ~2 mg/L (freshwater invertebrate) <b>Component 4 (60%) Water</b> <b>Biodegradation/bioaccumulation:</b> Degradability: Component 1 37%, Component 2 3%, Component 3 97% Bioaccumulative potential: Comp. 1 Log Kow -0.35, Comp. 2 LogKow 0.57, Comp. 3 LogPow <1		
Citric Acid	Halliburton	pH control	Acute Fish Toxicity 96h LC50: >440-760 mg/l ( <i>Leuciscus idus</i> ) Acute Crustacean Toxicity 72h EC50: 120 mg/l ( <i>Daphnia magna</i> ) Acute Toxicity 7d EC3: 640 mg/l ( <i>Scenedesmus quadricauda</i> ) Source: IUCLID 2000 <b>Biodegradation/bioaccumulation:</b> Citric Acid is extract of Citrus and rapidly biodegradable. BOD30/COD = 90%. Rapidly biodegradable in water and soil. The product is not known to be Bioaccumulative.	1.843%	Yes
EC6733A	Nalco Champion	Biocide	This product contains organic components. <b>AQUATIC TOXICOLOGY</b> <b>COMPONENT 1 (10 – 30% concentration)</b> <ul style="list-style-type: none"> <li>○ <i>Skeletonema costatum</i> (Marine algae) EC50 72 hrs: 0.26 mg/L</li> <li>○ <i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 0.4 mg/L</li> <li>○ <i>Cyprinodon variegatus (sheepshead minnow)</i> (Marine fish) LC50 96 hrs: 1.7 mg/L</li> </ul> <b>COMPONENT 2 (60 – 100% concentration)</b> <ul style="list-style-type: none"> <li>○ <i>Skeletonema costatum</i> (Marine algae) EC50 72 hrs: 0.16 mg/L</li> <li>○ <i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 0.6 mg/L</li> <li>○ <i>Scophthalmus maximus</i> (Marine fish) LC50 96 hrs: 72 mg/L</li> </ul> <b>COMPONENT 3 (0 – 1% concentration)</b> <ul style="list-style-type: none"> <li>○ <i>Skeletonema costatum</i> (Marine algae) EC50 72 hrs: 4.1 mg/L</li> <li>○ <i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 38 mg/L</li> <li>○ <i>Scophthalmus maximus</i> (Marine fish) LC50 96 hrs: 611 mg/L</li> </ul> <b>CHEMICAL FATE</b>	3.788%	Yes

Chemical Disclosure

Product name	Supplier	Purpose	Toxicity, Ecotoxicity and Biodegradability data	Product in system (%)	MSDS Attached
			<p><b>COMPONENT 1 (10 – 30% concentration)</b> Log Pow 2.28 (theoretical)</p> <p><b>COMPONENT 2 (60 – 100% concentration)</b> Log Pow 0</p> <p><b>COMPONENT 3 (0 – 1% concentration)</b> Log Pow &lt;0</p> <p><b><u>ENVIRONMENTAL FATE</u></b></p> <p><b>COMPONENT 1 (10 – 30% concentration)</b> Biodegradability, 28 days: 34%</p> <p><b>COMPONENT 2 (60 – 100% concentration)</b> Biodegradability, 28 days: 61%</p> <p><b>COMPONENT 3 (0 – 1% concentration)</b> Biodegradability, 28 days: 83%</p> <p><b><u>ACUTE MAMMALIAN TOXICITY</u></b></p> <p><b>COMPONENT 1 (10 – 30% concentration)</b> Rat LD50 (oral): 344 mg/kg Rabbit LD50 (dermal): 3340 mg/kg Rat LC50 (inhalation) 4h: &gt;0.054 mg/L</p> <p><b>COMPONENT 2 (60 – 100% concentration)</b> Rat LD50 (oral): 575 mg/kg (75% active ingredient in water) Rat LD50 (dermal): &gt;2000 mg/kg (75% active ingredient in water) Rat LC50 (inhalation) 4h: 0.591 mg/l (75% active ingredient in water)</p> <p><b>COMPONENT 3 (0 – 1% concentration)</b> Guinea pig LD50 (oral): 260* mg/kg Rabbit LD50 (dermal): 270* mg/kg Mouse LC50 (inhalation) 4 hr: 497* mg/kg <i>*Literature data from HSNO CCID</i></p> <p><b><u>CHRONIC TOXICITY</u></b></p> <p><b>COMPONENT 1 (10 – 30% concentration)</b> No known carcinogenic, chronic, mutagenic or reproductive effects.</p> <p><b>COMPONENT 2 (60 – 100% concentration)</b> Skin sensitizer. Reproductive toxicant to rabbits/rats at 50mg/kg/day.</p> <p><b>COMPONENT 3 (0 – 1% concentration)</b> Skin sensitizer. May cause cancer, IARC Group 1 Carcinogen.</p>		
			<b>Total:</b>	100%	100%
Soda Ash	Halliburton	pH control	<b>Toxicology Data</b>	0.0500%	Yes

## Chemical Disclosure

Product name	Supplier	Purpose	Toxicity, Ecotoxicity and Biodegradability data	Product in system (%)	MSDS Attached
			<p>LD50 Oral: 4090 mg/kg (Rat); 2800 mg/kg (Rat)LD50 Dermal: 2210 mg/kg (Mouse); &gt;2000 mg/kg (Rabbit)LC50 Inhalation: 2.3 mg/L (Rat) 2h</p> <p><b>Substance Ecotoxicity Data</b>                      Toxicity to Algae - EC50 242 mg/L (Nitzschia)                      Toxicity to Fish – TLM24 385 mg/L (Lepomis macrochirus); LC50 310-1220 mg/L (Pimephales promelas); LC50 (96h) 300 mg/L (Lepomis macrochirus)                      Toxicity to Microorganisms - No information available                      Toxicity to Invertebrates – EC50 265 mg/L (Daphnia magna); EC50 (48h) 200 – 227 mg/L (Ceriodaphnia sp.)</p> <p><b>Biodegradation/bioaccumulation:</b>                      Soda Ash is an inorganic (Sodium Carbonate), naturally occurring salt and partially biodegradable. Soda Ash is fully water soluble and highly mobile in soil. Biodegradability does not pertain to inorganic substances. Does not bioaccumulate. Dissociates into ions.</p>		
Sodium Bicarbonate	Halliburton	pH control	<p><b>Toxicology Data for Components</b>                      LD50 Oral: No data availableLD50 Dermal: No data availableLC50 Inhalation: No data available</p> <p><b>Substance Ecotoxicity Data</b>                      Toxicity to Algae - No information available - EC50 (5d): 650 mg/l (Nitzschia linearis)                      Toxicity to Fish – No information available - LC50 (96h): 7550 mg/l (Gambusia affinis)                      Toxicity to Microorganisms - No information available                      Toxicity to Invertebrates – No information available - EC50 (48h): 2350 mg/l (Daphnia magna)                      Source: IUCLID 2000</p> <p><b>Biodegradation/bioaccumulation:</b>                      Sodium Bicarbonate is an inorganic, naturally occurring salt and partially biodegradable. Sodium Bicarbonate is fully water soluble and highly mobile in soil. The product is not known to be Bioaccumulative.</p>	0.0500%	Yes

## Chemical Disclosure

---

### C. Chemical List:

Chemicals within products in Part B	CAS #	Maximum Mass fraction in System (%)
Water	N/A	89.0062%
Hydrochloric acid	7647-01-0	5.23353%
Acetic acid	64-19-7	0.111%
Citric Acid	77-92-9	1.8415%
Prop-2-yn-1-ol	107-19-7	0.002%
1,3-diethyl-2-thiourea	105-55-5	0.001%
Formaldehyde reaction products with o-toluidine	68411-63-2	0.006%
Tetrakis(hydroxymethyl) phosphonium sulfate	55566-30-8	3.3713%
Benzyl-(C12-C16 Linear Alkyl)-Dimethyl-Ammonium Chloride	68424-85-1	0.3788%
Formaldehyde	50-00-0	0.0379%
	<b>Total</b>	100%
Sodium Carbonate	497-19-8	Contingency, 0.050000%
Sodium Bicarbonate	144-55-8	Contingency, 0.050000%

---

## Chemical Disclosure

### A. SYSTEM DETAILS:

<b>OPERATOR:</b>	Buru Energy
<b>PROJECT / WELL:</b>	Ungani Wells
<b>SYSTEM:</b>	Formation Circulation Fluid
<b>TOTAL VOLUME OF SYSTEM:</b>	Approx. 150 bbl (24 kL)

### B. PRODUCT LIST:

Product name	Supplier	Purpose	Toxicity, Ecotoxicity and Biodegradability data	Product in system (%)	MSDS Attached
Fresh water	Onsite bore	Mix water	N/A	59.3495%	N/A
Hydrochloric Acid	Coogee Chemicals	pH Control	<p><b>Constituent 1 as an ingredient 30%</b>  <b>Acute Toxicity:</b>                      EC50 (72 h) 0.73 mg/L (non-neutralized) <i>Chlorella vulgaris</i> (freshwater algae).                      LC50 (48 h) 0.44 mg/L (non-neutralized) <i>Daphnia magna</i> (freshwater invertebrate).                      LC50 (96 h) 20.5 mg/L (non-neutralized) <i>Lepomis macrochirus</i> (freshwater fish)                      LD50 (oral) 238 – 277 mg/kg (Non-neutralized) Rat  <b>Chronic Toxicity:</b>                      No known carcinogenic, chronic, mutagenic or reproductive effects for this product.  <b>Biodegradation/bioaccumulation:</b>                      Not applicable to inorganic compounds  <b>Constituent 2 as an ingredient 70%</b>                      Water</p>	34.8902%	Yes
Acetic acid	Halliburton	Chelating agent	<p><b>Acute Toxicity:</b>                      EC50 (72h) 55.22 mg/L <i>Anabaena</i> (algae)                      LC50 (96h) 75 mg/L <i>Lepomis macrochirus</i> (fish)                      LC50 (96h) 251 mg/L <i>Gambusia affinis</i> (fish)                      EC50 (48h) 65 mg/L <i>Daphnia magna</i> (freshwater invertebrate)  <b>Chronic Toxicity:</b>                      No known carcinogenic, chronic, mutagenic or reproductive effects for this product.  <b>Biodegradation/bioaccumulation:</b>                      Readily biodegradable (99% @ 7d).                      Log Kow -0.17                      The product is not known to be Bioaccumulative.</p>	0.111%	Yes
Rodine 85	Henkel	Acid inhibitor	<p><b>Toxicology Data:</b>  <b>Component 1 (&lt;10%)</b>                      LC50 (96h) 4.6 mg/L <i>Leuciscus idus</i> (fish)</p>	0.01843%	Yes

Chemical Disclosure

Product name	Supplier	Purpose	Toxicity, Ecotoxicity and Biodegradability data	Product in system (%)	MSDS Attached
			EC50 (24h) 11 mg/L <i>Daphnia magna</i> (freshwater invertebrate) EC50 (8d) >18 mg/L <i>Scenedesmus quadricauda</i> (algae) <b>Component 2 (&lt;5%)</b> EC50 (48h) 56 mg/L <i>Daphnia magna</i> (freshwater invertebrate) <b>Component 3 (&lt;30%)</b> No data available. Data presented for a similar compound LC50 (96h) <i>P. promelas</i> 24 mg/L (fish) LC50 (96h) <i>B. rerio</i> 41 mg/L (fish) EC50 (48h) <i>Daphnia magna</i> ~2 mg/L (freshwater invertebrate) <b>Component 4 (60%) Water</b> <b>Biodegradation/bioaccumulation:</b> Degradability: Component 1 37%, Component 2 3%, Component 3 97% Bioaccumulative potential: Comp. 1 Log Kow -0.35, Comp. 2 LogKow 0.57, Comp. 3 LogPow <1		
Citric Acid	Halliburton	pH control	Acute Fish Toxicity 96h LC50: >440-760 mg/l ( <i>Leuciscus idus</i> ) Acute Crustacean Toxicity 72h EC50: 120 mg/l ( <i>Daphnia magna</i> ) Acute Toxicity 7d EC3: 640 mg/l ( <i>Scenedesmus quadricauda</i> ) Source: IUCLID 2000 <b>Biodegradation/bioaccumulation:</b> Citric Acid is extract of Citrus and rapidly biodegradable. BOD30/COD = 90%. Rapidly biodegradable in water and soil. The product is not known to be Bioaccumulative.	1.843%	Yes
EC6733A	Nalco Champion	Biocide	This product contains organic components. <b>AQUATIC TOXICOLOGY</b> <b>COMPONENT 1 (10 – 30% concentration)</b> <ul style="list-style-type: none"> <li>○ <i>Skeletonema costatum</i> (Marine algae) EC50 72 hrs: 0.26 mg/L</li> <li>○ <i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 0.4 mg/L</li> <li>○ <i>Cyprinodon variegatus (sheepshead minnow)</i> (Marine fish) LC50 96 hrs: 1.7 mg/L</li> </ul> <b>COMPONENT 2 (60 – 100% concentration)</b> <ul style="list-style-type: none"> <li>○ <i>Skeletonema costatum</i> (Marine algae) EC50 72 hrs: 0.16 mg/L</li> <li>○ <i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 0.6 mg/L</li> <li>○ <i>Scophthalmus maximus</i> (Marine fish) LC50 96 hrs: 72 mg/L</li> </ul> <b>COMPONENT 3 (0 – 1% concentration)</b> <ul style="list-style-type: none"> <li>○ <i>Skeletonema costatum</i> (Marine algae) EC50 72 hrs: 4.1 mg/L</li> <li>○ <i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 38 mg/L</li> <li>○ <i>Scophthalmus maximus</i> (Marine fish) LC50 96 hrs: 611 mg/L</li> </ul> <b>CHEMICAL FATE</b> <b>COMPONENT 1 (10 – 30% concentration)</b>	3.788%	Yes

Chemical Disclosure

Product name	Supplier	Purpose	Toxicity, Ecotoxicity and Biodegradability data	Product in system (%)	MSDS Attached
			<p>Log Pow 2.28 (theoretical)  <b>COMPONENT 2 (60 – 100% concentration)</b>                      Log Pow 0  <b>COMPONENT 3 (0 – 1% concentration)</b>                      Log Pow &lt;0  <u><b>ENVIRONMENTAL FATE</b></u>  <b>COMPONENT 1 (10 – 30% concentration)</b>                      Biodegradability, 28 days: 34%  <b>COMPONENT 2 (60 – 100% concentration)</b>                      Biodegradability, 28 days: 61%  <b>COMPONENT 3 (0 – 1% concentration)</b>                      Biodegradability, 28 days: 83%  <u><b>ACUTE MAMMALIAN TOXICITY</b></u>  <b>COMPONENT 1 (10 – 30% concentration)</b>                      Rat LD50 (oral): 344 mg/kg                      Rabbit LD50 (dermal): 3340 mg/kg                      Rat LC50 (inhalation) 4h: &gt;0.054 mg/L  <b>COMPONENT 2 (60 – 100% concentration)</b>                      Rat LD50 (oral): 575 mg/kg (75% active ingredient in water)                      Rat LD50 (dermal): &gt;2000 mg/kg (75% active ingredient in water)                      Rat LC50 (inhalation) 4h: 0.591 mg/l (75% active ingredient in water)  <b>COMPONENT 3 (0 – 1% concentration)</b>                      Guinea pig LD50 (oral): 260* mg/kg                      Rabbit LD50 (dermal): 270* mg/kg                      Mouse LC50 (inhalation) 4 hr: 497* mg/kg  <i>*Literature data from HSNO CCID</i>  <u><b>CHRONIC TOXICITY</b></u>  <b>COMPONENT 1 (10 – 30% concentration)</b>                      No known carcinogenic, chronic, mutagenic or reproductive effects.  <b>COMPONENT 2 (60 – 100% concentration)</b>                      Skin sensitizer. Reproductive toxicant to rabbits/rats at 50mg/kg/day.  <b>COMPONENT 3 (0 – 1% concentration)</b>                      Skin sensitizer. May cause cancer, IARC Group 1 Carcinogen.</p>		
			<b>Total:</b>	100%	100%
Soda Ash	Halliburton	pH control	<b>Toxicology Data</b> LD50 Oral: 4090 mg/kg (Rat); 2800 mg/kg (Rat)LD50 Dermal: 2210 mg/kg (Mouse); >2000	0.0500%	Yes

## Chemical Disclosure

Product name	Supplier	Purpose	Toxicity, Ecotoxicity and Biodegradability data	Product in system (%)	MSDS Attached
			<p>mg/kg (Rabbit)LC50 Inhalation: 2.3 mg/L (Rat) 2h</p> <p><b>Substance Ecotoxicity Data</b></p> <p>Toxicity to Algae - EC50 242 mg/L (Nitzschia)</p> <p>Toxicity to Fish – TLM24 385 mg/L (Lepomis macrochirus); LC50 310-1220 mg/L (Pimephales promelas); LC50 (96h) 300 mg/L (Lepomis macrochirus)</p> <p>Toxicity to Microorganisms - No information available</p> <p>Toxicity to Invertebrates – EC50 265 mg/L (Daphnia magna); EC50 (48h) 200 – 227 mg/L (Ceriodaphnia sp.)</p> <p><b>Biodegradation/bioaccumulation:</b></p> <p>Soda Ash is an inorganic (Sodium Carbonate), naturally occurring salt and partially biodegradable. Soda Ash is fully water soluble and highly mobile in soil. Biodegradability does not pertain to inorganic substances. Does not bioaccumulate. Dissociates into ions.</p>		
Sodium Bicarbonate	Halliburton	pH control	<p><b>Toxicology Data for Components</b></p> <p>LD50 Oral: No data availableLD50 Dermal: No data availableLC50 Inhalation: No data available</p> <p><b>Substance Ecotoxicity Data</b></p> <p>Toxicity to Algae - No information available - EC50 (5d): 650 mg/l (Nitzschia linearis)</p> <p>Toxicity to Fish – No information available - LC50 (96h): 7550 mg/l (Gambusia affinis)</p> <p>Toxicity to Microorganisms - No information available</p> <p>Toxicity to Invertebrates – No information available - EC50 (48h): 2350 mg/l (Daphnia magna)</p> <p>Source: IUCLID 2000</p> <p><b>Biodegradation/bioaccumulation:</b></p> <p>Sodium Bicarbonate is an inorganic, naturally occurring salt and partially biodegradable. Sodium Bicarbonate is fully water soluble and highly mobile in soil. The product is not known to be Bioaccumulative.</p>	0.0500%	Yes

## Chemical Disclosure

---

### C. Chemical List:

Chemicals within products in Part B	CAS #	Maximum Mass fraction in System (%)
Water	N/A	83.7835%
Hydrochloric acid	7647-01-0	10.467%
Acetic acid	64-19-7	0.111%
Citric Acid	77-92-9	1.8415%
Prop-2-yn-1-ol	107-19-7	0.002%
1,3-diethyl-2-thiourea	105-55-5	0.001%
Formaldehyde reaction products with o-toluidine	68411-63-2	0.006%
Tetrakis(hydroxymethyl) phosphonium sulfate	55566-30-8	3.3713%
Benzyl-(C12-C16 Linear Alkyl)-Dimethyl-Ammonium Chloride	68424-85-1	0.3788%
Formaldehyde	50-00-0	0.0379%
	<b>Total</b>	100%
Sodium Carbonate	497-19-8	Contingency, 0.050000%
Sodium Bicarbonate	144-55-8	Contingency, 0.050000%

---

## Chemical Disclosure

A. SYSTEM DETAILS	
OPERATOR:	Buru Energy
PROJECT / WELL:	Ungani Workovers
SYSTEM:	Suspension Fluid
TOTAL VOLUME OF SYSTEM (m <sup>3</sup> ):	Approximately 850 bbl (135 kL)

## B. PRODUCT LIST

Trade name	Supplier	Purpose	Product in system (%)	Toxicity & Ecotoxicity Info	MSDS Attached
Fresh water	Onsite bore	Mix water	96.212%	N/A	N/A
EC6733A	Nalco Champion	Biocide	3.788%	<p>This product contains organic components.</p> <p><b><u>AQUATIC TOXICOLOGY</u></b></p> <p><b>COMPONENT 1 (10 – 30% concentration)</b></p> <ul style="list-style-type: none"> <li>○ <i>Skeletonema costatum</i> (Marine algae) EC50 72 hrs: 0.26 mg/L</li> <li>○ <i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 0.4 mg/L</li> <li>○ <i>Cyprinodon variegatus (sheepshead minnow)</i> (Marine fish) LC50 96 hrs: 1.7 mg/L</li> </ul> <p><b>COMPONENT 2 (60 – 100% concentration)</b></p> <ul style="list-style-type: none"> <li>○ <i>Skeletonema costatum</i> (Marine algae) EC50 72 hrs: 0.16 mg/L</li> <li>○ <i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 0.6 mg/L</li> <li>○ <i>Scophthalmus maximus</i> (Marine fish) LC50 96 hrs: 72 mg/L</li> </ul> <p><b>COMPONENT 3 (0 – 1% concentration)</b></p> <ul style="list-style-type: none"> <li>○ <i>Skeletonema costatum</i> (Marine algae) EC50 72 hrs: 4.1 mg/L</li> <li>○ <i>Acartia tonsa</i> (Marine invertebrate) LC50 48 hrs: 38 mg/L</li> <li>○ <i>Scophthalmus maximus</i> (Marine fish) LC50 96 hrs: 611 mg/L</li> </ul> <p><b><u>CHEMICAL FATE</u></b></p> <p><b>COMPONENT 1 (10 – 30% concentration)</b> Log Pow 2.28 (theoretical)</p> <p><b>COMPONENT 2 (60 – 100% concentration)</b> Log Pow 0</p> <p><b>COMPONENT 3 (0 – 1% concentration)</b> Log Pow &lt;0</p> <p><b><u>ENVIRONMENTAL FATE</u></b></p> <p><b>COMPONENT 1 (10 – 30% concentration)</b> Biodegradability, 28 days: 34%</p> <p><b>COMPONENT 2 (60 – 100% concentration)</b> Biodegradability, 28 days: 61%</p> <p><b>COMPONENT 3 (0 – 1% concentration)</b> Biodegradability, 28 days: 83%</p> <p><b><u>ACUTE MAMMALIAN TOXICITY</u></b></p> <p><b>COMPONENT 1 (10 – 30% concentration)</b> Rat LD50 (oral): 344 mg/kg Rabbit LD50 (dermal): 3340 mg/kg Rat LC50 (inhalation) 4h: &gt;0.054 mg/L</p> <p><b>COMPONENT 2 (60 – 100% concentration)</b> Rat LD50 (oral): 575 mg/kg (75% active ingredient in water)</p>	Yes

**Chemical Disclosure**

Trade name	Supplier	Purpose	Product in system (%)	Toxicity & Ecotoxicity Info	MSDS Attached
				Rat LD50 (dermal): >2000 mg/kg (75% active ingredient in water) Rat LC50 (inhalation) 4h: 0.591 mg/l (75% active ingredient in water) <b>COMPONENT 3 (0 – 1% concentration)</b> Guinea pig LD50 (oral): 260* mg/kg Rabbit LD50 (dermal): 270* mg/kg Mouse LC50 (inhalation) 4 hr: 497* mg/kg *Literature data from HSNO CCID <b>CHRONIC TOXICITY</b> <b>COMPONENT 1 (10 – 30% concentration)</b> No known carcinogenic, chronic, mutagenic or reproductive effects. <b>COMPONENT 2 (60 – 100% concentration)</b> Skin sensitizer. Reproductive toxicant to rabbits/rats at 50mg/kg/day. <b>COMPONENT 3 (0 – 1% concentration)</b> Skin sensitizer. May cause cancer, IARC Group 1 Carcinogen.	
<b>Total</b>			100%		
Potassium Chloride	Halliburton Baroid	Weighting Material	Contingency, ~5%	<b>Acute Toxicity:</b> Oral – LD50: 2,600 mg/kg (Rat). Fish – LC50 (48 hr): 720 mg/L ( <i>Lctalurus punctulus</i> ). Crustacean – LC50 (48 hr): 177 mg/L ( <i>Daphnia magna</i> ). Algae – EC50 (120 hr): 1,337 mg/L ( <i>Nitzschia linearis</i> ). <b>Chronic Toxicity:</b> Prolonged or repeated skin contact may cause drying with irritation etc. A chronic reproductive test with invertebrate ( <i>D. magna</i> ) gave LOEC of 101 mg/L. <b>Biodegradation/bioaccumulation:</b> Potassium Chloride is an inorganic salt, naturally occurring. KCl is fully soluble and highly mobile in soil. The product is not known to be bioaccumulative.	Yes
Sodium Chloride	Halliburton	Weighting Material	Contingency, ~5%	<b>Acute Toxicity:</b> Oral (rat) LD50: 3,000 mg/kg <b>Chronic Toxicity:</b> No data available to indicate product or components present at greater than 1% are chronic health hazards. <b>Biodegradation/bioaccumulation:</b> Sodium Chloride is an inorganic, naturally occurring salt and Biodegradation does not apply due to being inorganic (does not contain any Carbon or Hydrogen). Sodium Chloride is fully water soluble, abundant in nature and highly mobile in soil. The product is not known to be Bioaccumulative.	Yes

## Chemical Disclosure

---

### C. CHEMICAL LIST

Chemicals within products in Part B	CAS #	Maximum Mass fraction in System (%)
water	7732-18-5	96.212%
Tetrakis(hydroxymethyl) phosphonium sulfate	55566-30-8	3.3713%
Benzyl-(C12-C16 Linear Alkyl)-Dimethyl-Ammonium Chloride	68424-85-1	0.3788%
Formaldehyde	50-00-0	0.0379%
	<b>Total</b>	100%
Potassium Chloride	7447-40-7	Contingency, 5%
Sodium Chloride	7647-14-5	Contingency, 5%

---

Chemical Disclosure

**CHEMICAL DISCLOSURE FOR BURU ENERGY**

**A. SYSTEM DETAILS:**

<b>OPERATOR:</b>	Buru Energy
<b>PROJECT / WELL:</b>	Ungani
<b>SYSTEM:</b>	Friction Reduction
<b>TOTAL VOLUME OF SYSTEM:</b>	Approx. 3,000 L

**B. PRODUCT LIST:**

Product Name	Supplier	Purpose	Toxicity, Ecotoxicity & Biodegradability data**	% Product in system fluid	MSDS Attached
CCTORQ	Nalco Champion	Lubricant	Natural product – exempt under the Chemical Disclosure Guidelines.	3%	Yes
Water	-	Water	-	97%	N/A
<b>TOTAL</b>				<b>100%</b>	

\*\* With reference to biodegradation, where a Product is organic than Contractor must state as such in this column

**C. CHEMICAL LIST**

**Chemical List (Chemicals within fluid system identified in the table above)**

Chemicals Name	CAS Number	Mass Fraction (%)
WATER	7732-18-5	97%
CORN OIL	8001-30-7	3%
<b>TOTAL</b>	-	<b>100%</b>

## **Appendix B – Chemical SDSs**

## SAFETY DATA SHEET

**GYPTRON™ IT-109**

### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : GYPTRON™ IT-109

Other means of identification : Not applicable.

Recommended use : SCALE INHIBITOR

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : ECOLAB PTY LTD  
2 Drake Avenue  
Macquarie Park NSW 2113  
Australia  
A.B.N. 59 000 449 990  
TEL: 1300 654 224  
FAX: +61 2 8870 8680

Emergency telephone number : 1800 205 506  
International: +64 7 958 2372

Issuing date : 10.06.2016

### Section: 2. HAZARDS IDENTIFICATION

#### GHS Classification

Not a hazardous substance or mixture.

Precautionary Statements : **Prevention:**  
Wash hands thoroughly after handling.  
**Response:**  
Get medical advice/ attention if you feel unwell.  
**Storage:**  
Store in accordance with local regulations.  
**Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

No hazardous ingredients

### Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water. Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and plenty of water. Get medical attention if symptoms occur.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand 0800 764 766).

## SAFETY DATA SHEET

### GYPTRON™ IT-109

- If inhaled : Get medical attention if symptoms occur.
- Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

#### Section: 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during firefighting : Not flammable or combustible.
- Hazardous combustion products : Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Oxides of phosphorus
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

#### Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : No special environmental precautions required.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### Section: 7. HANDLING AND STORAGE

- Advice on safe handling : For personal protection see section 8. Wash hands after handling.
- Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Suitable material : Keep in properly labelled containers.
- Unsuitable material : not determined

#### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## SAFETY DATA SHEET

### GYPTRON™ IT-109

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Personal protective equipment

Eye protection : Safety glasses

Hand protection : Wear protective gloves.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Wash hands before breaks and immediately after handling the product.

#### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid

Colour : Clear Brown

Odour : no data available

Flash point : no data available

pH : 4.5 - 5.5

Odour Threshold : no data available

Melting point/freezing point : no data available

Initial boiling point and boiling range : no data available

Evaporation rate : no data available

Flammability (solid, gas) : no data available

Upper explosion limit : no data available

Lower explosion limit : no data available

Vapour pressure : no data available

Relative vapour density : no data available

Relative density : 1.09 - 1.13, (20 °C),

Density : no data available

Water solubility : no data available

Solubility in other solvents : no data available

Partition coefficient: n-octanol/water : no data available

Auto-ignition temperature : no data available

Thermal decomposition temperature : no data available

Viscosity, dynamic : no data available

## SAFETY DATA SHEET

### GYPTRON™ IT-109

Viscosity, kinematic : no data available  
Molecular weight : no data available  
VOC : no data available

#### Section: 10. STABILITY AND REACTIVITY

Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.  
Conditions to avoid : None known.  
Incompatible materials : None known.  
Hazardous decomposition products : Decomposition products may include the following materials:  
Carbon oxides  
nitrogen oxides (NOx)  
Oxides of phosphorus

#### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

##### Potential Health Effects

Eyes : Health injuries are not known or expected under normal use.  
Skin : Health injuries are not known or expected under normal use.  
Ingestion : Health injuries are not known or expected under normal use.  
Inhalation : Health injuries are not known or expected under normal use.  
Chronic Exposure : Health injuries are not known or expected under normal use.

##### Experience with human exposure

Eye contact : No symptoms known or expected.  
Skin contact : No symptoms known or expected.  
Ingestion : No symptoms known or expected.  
Inhalation : No symptoms known or expected.

##### Toxicity

##### Product

Acute oral toxicity : no data available  
Acute inhalation toxicity : no data available  
Acute dermal toxicity : no data available  
Skin corrosion/irritation : no data available  
Serious eye damage/eye : no data available

## SAFETY DATA SHEET

### GYPTRON™ IT-109

irritation

Respiratory or skin sensitization : no data available

Carcinogenicity : No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive effects : No reproductive toxic effects expected.

Germ cell mutagenicity : Contains no ingredient listed as a mutagen

Teratogenicity : no data available

STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : No aspiration toxicity classification

#### Human Hazard Characterization

Based on our hazard characterization, the potential human hazard is: Low

### Section: 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

#### Product

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

#### Persistence and degradability

no data available

#### Mobility

no data available

#### Bioaccumulative potential

no data available

#### Other information

no data available

#### ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION

Based on our hazard characterization, the potential environmental hazard is: Low

### Section: 13. DISPOSAL CONSIDERATIONS

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an

## SAFETY DATA SHEET

### GYPTRON™ IT-109

approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

#### Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

##### Land transport

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

##### Air transport (IATA)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

##### Sea transport (IMDG/IMO)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

#### Section: 15. REGULATORY INFORMATION

Standard for the Uniform : Schedule 5  
Scheduling of Medicines and  
Poisons

##### INTERNATIONAL CHEMICAL CONTROL LAWS :

##### AUSTRALIA

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

##### NEW ZEALAND

All substances in this product comply with the Hazardous Substances and New Organisms (HSNO) Act 1996, and are listed on or are exempt from the New Zealand Inventory of Chemicals.

#### Section: 16. OTHER INFORMATION

##### REFERENCES

Hazardous Substances Data Bank, National Library of Medicine, Bethesda, Maryland (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

Integrated Risk Information System, U.S. Environmental Protection Agency, Washington, D.C. (TOMES CPS™ CD-ROM Version),  
Micromedex, Inc., Englewood, CO.

Annual Report on Carcinogens, National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service.

## SAFETY DATA SHEET

### GYPTRON™ IT-109

Registry of Toxic Effects of Chemical Substances, National Institute for Occupational Safety and Health, Cincinnati, OH, (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

The Teratogen Information System, University of Washington, Seattle, WA (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

Revision Date : 10.06.2016  
Date of first issue : 10.06.2016  
Version Number : 1.0  
Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit [www.nalco.com](http://www.nalco.com) and request access.

## SAFETY DATA SHEET

NALCO® EC1477A

### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NALCO® EC1477A

Other means of identification : Not applicable.

Recommended use : CORROSION INHIBITOR

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : ECOLAB PTY LTD  
2 Drake Avenue  
Macquarie Park NSW 2113  
Australia  
A.B.N. 59 000 449 990  
TEL: 1300 654 224  
FAX: +61 2 8870 8680

Emergency telephone number : 1800 205 506  
International: +64 7 958 2372


Issuing date : 17.06.2016

### Section: 2. HAZARDS IDENTIFICATION

#### GHS Classification

Acute toxicity (Inhalation) : Category 4  
Skin corrosion/irritation : Category 1B  
Serious eye damage/eye irritation : Category 1  
Skin sensitization : Category 1

#### GHS Label element

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.  
May cause an allergic skin reaction.  
Harmful if inhaled.

Precautionary Statements : **Prevention:**  
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.  
If skin irritation or rash occurs: Get medical advice/ attention. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air

# SAFETY DATA SHEET

**NALCO® EC1477A**

and keep comfortable for breathing.

**Storage:**

Store locked up.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

**Other hazards** : None known.

## Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
Tall Oil, DETA Imidazoline Acetates	68140-11-4	5 - 10
Benzyl-(C12-C16 Linear Alkyl)-Dimethyl-Ammonium Chloride	68424-85-1	1 - 5
Thioglycolic Acid	68-11-1	1 - 5

## Section: 4. FIRST AID MEASURES

- If in case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- If in case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand 0800 764 766).
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention.
- Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

## Section: 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during firefighting : Not flammable or combustible.
- Hazardous combustion products : Decomposition products may include the following materials: Carbon oxides

# SAFETY DATA SHEET

**NALCO® EC1477A**

Special protective equipment for firefighters : Use personal protective equipment.

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Hazchem Code : 2X

## Section: 6. ACCIDENTAL RELEASE MEASURES

Initial Emergency Response Guide No : 37

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

## Section: 7. HANDLING AND STORAGE

Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers. Avoid direct sunlight. At temperatures greater than 30°C a component of this product may degrade leading to the production of hydrogen sulfide (H<sub>2</sub>S).

Suitable material : Keep in properly labelled containers.

Unsuitable material : not determined

## Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Thioglycolic Acid	68-11-1	TWA	1 ppm 3.8 mg/m <sup>3</sup>	AU OEL
Thioglycolic Acid	68-11-1	WES-TWA	1 ppm 3.8 mg/m <sup>3</sup>	NZ OEL
Thioglycolic Acid	68-11-1	TWA	1 ppm	ACGIH
		TWA	1 ppm 4 mg/m <sup>3</sup>	NIOSH REL

## SAFETY DATA SHEET

**NALCO® EC1477A**

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

### Personal protective equipment

Eye protection : Safety goggles  
Face-shield

Hand protection : Wear the following personal protective equipment:  
Standard glove type.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid

Colour : amber

Odour : Pungent

Flash point : does not flash

pH : 3.7

Odour Threshold : no data available

Melting point/freezing point : no data available

Initial boiling point and boiling range : no data available

Evaporation rate : no data available

Flammability (solid, gas) : no data available

Upper explosion limit : no data available

Lower explosion limit : no data available

Vapour pressure : no data available

Relative vapour density : no data available

Relative density : 0.98 - 1.02, (25.0 °C),

Density : no data available

Water solubility : completely soluble

Solubility in other solvents : no data available

Partition coefficient: n-octanol/water : no data available

Auto-ignition temperature : no data available

Thermal decomposition : no data available

## SAFETY DATA SHEET

**NALCO® EC1477A**

temperature

Viscosity, dynamic : no data available

Viscosity, kinematic : no data available

Molecular weight : no data available

VOC : 4.6 %

### Section: 10. STABILITY AND REACTIVITY

Chemical stability : At temperatures greater than 30°C a component of this product may degrade leading to the production of hydrogen sulfide (H<sub>2</sub>S).

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : None known

Hazardous decomposition products : Decomposition products may include the following materials:  
Carbon oxides

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns. May cause allergic skin reaction.

Ingestion : Causes digestive tract burns.

Inhalation : Harmful if inhaled. May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

#### Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Irritation, Corrosion, Allergic reactions

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

#### Toxicity

##### Product

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 1.18 mg/l  
Exposure time: 4 h

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

## SAFETY DATA SHEET

### NALCO® EC1477A

Skin corrosion/irritation	:	no data available
Serious eye damage/eye irritation	:	no data available
Respiratory or skin sensitization	:	no data available
Carcinogenicity	:	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
Reproductive effects	:	No toxicity to reproduction
Germ cell mutagenicity	:	Contains no ingredient listed as a mutagen
Teratogenicity	:	no data available
STOT - single exposure	:	no data available
STOT - repeated exposure	:	no data available
Aspiration toxicity	:	No aspiration toxicity classification

#### Human Hazard Characterization

Based on our hazard characterization, the potential human hazard is: High

### Section: 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

#### Product

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

#### Components

Toxicity to fish : Tall Oil, DETA Imidazoline Acetates  
LC50 : > 0.23 mg/l  
Exposure time: 96 h

#### Components

Toxicity to daphnia and other aquatic invertebrates : Tall Oil, DETA Imidazoline Acetates  
EC50 : 0.72 mg/l  
Exposure time: 48 h

Benzyl-(C12-C16 Linear Alkyl)-Dimethyl-Ammonium Chloride  
EC50 Daphnia magna (Water flea): 0.016 mg/l  
Exposure time: 48 h

#### Components

Toxicity to algae : Tall Oil, DETA Imidazoline Acetates  
EC50 : 0.17 mg/l  
Exposure time: 72 h

#### Components

# SAFETY DATA SHEET

## NALCO® EC1477A

Toxicity to bacteria : Tall Oil, DETA Imidazoline Acetates  
175 mg/l

### Persistence and degradability

The organic portion of this preparation is expected to be inherently biodegradable.

### Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5%  
Water : 30 - 50%  
Soil : 50 - 70%

The portion in water is expected to be soluble or dispersible.

### Bioaccumulative potential

Component substances have a low potential to bioconcentrate.

### Other information

no data available

### ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION

Based on our hazard characterization, the potential environmental hazard is: Low

## Section: 13. DISPOSAL CONSIDERATIONS

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

## Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

### Land transport

Proper shipping name : CORROSIVE LIQUID, N.O.S.  
Technical name(s) : Tall Oil, DETA Imidazoline Acetates, Benzyl-(C12-C16 Alkyl)-  
Dimethyl-Ammonium Chloride  
UN/ID No. : UN 1760  
Transport hazard class(es) : 8  
Packing group : III  
IERG No : 37

## SAFETY DATA SHEET

**NALCO® EC1477A**

Hazchem Code : 2X

Special precautions for user : Dangerous goods of Class 8 (Acids) are incompatible in a placard load with any of the following:  
Class 1 Explosives  
Class 4.3 Dangerous when wet substances  
Class 5.1 Oxidising agents  
Class 5.2 Organic peroxides  
Class 6 Cyanides only  
Class 7 Radioactive substances  
and are incompatible with food or food packaging in any quantity.

### Air transport (IATA)

UN/ID No. : UN 1760  
Proper shipping name : CORROSIVE LIQUID, N.O.S.  
Technical name(s) : Tall Oil, DETA Imidazoline Acetates, Benzyl-(C12-C16 Alkyl)-Dimethyl-Ammonium Chloride  
Transport hazard class(es) : 8  
Packing group : III

### Sea transport (IMDG/IMO)

UN/ID No. : UN 1760  
Proper shipping name : CORROSIVE LIQUID, N.O.S.  
Technical name(s) : Tall Oil, DETA Imidazoline Acetates, Benzyl-(C12-C16 Alkyl)-Dimethyl-Ammonium Chloride  
Transport hazard class(es) : 8  
Packing group : III

## Section: 15. REGULATORY INFORMATION

Standard for the Uniform Scheduling of Medicines and Poisons : No poison schedule number allocated

### INTERNATIONAL CHEMICAL CONTROL LAWS :

#### AUSTRALIA

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

#### CHINA

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

#### JAPAN

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

#### KOREA

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

#### PHILIPPINES

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

# SAFETY DATA SHEET

**NALCO® EC1477A**

## Section: 16. OTHER INFORMATION

### REFERENCES

Hazardous Substances Data Bank, National Library of Medicine, Bethesda, Maryland (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

Integrated Risk Information System, U.S. Environmental Protection Agency, Washington, D.C. (TOMES CPS™ CD-ROM Version),  
Micromedex, Inc., Englewood, CO.

Annual Report on Carcinogens, National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service.

Registry of Toxic Effects of Chemical Substances, National Institute for Occupational Safety and Health, Cincinnati, OH,  
(TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

The Teratogen Information System, University of Washington, Seattle, WA (TOMES CPS™ CD-ROM Version),  
Micromedex, Inc., Englewood, CO.

Revision Date : 17.06.2016  
Date of first issue : 17.06.2016  
Version Number : 1.0  
Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit [www.nalco.com](http://www.nalco.com) and request access.

## SAFETY DATA SHEET

**NALCO® EC6733A**

### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NALCO® EC6733A

Other means of identification : Not applicable.

Recommended use : BIOCIDE

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : ECOLAB PTY LTD  
2 Drake Avenue  
Macquarie Park NSW 2113  
Australia  
A.B.N. 59 000 449 990  
TEL: 1300 654 224  
FAX: +61 2 8870 8680

Emergency telephone number : 1800 205 506  
International: +64 7 958 2372

Issuing date : 24.06.2016

### Section: 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids : Category 4  
Acute toxicity (Oral) : Category 4  
Acute toxicity (Inhalation) : Category 2  
Skin corrosion/irritation : Category 1B  
Serious eye damage/eye irritation : Category 1  
Skin sensitization : Category 1  
Carcinogenicity : Category 1A  
Reproductive toxicity : Category 2

#### GHS Label element

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Combustible liquid  
Harmful if swallowed.  
Causes severe skin burns and eye damage.  
May cause an allergic skin reaction.  
Fatal if inhaled.  
May cause cancer.  
Suspected of damaging fertility or the unborn child.

Precautionary Statements : **Prevention:**  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/ protective clothing/ eye protection/ face protection. Use personal protective equipment as required. Wear respiratory protection.

# SAFETY DATA SHEET

**NALCO® EC6733A**

## Response:

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

Other hazards : None known.

## Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
Tetrakis(hydroxymethyl) phosphonium sulfate	55566-30-8	60 - 100
Benzyl-(C12-C16 Linear Alkyl)-Dimethyl-Ammonium Chloride	68424-85-1	5 - 10
Formaldehyde	50-00-0	0.1 - 1

## Section: 4. FIRST AID MEASURES

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand 0800 764 766).  
  
Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention immediately.
- Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

## Section: 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Foam  
Carbon dioxide  
Dry powder  
Other extinguishing agent suitable for Class B fires  
For large fires, use water spray or fog, thoroughly drenching the burning material.

## SAFETY DATA SHEET

### NALCO® EC6733A

Unsuitable extinguishing media	: None known.
Specific hazards during firefighting	: Fire Hazard Keep away from heat and sources of ignition. Flash back possible over considerable distance.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus
Special protective equipment for firefighters	: Use personal protective equipment.
Specific extinguishing methods	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.
Hazchem Code	: 2X

### Section: 6. ACCIDENTAL RELEASE MEASURES

Initial Emergency Response Guide No	: 36
Personal precautions, protective equipment and emergency procedures	: Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

### Section: 7. HANDLING AND STORAGE

Advice on safe handling	: Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Do not ingest. Keep away from fire, sparks and heated surfaces. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation.
Conditions for safe storage	: Keep away from heat and sources of ignition. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
Suitable material	: Keep in properly labelled containers.
Unsuitable material	: not determined

### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

# SAFETY DATA SHEET

**NALCO® EC6733A**

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Tetrakis(hydroxymethyl) phosphonium sulfate	55566-30-8	TWA	2 mg/m <sup>3</sup>	ACGIH
Formaldehyde	50-00-0	TWA	1 ppm 1.2 mg/m <sup>3</sup>	AU OEL
		VLE	2 ppm 2.5 mg/m <sup>3</sup>	AU OEL
Formaldehyde	50-00-0	WES-TWA	0.5 ppm	NZ OEL
		WES-TWA	0.33 ppm	NZ OEL
		WES-Ceiling	1 ppm	NZ OEL
Formaldehyde	50-00-0	Ceiling	0.3 ppm	ACGIH
		TWA	0.016 ppm	NIOSH REL
		Ceiling	0.1 ppm	NIOSH REL
		PEL	0.75 ppm	OSHA CARC
		STEL	2 ppm	OSHA CARC

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

## Personal protective equipment

Eye protection : Safety goggles  
Face-shield

Hand protection : Wear the following personal protective equipment:  
Standard glove type.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

## Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid  
Colour : clear  
Odour : Pungent  
Flash point : 74 °C  
pH : 4.0 - 4.5, 100 %  
Odour Threshold : no data available  
Melting point/freezing point : no data available  
Initial boiling point and boiling range : 105 °C  
Evaporation rate : no data available

## SAFETY DATA SHEET

### NALCO® EC6733A

Flammability (solid, gas)	: no data available
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: 17 kPa, (37.8 °C),
Relative vapour density	: no data available
Relative density	: 1.32, (19 °C),
Density	: 10.3 lb/gal
Water solubility	: completely soluble
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition temperature	: no data available
Viscosity, dynamic	: 33 mPa.s (19 °C)
Viscosity, kinematic	: no data available
Molecular weight	: no data available
VOC	: no data available

### Section: 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid, perchlorate, concentrated oxygen, permanganate) may generate heat, fires, explosions and/or toxic vapors. Strong acids Strong Bases Reducing agents
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns. May cause allergic skin reaction.

## SAFETY DATA SHEET

**NALCO® EC6733A**

- Ingestion : Harmful if swallowed. Causes digestive tract burns.
- Inhalation : Fatal if inhaled. May cause nose, throat, and lung irritation.
- Chronic Exposure : May cause cancer. Suspected of damaging fertility or the unborn child.

### Experience with human exposure

- Eye contact : Redness, Pain, Corrosion
- Skin contact : Redness, Pain, Irritation, Corrosion, Allergic reactions
- Ingestion : Corrosion, Abdominal pain
- Inhalation : Respiratory irritation, Cough

### Toxicity

#### Product

- Acute oral toxicity : LD50 rat: 575 mg/kg  
Test substance: 75% Active Ingredient
- Acute inhalation toxicity : LC50 rat: 0.591 mg/l  
Exposure time: 4 hrs  
Test substance: 75% Active Ingredient
- Acute dermal toxicity : LD50 rat: > 2,000 mg/kg  
Test substance: 75% Active Ingredient
- Skin corrosion/irritation : no data available
- Serious eye damage/eye irritation : no data available
- Respiratory or skin sensitization : no data available
- Carcinogenicity : No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- Reproductive effects : Suspected of damaging fertility or the unborn child.
- Germ cell mutagenicity : Contains no ingredient listed as a mutagen
- Teratogenicity : no data available
- STOT - single exposure : no data available
- STOT - repeated exposure : no data available
- Aspiration toxicity : No aspiration toxicity classification

### Human Hazard Characterization

Based on our hazard characterization, the potential human hazard is: High

## Section: 12. ECOLOGICAL INFORMATION

### Ecotoxicity

- Environmental Effects : This product has no known ecotoxicological effects.

### Product

## SAFETY DATA SHEET

### NALCO® EC6733A

Toxicity to fish	: LC50 <i>Lepomis macrochirus</i> (Bluegill sunfish): 93 mg/l Exposure time: 96 hrs Test substance: 75% Active Ingredient
	LC50 <i>Oncorhynchus mykiss</i> (rainbow trout): 119 mg/l Exposure time: 96 hrs Test substance: 75% Active Ingredient
Toxicity to daphnia and other aquatic invertebrates	: EC50 <i>Daphnia magna</i> (Water flea): 19.4 mg/l Exposure time: 48 hrs Test substance: 75% Active Ingredient
Toxicity to algae	: LC50 Green Algae ( <i>Pseudokirchneriella subcapitata</i> , previously <i>Selenastrum capricornutum</i> ): 0.20 mg/l Exposure time: 96 hrs Test substance: 75% Active Ingredient
Toxicity to bacteria	: EC50 Bacteria: 24 mg/l Exposure time: 3 hrs Test substance: 75% Active Ingredient

#### Components

Toxicity to fish (Chronic toxicity)	: Formaldehyde LC50: 21 mg/l Exposure time: 96 h
-------------------------------------	--

#### Persistence and degradability

The organic portion of this preparation is expected to be readily biodegradable.

#### Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air	: <5%
Water	: 30 - 50%
Soil	: 50 - 70%

The portion in water is expected to be soluble or dispersible.

#### Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

#### Other information

no data available

#### ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION

Based on our hazard characterization, the potential environmental hazard is: Low

### Section: 13. DISPOSAL CONSIDERATIONS

## SAFETY DATA SHEET

**NALCO® EC6733A**

- Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

### Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport

- Proper shipping name : TOXIC LIQUID, ORGANIC, N.O.S.  
Technical name(s): : Tetrakis(hydroxymethyl) phosphonium sulfate  
UN/ID No. : UN 2810  
Transport hazard class(es) : 6.1  
Packing group : III  
IERG No : 36  
Hazchem Code : 2X
- Special precautions for user : Dangerous goods of Class 6 (Toxic and Infectious Substances) and fire risk substances and combustible liquids are incompatible in a placard load of the following:  
Class 1 Explosives  
Class 3 Nitromethane only  
Class 5.1 Oxidising agents  
Class 5.2 Organic peroxides  
and are incompatible with food or food packaging in any quantity.

#### Air transport (IATA)

- UN/ID No. : UN 2810  
Proper shipping name : TOXIC LIQUID, ORGANIC, N.O.S.  
Technical name(s) : Tetrakis(hydroxymethyl) phosphonium sulfate  
Transport hazard class(es) : 6.1  
Packing group : III

#### Sea transport (IMDG/IMO)

- UN/ID No. : UN 2810  
Proper shipping name : TOXIC LIQUID, ORGANIC, N.O.S.  
Technical name(s) : Tetrakis(hydroxymethyl) phosphonium sulfate  
Transport hazard class(es) : 6.1  
Packing group : III  
Marine pollutant : Benzyl-(C12-C16 Linear Alkyl)-Dimethyl-Ammonium Chloride

### Section: 15. REGULATORY INFORMATION

- Standard for the Uniform Scheduling of Medicines and Poisons : Schedule 6

## SAFETY DATA SHEET

**NALCO® EC6733A**

### INTERNATIONAL CHEMICAL CONTROL LAWS :

#### TOXIC SUBSTANCES CONTROL ACT (TSCA)

This product has not been evaluated for Chemical Inventory regulations and may contain substances not found on Inventory Lists such as TSCA, EINECS, DSL, etc.. This product should be used under the applicable Research and Development provisions of local notification regulations.

#### CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA)

This product contains substance(s) which are found on the Non-Domestic Substances List (NDSL), or are not in compliance with other Canadian Acts.

#### AUSTRALIA

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

#### CHINA

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

#### JAPAN

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

#### KOREA

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

#### PHILIPPINES

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

### Section: 16. OTHER INFORMATION

#### REFERENCES

Hazardous Substances Data Bank, National Library of Medicine, Bethesda, Maryland (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

Integrated Risk Information System, U.S. Environmental Protection Agency, Washington, D.C. (TOMES CPS™ CD-ROM Version),  
Micromedex, Inc., Englewood, CO.

Annual Report on Carcinogens, National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service.

Registry of Toxic Effects of Chemical Substances, National Institute for Occupational Safety and Health, Cincinnati, OH,  
(TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

The Teratogen Information System, University of Washington, Seattle, WA (TOMES CPS™ CD-ROM Version),  
Micromedex, Inc., Englewood, CO.

Revision Date : 24.06.2016  
Date of first issue : 24.06.2016  
Version Number : 1.0  
Prepared By : Regulatory Affairs

## **SAFETY DATA SHEET**

**NALCO® EC6733A**

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit [www.nalco.com](http://www.nalco.com) and request access.

## SAFETY DATA SHEET

**BREAXIT™ EC2034A**

### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : BREAXIT™ EC2034A

Other means of identification : Not applicable.

Recommended use : EMULSION BREAKER

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : ECOLAB PTY LTD  
2 Drake Avenue  
Macquarie Park NSW 2113  
Australia  
A.B.N. 59 000 449 990  
TEL: 1300 654 224  
FAX: +61 2 8870 8680

Emergency telephone number : 1800 205 506  
International: +64 7 958 2372

Issuing date : 17.06.2016

### Section: 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids : Category 2

Acute toxicity (Oral) : Category 4

Germ cell mutagenicity : Category 1B

Carcinogenicity : Category 1B

Specific target organ toxicity - single exposure : Category 1 (Eyes)

Specific target organ toxicity - single exposure : Category 3 (Respiratory system, Central Nervous System)

Aspiration hazard : Category 1

#### GHS Label element

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Highly flammable liquid and vapour.  
Harmful if swallowed.  
May be fatal if swallowed and enters airways.  
May cause respiratory irritation.  
May cause drowsiness or dizziness.  
May cause genetic defects.  
May cause cancer.  
Causes damage to organs (Eyes).

Precautionary Statements : **Prevention:**  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/ eye protection/ face

# SAFETY DATA SHEET

## BREAXIT™ EC2034A

protection. Use personal protective equipment as required.

### Response:

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. IF exposed: Call a POISON CENTER or doctor/ physician. Do NOT induce vomiting.

**Other hazards** : None known.

### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
Hydrotreated Heavy Naphtha	64742-48-9	10 - 30
Methanol	67-56-1	10 - 30
Heavy Aromatic Naphtha	64742-94-5	5 - 10
Ethylbenzene	100-41-4	1 - 5
Xylene	1330-20-7	1 - 5
Naphthalene	91-20-3	1 - 5

### Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water. Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and plenty of water. Get medical attention if symptoms occur.

If swallowed : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Aspiration hazard if swallowed - can enter lungs and cause damage. Get medical attention immediately.

Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand 0800 764 766).

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

### Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Foam  
Carbon dioxide  
Dry powder  
Other extinguishing agent suitable for Class B fires  
For large fires, use water spray or fog, thoroughly drenching the burning material.

## SAFETY DATA SHEET

### BREAXIT™ EC2034A

Unsuitable extinguishing media	: None known.
Specific hazards during firefighting	: Fire Hazard Keep away from heat and sources of ignition. Flash back possible over considerable distance. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides
Special protective equipment for firefighters	: Use personal protective equipment.
Specific extinguishing methods	: Use water spray to cool unopened containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Hazchem Code	: ●3YE

### Section: 6. ACCIDENTAL RELEASE MEASURES

Initial Emergency Response Guide No	: 14
Personal precautions, protective equipment and emergency procedures	: Ensure adequate ventilation. Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

### Section: 7. HANDLING AND STORAGE

Advice on safe handling	: Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Do not ingest. Keep away from fire, sparks and heated surfaces. Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Use only with adequate ventilation.
Conditions for safe storage	: Keep away from heat and sources of ignition. Keep in a cool, well-ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
Suitable material	: The following compatibility data is suggested based on similar product data and/or industry experience: Mild steel, Stainless Steel 316L, Stainless Steel 304, Aluminum, Hastelloy C-276, Nylon, Teflon, Kalrez, Compatibility with Plastic Materials can vary; we therefore recommend that compatibility is tested prior to use.

# SAFETY DATA SHEET

## BREXIT™ EC2034A

Unsuitable material : The following compatibility data is suggested based on similar product data and/or industry experience: Brass, Copper, Buna-N, Natural rubber, Polyethylene, Polypropylene, Plexiglass, Polyurethane, PVC, HDPE (high density polyethylene), Ethylene propylene, EPDM, Neoprene, Viton, Alfax, Hypalon, Viton

### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Hydrotreated Heavy Naphtha	64742-48-9	TWA	900 mg/m3	AU OEL
Hydrotreated Heavy Naphtha	64742-48-9	WES-TWA	300 ppm 890 mg/m3	NZ OEL
		WES-STEL	500 ppm 1,480 mg/m3	NZ OEL
Hydrotreated Heavy Naphtha	64742-48-9	TWA	500 ppm 2,000 mg/m3	OSHA Z1
Methanol	67-56-1	TWA	200 ppm 262 mg/m3	AU OEL
		VLE	250 ppm 328 mg/m3	AU OEL
Methanol	67-56-1	WES-TWA	200 ppm 262 mg/m3	NZ OEL
		WES-STEL	250 ppm 328 mg/m3	NZ OEL
Methanol	67-56-1	TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH
		TWA	200 ppm 260 mg/m3	NIOSH REL
		STEL	250 ppm 325 mg/m3	NIOSH REL
		TWA	200 ppm 260 mg/m3	OSHA Z1
Heavy Aromatic Naphtha	64742-94-5	TWA	500 ppm 2,000 mg/m3	OSHA Z1
		TWA	200 mg/m3 (as total hydrocarbon vapor)	ACGIH
Ethylbenzene	100-41-4	VLE	125 ppm 543 mg/m3	AU OEL
		TWA	100 ppm 434 mg/m3	AU OEL
Ethylbenzene	100-41-4	WES-STEL	125 ppm 543 mg/m3	NZ OEL
		WES-TWA	100 ppm 434 mg/m3	NZ OEL
Ethylbenzene	100-41-4	TWA	20 ppm	ACGIH
		TWA	100 ppm 435 mg/m3	NIOSH REL
		STEL	125 ppm 545 mg/m3	NIOSH REL
		TWA	100 ppm 435 mg/m3	OSHA Z1
Xylene	1330-20-7	TWA	80 ppm 350 mg/m3	AU OEL

# SAFETY DATA SHEET

## BREAXIT™ EC2034A

		VLE	150 ppm 655 mg/m <sup>3</sup>	AU OEL
Xylene	1330-20-7	WES-TWA	50 ppm 217 mg/m <sup>3</sup>	NZ OEL
Xylene	1330-20-7	TWA	100 ppm 435 mg/m <sup>3</sup>	OSHA Z1
		TWA	100 ppm	ACGIH
		STEL	150 ppm	ACGIH
Naphthalene	91-20-3	TWA	10 ppm 52 mg/m <sup>3</sup>	AU OEL
		VLE	15 ppm 79 mg/m <sup>3</sup>	AU OEL
Naphthalene	91-20-3	WES-TWA	10 ppm 52 mg/m <sup>3</sup>	NZ OEL
		WES-STEL	15 ppm 79 mg/m <sup>3</sup>	NZ OEL
Naphthalene	91-20-3	TWA	10 ppm	ACGIH
		TWA	10 ppm 50 mg/m <sup>3</sup>	NIOSH REL
		STEL	15 ppm 75 mg/m <sup>3</sup>	NIOSH REL
		TWA	10 ppm 50 mg/m <sup>3</sup>	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

### Personal protective equipment

Eye protection : Safety glasses

Hand protection : Wear protective gloves.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid

Colour : clear  
light yellow

Odour : hydrocarbon-like

Flash point : 11 °C, Method: ASTM D 56, Tag closed cup

pH : no data available

Odour Threshold : no data available

Melting point/freezing point : POUR POINT: -34.3 °C, <

## SAFETY DATA SHEET

### BREAXIT™ EC2034A

Initial boiling point and boiling range	: no data available
Evaporation rate	: no data available
Flammability (solid, gas)	: no data available
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Relative density	: 0.96, (15.6 °C),
Density	: 8 lb/gal
Water solubility	: dispersible
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition temperature	: no data available
Viscosity, dynamic	: no data available
Viscosity, kinematic	: 111 mm <sup>2</sup> /s (15.6 °C)
Molecular weight	: no data available
VOC	: no data available

#### Section: 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid, perchlorate, concentrated oxygen, permanganate) may generate heat, fires, explosions and/or toxic vapors.  Strong oxidizing agents
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides

#### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

##### Potential Health Effects

Eyes	: Health injuries are not known or expected under normal use.
Skin	: Health injuries are not known or expected under normal use.

## SAFETY DATA SHEET

### BREAXIT™ EC2034A

- Ingestion : Harmful if swallowed. May be fatal if swallowed and enters airways.
- Inhalation : Inhalation may cause central nervous system effects.
- Chronic Exposure : May cause damage to organs. Suspected of causing cancer.

#### Experience with human exposure

- Eye contact : No symptoms known or expected.
- Skin contact : No symptoms known or expected.
- Ingestion : Vomiting
- Inhalation : Dizziness, Drowsiness

#### Toxicity

##### Product

- Acute oral toxicity : Acute toxicity estimate: 821.26 mg/kg
- Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l  
Exposure time: 4 h
- Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg
- Skin corrosion/irritation : no data available
- Serious eye damage/eye irritation : no data available
- Respiratory or skin sensitization : no data available
- Carcinogenicity : This product contains ethylbenzene. The International Agency for Research on Cancer (IARC) has evaluated ethylbenzene and determined it to be possibly carcinogenic to humans (Group 2B, based on sufficient evidence in experimental animals and inadequate evidence in humans). This product contains naphthalene. The International Agency for Research on Cancer (IARC) has evaluated naphthalene and determined it to be possibly carcinogenic to humans (Group 2B, based on sufficient evidence in experimental animals and inadequate evidence in humans).
- Reproductive effects : No toxicity to reproduction
- Germ cell mutagenicity : May cause genetic defects.
- Teratogenicity : no data available
- STOT - single exposure : no data available
- STOT - repeated exposure : no data available
- Aspiration toxicity : May be fatal if swallowed and enters airways.

#### Human Hazard Characterization

Based on our hazard characterization, the potential human hazard is: High

### Section: 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

- Environmental Effects : This product has no known ecotoxicological effects.

## SAFETY DATA SHEET

### BREAXIT™ EC2034A

#### Product

- Toxicity to fish : LC50 Fish: 1 - 10 mg/l  
Exposure time: 96 hrs  
Test substance: Product (estimated)
- Toxicity to daphnia and other aquatic invertebrates : LC50 Daphnia magna: 1 - 10 mg/l  
Exposure time: 48 hrs  
Test substance: Product (estimated)
- Toxicity to algae : no data available

#### Components

- Toxicity to algae : Methanol  
EC50 : 22,000 mg/l  
Exposure time: 72 h

#### Components

- Toxicity to bacteria : Methanol  
> 1,000 mg/l

#### Components

- Toxicity to fish (Chronic toxicity) : Methanol  
NOEC: 7,900 mg/l  
Exposure time: 8.3 d

#### Persistence and degradability

no data available

#### Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

- Air : 10 - 30%  
Water : 10 - 30%  
Soil : 50 - 70%

The portion in water is expected to be soluble or dispersible.

#### Bioaccumulative potential

no data available

#### Other information

no data available

#### ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION

Based on our hazard characterization, the potential environmental hazard is: Low

### Section: 13. DISPOSAL CONSIDERATIONS

## SAFETY DATA SHEET

**BREAXIT™ EC2034A**

- Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

### Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport

- Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
Technical name(s): : Methanol, Ethylbenzene  
UN/ID No. : UN 1993  
Transport hazard class(es) : 3  
Packing group : II  
IERG No : 14  
Hazchem Code : ●3YE
- Special precautions for user : Dangerous goods of Class 3 (Flammable Liquid) are incompatible in a placard load with any of the following:  
Class 1 Explosives  
Class 2.1 Flammable gases  
Class 2.3 Poisonous gases  
Class 4.2 Spontaneously combustible substances  
Class 5.1 Oxidising agents  
Class 5.2 Organic peroxides  
Class 6 If the Class 3 substance is nitromethane  
Class 7 Radioactive substances

#### Air transport (IATA)

- UN/ID No. : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
Technical name(s) : Methanol, Ethylbenzene  
Transport hazard class(es) : 3  
Packing group : II

#### Sea transport (IMDG/IMO)

- UN/ID No. : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
Technical name(s) : Methanol, Ethylbenzene  
Transport hazard class(es) : 3  
Packing group : II  
Marine pollutant : Naphthalene, 1,2,4-Trimethylbenzene

### Section: 15. REGULATORY INFORMATION

- Standard for the Uniform Scheduling of Medicines and Poisons : Schedule 7

## SAFETY DATA SHEET

### BREAXIT™ EC2034A

#### INTERNATIONAL CHEMICAL CONTROL LAWS :

##### TOXIC SUBSTANCES CONTROL ACT (TSCA)

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

##### CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA)

The substances in this preparation are listed on the Domestic Substances List (DSL), are exempt, or have been reported in accordance with the New Substances Notification Regulations.

##### AUSTRALIA

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

##### CHINA

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

##### JAPAN

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

##### KOREA

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

##### PHILIPPINES

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

#### Section: 16. OTHER INFORMATION

#### REFERENCES

Hazardous Substances Data Bank, National Library of Medicine, Bethesda, Maryland (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

Integrated Risk Information System, U.S. Environmental Protection Agency, Washington, D.C. (TOMES CPS™ CD-ROM Version),  
Micromedex, Inc., Englewood, CO.

Annual Report on Carcinogens, National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service.

Registry of Toxic Effects of Chemical Substances, National Institute for Occupational Safety and Health, Cincinnati, OH,  
(TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

The Teratogen Information System, University of Washington, Seattle, WA (TOMES CPS™ CD-ROM Version),  
Micromedex, Inc., Englewood, CO.

Revision Date : 17.06.2016  
Date of first issue : 17.06.2016  
Version Number : 1.0  
Prepared By : Regulatory Affairs

## **SAFETY DATA SHEET**

**BREAXIT™ EC2034A**

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit [www.nalco.com](http://www.nalco.com) and request access.

## SAFETY DATA SHEET

**NALCO® EC9356A**

### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NALCO® EC9356A

Other means of identification : Not applicable.

Recommended use : HYDROGEN SULFIDE SCAVENGER

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : ECOLAB PTY LTD  
2 Drake Avenue  
Macquarie Park NSW 2113  
Australia  
A.B.N. 59 000 449 990  
TEL: 1300 654 224  
FAX: +61 2 8870 8680

Emergency telephone number : 1800 205 506  
International: +64 7 958 2372

Issuing date : 10.06.2016

### Section: 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids : Category 4  
Acute toxicity (Oral) : Category 4  
Skin corrosion/irritation : Category 1C  
Serious eye damage/eye irritation : Category 1  
Skin sensitization : Category 1  
Specific target organ toxicity - repeated exposure (Oral) : Category 2

#### GHS Label element

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : Combustible liquid  
Harmful if swallowed.  
Causes severe skin burns and eye damage.  
May cause an allergic skin reaction.  
May cause damage to organs through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace.  
**Response:**

# SAFETY DATA SHEET

**NALCO® EC9356A**

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. If skin irritation or rash occurs: Get medical advice/ attention. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Wash contaminated clothing before reuse.

**Storage:**

Store in a well-ventilated place. Keep cool. Store locked up.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

**Other hazards** : None known.

## Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
Hexahydro-1,3,5-Trimethyl-S-Triazine	108-74-7	10 - 30

## Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

If swallowed : Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand 0800 764 766).

Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

## Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Foam  
Carbon dioxide  
Dry powder  
Other extinguishing agent suitable for Class B fires  
For large fires, use water spray or fog, thoroughly drenching the burning

## SAFETY DATA SHEET

**NALCO® EC9356A**

material.

- Unsuitable extinguishing media : None known.
- Specific hazards during firefighting : Fire Hazard  
Keep away from heat and sources of ignition.  
Flash back possible over considerable distance.
- Hazardous combustion products : Decomposition products may include the following materials: Carbon oxides  
nitrogen oxides (NOx)
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Hazchem Code : 2X

### Section: 6. ACCIDENTAL RELEASE MEASURES

- Initial Emergency Response Guide No : 36
- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

### Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Do not ingest. Keep away from fire, sparks and heated surfaces. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation.
- Conditions for safe storage : Keep away from heat and sources of ignition. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Suitable material : Keep in properly labelled containers.
- Unsuitable material : not determined

### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

## SAFETY DATA SHEET

### NALCO® EC9356A

Contains no substances with occupational exposure limit values.

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

#### Personal protective equipment

Eye protection : Safety goggles  
Face-shield

Hand protection : Wear the following personal protective equipment:  
Standard glove type.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

#### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid

Colour : colourless

Odour : Pungent

Flash point : 90 °C, Method: ASTM D 93, Pensky-Martens closed cup

pH : 11, 100 %

Odour Threshold : no data available

Melting point/freezing point : MELTING POINT: -15 °C, ASTM D-97

Initial boiling point and boiling range : no data available

Evaporation rate : no data available

Flammability (solid, gas) : no data available

Upper explosion limit : no data available

Lower explosion limit : no data available

Vapour pressure : no data available

Relative vapour density : no data available

Relative density : 1.013, (15 °C),

Density : 8.42 lb/gal

Water solubility : completely soluble

Solubility in other solvents : no data available

Partition coefficient: n-octanol/water : no data available

## SAFETY DATA SHEET

### NALCO® EC9356A

Auto-ignition temperature	:	no data available
Thermal decomposition temperature	:	no data available
Viscosity, dynamic	:	no data available
Viscosity, kinematic	:	2.3 mm <sup>2</sup> /s (40 °C), Method: ASTM D 445
Molecular weight	:	no data available
VOC	:	no data available

#### Section: 10. STABILITY AND REACTIVITY

Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Contact with strong acids (e.g. sulfuric, phosphoric, nitric, hydrochloric, chromic, sulfonic) may generate heat, splattering or boiling and toxic vapors. Toxic gases may be released if in contact with the following: Acids Bases  Strong oxidizing agents
Hazardous decomposition products	:	Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NO <sub>x</sub> )

#### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

##### Potential Health Effects

Eyes	:	Causes serious eye damage.
Skin	:	Causes severe skin burns. May cause allergic skin reaction.
Ingestion	:	Harmful if swallowed. Causes digestive tract burns.
Inhalation	:	May cause nose, throat, and lung irritation.
Chronic Exposure	:	May cause damage to organs through prolonged or repeated exposure.

##### Experience with human exposure

Eye contact	:	Redness, Pain, Corrosion
Skin contact	:	Redness, Pain, Irritation, Corrosion, Allergic reactions
Ingestion	:	Corrosion, Abdominal pain
Inhalation	:	Respiratory irritation, Cough

## SAFETY DATA SHEET

**NALCO® EC9356A**

### Toxicity

#### Product

Acute oral toxicity	:	Acute toxicity estimate: 1,786 mg/kg
Acute inhalation toxicity	:	no data available
Acute dermal toxicity	:	no data available
Skin corrosion/irritation	:	no data available
Serious eye damage/eye irritation	:	no data available
Respiratory or skin sensitization	:	no data available
Carcinogenicity	:	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
Reproductive effects	:	No reproductive toxic effects expected.
Germ cell mutagenicity	:	Contains no ingredient listed as a mutagen
Teratogenicity	:	no data available
STOT - single exposure	:	no data available
STOT - repeated exposure	:	no data available
Aspiration toxicity	:	No aspiration toxicity classification

#### **Human Hazard Characterization**

Based on our hazard characterization, the potential human hazard is: High

### Section: 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Environmental Effects : This product has no known ecotoxicological effects.

#### **Product**

Toxicity to fish	:	no data available
Toxicity to daphnia and other aquatic invertebrates	:	no data available
Toxicity to algae	:	no data available

#### **Components**

Toxicity to fish : Hexahydro-1,3,5-Trimethyl-S-Triazine  
LC50 : > 1.908 mg/l  
Exposure time: 96 h

#### **Components**

Toxicity to daphnia and other aquatic invertebrates : Hexahydro-1,3,5-Trimethyl-S-Triazine  
LC50 : 20.352 mg/l  
Exposure time: 48 h

#### **Components**

Toxicity to algae : Hexahydro-1,3,5-Trimethyl-S-Triazine

# SAFETY DATA SHEET

**NALCO® EC9356A**

EC50 : 1.145 mg/l  
Exposure time: 72 h

## Persistence and degradability

The organic portion of this preparation is expected to be inherently biodegradable.

## Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air	:	<5%
Water	:	50 - 70%
Soil	:	30 - 50%

The portion in water is expected to be soluble or dispersible.

## Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

## Other information

no data available

## ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION

Based on our hazard characterization, the potential environmental hazard is: Low

## Section: 13. DISPOSAL CONSIDERATIONS

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

## Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

### Land transport

Proper shipping name	:	AMINES, LIQUID, CORROSIVE, N.O.S.
Technical name(s):	:	Substituted alkylamine
UN/ID No.	:	UN 2735
Transport hazard class(es)	:	8
Packing group	:	III
IERG No	:	36
Hazchem Code	:	2X

## SAFETY DATA SHEET

**NALCO® EC9356A**

Special precautions for user : Dangerous goods of Class 8 (Alkali) are incompatible in a placard load with any of the following:  
Class 1 Explosives  
Class 4.3 Dangerous when wet substances  
Class 5.1 Oxidising agents  
Class 5.2 Organic peroxides  
Class 7 Radioactive substances  
and are incompatible with food or food packaging in any quantity.

### Air transport (IATA)

UN/ID No. : UN 2735  
Proper shipping name : AMINES, LIQUID, CORROSIVE, N.O.S.  
Technical name(s) : Substituted alkylamine  
Transport hazard class(es) : 8  
Packing group : III

### Sea transport (IMDG/IMO)

UN/ID No. : UN 2735  
Proper shipping name : AMINES, LIQUID, CORROSIVE, N.O.S.  
Technical name(s) : Substituted alkylamine  
Transport hazard class(es) : 8  
Packing group : III

## Section: 15. REGULATORY INFORMATION

Standard for the Uniform : No poison schedule number allocated  
Scheduling of Medicines and  
Poisons

### INTERNATIONAL CHEMICAL CONTROL LAWS :

#### TOXIC SUBSTANCES CONTROL ACT (TSCA)

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

#### CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA)

The substances in this preparation are listed on the Domestic Substances List (DSL), are exempt, or have been reported in accordance with the New Substances Notification Regulations.

#### AUSTRALIA

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

#### CHINA

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

#### JAPAN

This product contains substance(s) which are not in compliance with the Law Regulating the Manufacture and Importation Of Chemical Substances and are not listed on the Existing and New Chemical Substances list (ENCS).

#### KOREA

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

## SAFETY DATA SHEET

**NALCO® EC9356A**

### NEW ZEALAND

All substances in this product comply with the Hazardous Substances and New Organisms (HSNO) Act 1996, and are listed on or are exempt from the New Zealand Inventory of Chemicals.

### PHILIPPINES

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

## Section: 16. OTHER INFORMATION

### REFERENCES

Hazardous Substances Data Bank, National Library of Medicine, Bethesda, Maryland (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

Integrated Risk Information System, U.S. Environmental Protection Agency, Washington, D.C. (TOMES CPS™ CD-ROM Version),  
Micromedex, Inc., Englewood, CO.

Annual Report on Carcinogens, National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service.

Registry of Toxic Effects of Chemical Substances, National Institute for Occupational Safety and Health, Cincinnati, OH,  
(TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

The Teratogen Information System, University of Washington, Seattle, WA (TOMES CPS™ CD-ROM Version),  
Micromedex, Inc., Englewood, CO.

Revision Date	: 10.06.2016
Date of first issue	: 10.06.2016
Version Number	: 1.0
Prepared By	: Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit [www.nalco.com](http://www.nalco.com) and request access.

## SAFETY DATA SHEET

**NALCO® EC9610A**

### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NALCO® EC9610A

Other means of identification : Not applicable.

Recommended use : CLEANER

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : ECOLAB PTY LTD  
2 Drake Avenue  
Macquarie Park NSW 2113  
Australia  
A.B.N. 59 000 449 990  
TEL: 1300 654 224  
FAX: +61 2 8870 8680

Emergency telephone number : 1800 205 506  
International: +64 7 958 2372

Issuing date : 27.06.2018

### Section: 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids : Category 4  
Acute toxicity (Oral) : Category 4  
Acute toxicity (Inhalation) : Category 4  
Acute toxicity (Dermal) : Category 4  
Skin corrosion/irritation : Category 2  
Serious eye damage/eye irritation : Category 2A

#### GHS Label element

Hazard pictograms :



Signal Word :

Warning

Hazard Statements :

Combustible liquid  
Harmful if swallowed, in contact with skin or if inhaled  
Causes skin irritation.  
Causes serious eye irritation.

Precautionary Statements :

**Prevention:**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wear protective gloves/ eye protection/ face protection. Wash skin thoroughly after handling.

**Response:**

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or doctor/ physician if you feel unwell.  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you

# SAFETY DATA SHEET

**NALCO® EC9610A**

feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse.

**Storage:**

Store in a well-ventilated place. Keep cool.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

**Other hazards** : None known.

## Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Substance

Chemical Name	CAS-No.	Concentration: (%)
2-Butoxyethanol	111-76-2	60 - 100

## Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand 0800 764 766).

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention immediately.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

## Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Foam  
Carbon dioxide  
Dry powder  
Other extinguishing agent suitable for Class B fires  
For large fires, use water spray or fog, thoroughly drenching the burning material.

Unsuitable extinguishing media : None known.

Specific hazards during firefighting : Fire Hazard  
Keep away from heat and sources of ignition.

# SAFETY DATA SHEET

**NALCO® EC9610A**

Flash back possible over considerable distance.

- Hazardous combustion products : Decomposition products may include the following materials: Carbon oxides
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

## Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

## Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid contact with skin and eyes. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Do not ingest. Keep away from fire, sparks and heated surfaces. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation.
- Conditions for safe storage : Keep away from heat and sources of ignition. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers.
- Suitable material : The following compatibility data is suggested based on similar product data and/or industry experience: Teflon, Kalrez, Perfluoroelastomer, TFE, HDPE (high density polyethylene), Aluminum, Mild steel, Carbon Steel C1018, Stainless Steel 304, Stainless Steel 316L, Hastelloy C-276, MDPE (medium density polyethylene)
- Unsuitable material : The following compatibility data is suggested based on similar product data and/or industry experience: Copper, Neoprene, Ethylene propylene, Polypropylene, Polyethylene, Nitrile, Plexiglass, EPDM, Alfax, Brass, Nylon, PVC, Buna-N, Natural rubber, Polyurethane, Hypalon, Viton

## Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
------------	---------	------------------	---------------------------	-------

## SAFETY DATA SHEET

### NALCO® EC9610A

2-Butoxyethanol	111-76-2	TWA	20 ppm 96.9 mg/m <sup>3</sup>	AU OEL
		VLE	50 ppm 242 mg/m <sup>3</sup>	AU OEL
2-Butoxyethanol	111-76-2	WES-TWA	25 ppm 121 mg/m <sup>3</sup>	NZ OEL
2-Butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m <sup>3</sup>	NIOSH REL
		TWA	50 ppm 240 mg/m <sup>3</sup>	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

#### Personal protective equipment

Eye protection : Safety goggles  
Face-shield

Hand protection : Wear the following personal protective equipment:  
Butyl gloves  
Gloves should be replaced immediately if signs of degradation are observed.

Skin protection : Wear suitable protective clothing.

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use and maintenance of respiratory protective equipment as applicable.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

#### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid

Colour : Colorless

Odour : Glycol Ether

Flash point : 71 °C, Method: ASTM D 93, Pensky-Martens closed cup

pH : no data available

Odour Threshold : no data available

Melting point/freezing point : Freezing Point: -71 °C, ASTM D-1177

Initial boiling point and boiling range : 171 °C, (760 mm Hg), Method: ASTM D 86

Evaporation rate : no data available

Flammability (solid, gas) : no data available

Upper explosion limit : 10.6 V%

Lower explosion limit : 1.1 V%

Vapour pressure : 0.6 mm Hg, (20 °C), ASTM D 323,

## SAFETY DATA SHEET

### NALCO® EC9610A

Relative vapour density	: 1(Air = 1)
Relative density	: 0.89 - 0.91, (16 °C), ASTM D-1298
Density	: 7.4 - 7.6 lb/gal
Water solubility	: completely soluble
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: 244 °C
Thermal decomposition	: no data available
Viscosity, dynamic	: no data available
Viscosity, kinematic	: 2.53 mm <sup>2</sup> /s (38 °C)
Molecular weight	: no data available
VOC	: no data available

### Section: 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

Eyes	: Causes serious eye irritation.
Skin	: Harmful in contact with skin. Causes skin irritation.
Ingestion	: Harmful if swallowed.
Inhalation	: Harmful if inhaled.
Chronic Exposure	: Health injuries are not known or expected under normal use.

#### Experience with human exposure

Eye contact	: Redness, Pain, Irritation
Skin contact	: Redness, Irritation
Ingestion	: Vomiting

## SAFETY DATA SHEET

### NALCO® EC9610A

Inhalation : Respiratory irritation, Cough

#### Toxicity

#### Product

Acute oral toxicity : Acute toxicity estimate: 1,500 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 11 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : Acute toxicity estimate: 1,100 mg/kg

Skin corrosion/irritation : no data available

Serious eye damage/eye irritation : no data available

Respiratory or skin sensitization : no data available

Carcinogenicity : No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive effects : No toxicity to reproduction

Germ cell mutagenicity : Contains no ingredient listed as a mutagen

Teratogenicity : no data available

STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : No aspiration toxicity classification

#### Human Hazard Characterization

Based on our hazard characterization, the potential human hazard is: Moderate

### Section: 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

#### Product

Toxicity to fish : LC50 Bluegill Sunfish: > 1,000 mg/l  
Exposure time: 96 hrs  
Test substance: Product

LC50 Inland Silverside: > 1,000 mg/l  
Exposure time: 96 hrs  
Test substance: Product

LC50 Mosquito Fish (Gambusia spp.): > 1,000 mg/l  
Exposure time: 96 hrs  
Test substance: Product

Toxicity to daphnia and other aquatic invertebrates : LC50 Acartia tonsa: 730 mg/l  
Exposure time: 48 hrs  
Test substance: Product

Toxicity to algae : EC50 Marine Algae (Skeletonema costatum): 109 mg/l

# SAFETY DATA SHEET

**NALCO® EC9610A**

Exposure time: 72 hrs  
Test substance: Product

## Components

Toxicity to bacteria : 2-Butoxyethanol  
463 mg/l

## Components

Toxicity to fish (Chronic toxicity) : 2-Butoxyethanol  
NOEC: > 100 mg/l  
Exposure time: 21 d

## Components

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : 2-Butoxyethanol  
NOEC: > 100 mg/l  
Exposure time: 21 d

## Persistence and degradability

The organic portion of this preparation is expected to be readily biodegradable.

## Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5%  
Water : 50 - 70%  
Soil : 30 - 50%

The portion in water is expected to float on the surface.

## Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

## Other information

no data available

## ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION

Based on our hazard characterization, the potential environmental hazard is: Low

## Section: 13. DISPOSAL CONSIDERATIONS

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or

## SAFETY DATA SHEET

**NALCO® EC9610A**

disposal. Do not re-use empty containers.

### Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport

Proper shipping name : Not Regulated for Transport except by Road in Bulk (Combustible Liquid)  
Special precautions for user : This product is classified as a combustible liquid and is not regulated for transport unless transported in bulk aboard a vehicle at the same time as a Class 3 dangerous goods - in bulk or as packaged goods with an aggregate quantity exceeding 1000 litres. Refer to the Australian Code for the Transport of Dangerous Goods by Road and Rail for specific details.

#### Air transport (IATA)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

#### Sea transport (IMDG/IMO)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

### Section: 15. REGULATORY INFORMATION

Standard for the Uniform Scheduling of Medicines and Poisons : Schedule 6

#### INTERNATIONAL CHEMICAL CONTROL LAWS :

##### United States TSCA Inventory

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

##### Australia. Industrial Chemical (Notification and Assessment) Act

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

##### Canadian Domestic Substances List (DSL)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

##### Japan. ENCS - Existing and New Chemical Substances Inventory

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

##### Korea. Korean Existing Chemicals Inventory (KECI)

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

##### Philippines Inventory of Chemicals and Chemical Substances (PICCS)

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

## SAFETY DATA SHEET

### NALCO® EC9610A

#### China Inventory of Existing Chemical Substances

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

#### New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand

All substances in this product comply with the Hazardous Substances and New Organisms (HSNO) Act 1996, and are listed on or are exempt from the New Zealand Inventory of Chemicals.

#### Taiwan Chemical Substance Inventory

All substances in this product comply with the Taiwan Existing Chemical Substances Inventory (ECSI).

### Section: 16. OTHER INFORMATION

#### REFERENCES

Hazardous Substances Data Bank, National Library of Medicine, Bethesda, Maryland (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

Integrated Risk Information System, U.S. Environmental Protection Agency, Washington, D.C. (TOMES CPS™ CD-ROM Version),  
Micromedex, Inc., Englewood, CO.

Annual Report on Carcinogens, National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service.

Registry of Toxic Effects of Chemical Substances, National Institute for Occupational Safety and Health, Cincinnati, OH,  
(TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

The Teratogen Information System, University of Washington, Seattle, WA (TOMES CPS™ CD-ROM Version),  
Micromedex, Inc., Englewood, CO.

Revision Date : 27.06.2018  
Date of first issue : 10.06.2016  
Version Number : 1.2  
Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit [www.nalco.com](http://www.nalco.com) and request access.

## SAFETY DATA SHEET

**BREAXIT™ EC2211A**

### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : BREAXIT™ EC2211A

Other means of identification : Not applicable.

Recommended use : DEMULSIFIER

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : ECOLAB PTY LTD  
2 Drake Avenue  
Macquarie Park NSW 2113  
Australia  
A.B.N. 59 000 449 990  
TEL: 1300 654 224  
FAX: +61 2 8870 8680

Emergency telephone number : 1800 205 506  
International: +64 7 958 2372

Issuing date : 17.06.2016

### Section: 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids : Category 4  
Carcinogenicity : Category 2  
Aspiration hazard : Category 1

#### GHS Label element

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Combustible liquid  
May be fatal if swallowed and enters airways.  
Suspected of causing cancer.

Precautionary Statements : **Prevention:**  
Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Wear protective gloves/ eye protection/ face protection. Use personal protective equipment as required.  
**Response:**  
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF exposed or concerned: Get medical advice/attention. Do NOT induce vomiting.  
**Storage:**  
Store locked up.  
**Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

# SAFETY DATA SHEET

## BREAXIT™ EC2211A

### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
Heavy Aromatic Naphtha	64742-94-5	30 - 60
Naphthalene	91-20-3	5 - 10
1,2,4-Trimethylbenzene	95-63-6	1 - 5

### Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water. Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and plenty of water. Get medical attention if symptoms occur.

If swallowed : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Aspiration hazard if swallowed - can enter lungs and cause damage. Get medical attention immediately.

Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand 0800 764 766).

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

### Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Foam  
Carbon dioxide  
Dry powder  
Other extinguishing agent suitable for Class B fires  
For large fires, use water spray or fog, thoroughly drenching the burning material.

Unsuitable extinguishing media : High volume water jet

Specific hazards during firefighting : Fire Hazard  
Keep away from heat and sources of ignition.  
Flash back possible over considerable distance.

Hazardous combustion products : Decomposition products may include the following materials: Carbon oxides  
nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

Special protective equipment for firefighters : Use personal protective equipment.

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water

# SAFETY DATA SHEET

**BREAXIT™ EC2211A**

must be disposed of in accordance with local regulations.

Hazchem Code : ●3Z

## Section: 6. ACCIDENTAL RELEASE MEASURES

Initial Emergency Response : 47  
Guide No

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Do not flush into surface water or sanitary sewer system.

## Section: 7. HANDLING AND STORAGE

Advice on safe handling : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from fire, sparks and heated surfaces. Wash hands thoroughly after handling.

Conditions for safe storage : Keep away from heat and sources of ignition. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Suitable material : Keep in properly labelled containers.

Unsuitable material : not determined

## Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Heavy Aromatic Naphtha	64742-94-5	TWA	500 ppm 2,000 mg/m <sup>3</sup>	OSHA Z1
		TWA	200 mg/m <sup>3</sup> (as total hydrocarbon vapor)	ACGIH
Naphthalene	91-20-3	TWA	10 ppm 52 mg/m <sup>3</sup>	AU OEL
		VLE	15 ppm 79 mg/m <sup>3</sup>	AU OEL
Naphthalene	91-20-3	WES-TWA	10 ppm 52 mg/m <sup>3</sup>	NZ OEL
		WES-STEL	15 ppm 79 mg/m <sup>3</sup>	NZ OEL
Naphthalene	91-20-3	TWA	10 ppm	ACGIH
		TWA	10 ppm 50 mg/m <sup>3</sup>	NIOSH REL

## SAFETY DATA SHEET

### BREAXIT™ EC2211A

		STEL	15 ppm 75 mg/m <sup>3</sup>	NIOSH REL
		TWA	10 ppm 50 mg/m <sup>3</sup>	OSHA Z1
1,2,4-Trimethylbenzene	95-63-6	TWA	25 ppm 123 mg/m <sup>3</sup>	AU OEL
1,2,4-Trimethylbenzene	95-63-6	WES-TWA	25 ppm 123 mg/m <sup>3</sup>	NZ OEL
1,2,4-Trimethylbenzene	95-63-6	TWA	25 ppm 125 mg/m <sup>3</sup>	NIOSH REL
		TWA	25 ppm	ACGIH

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

#### Personal protective equipment

Eye protection : Safety goggles  
Face-shield

Hand protection : Wear the following personal protective equipment:  
Standard glove type.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

#### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid

Colour : black

Odour : hydrocarbon-like

Flash point : 68.3 °C, Method: ASTM D 93, Pensky-Martens closed cup

pH : no data available

Odour Threshold : no data available

Melting point/freezing point : FREEZING POINT: -17.78 °C

Initial boiling point and boiling range : no data available

Evaporation rate : no data available

Flammability (solid, gas) : no data available

Upper explosion limit : no data available

Lower explosion limit : no data available

Vapour pressure : 10.3 mm Hg, (37.8 °C),

Relative vapour density : no data available

Relative density : 0.93 - 0.97, (15.6 °C), ASTM D-1298

## SAFETY DATA SHEET

### BREAXIT™ EC2211A

Density	:	7.7 - 8.1 lb/gal
Water solubility	:	insoluble
Solubility in other solvents	:	no data available
Partition coefficient: n-octanol/water	:	no data available
Auto-ignition temperature	:	no data available
Thermal decomposition temperature	:	no data available
Viscosity, dynamic	:	21 mPa.s (23.9 °C)
Viscosity, kinematic	:	no data available
Molecular weight	:	no data available
VOC	:	no data available

### Section: 10. STABILITY AND REACTIVITY

Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid, perchlorate, concentrated oxygen, permanganate) may generate heat, fires, explosions and/or toxic vapors.  Strong oxidizing agents
Hazardous decomposition products	:	Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

Eyes	:	Health injuries are not known or expected under normal use.
Skin	:	Health injuries are not known or expected under normal use.
Ingestion	:	May be fatal if swallowed and enters airways.
Inhalation	:	Health injuries are not known or expected under normal use.
Chronic Exposure	:	Suspected of causing cancer.

#### Experience with human exposure

Eye contact : No symptoms known or expected.

## SAFETY DATA SHEET

### BREAXIT™ EC2211A

- Skin contact : slight irritation
- Ingestion : Vomiting
- Inhalation : No symptoms known or expected.

#### Toxicity

##### Product

- Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
- Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l  
Exposure time: 4 h
- Acute dermal toxicity : no data available
- Skin corrosion/irritation : no data available
- Serious eye damage/eye irritation : Result: Mild eye irritation
- Respiratory or skin sensitization : no data available
- Carcinogenicity : This product contains naphthalene. The International Agency for Research on Cancer (IARC) has evaluated naphthalene and determined it to be possibly carcinogenic to humans (Group 2B, based on sufficient evidence in experimental animals and inadequate evidence in humans).
- Reproductive effects : No toxicity to reproduction
- Germ cell mutagenicity : Based on available data, the classification criteria are not met.
- Teratogenicity : no data available
- STOT - single exposure : no data available
- STOT - repeated exposure : no data available
- Aspiration toxicity : May be fatal if swallowed and enters airways.

#### Human Hazard Characterization

Based on our hazard characterization, the potential human hazard is: High

### Section: 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

- Environmental Effects : This product has no known ecotoxicological effects.

#### Product

- Toxicity to fish : no data available
- Toxicity to daphnia and other aquatic invertebrates : no data available
- Toxicity to algae : no data available

#### Components

- Toxicity to fish : Heavy Aromatic Naphtha  
LC50 Oncorhynchus mykiss (rainbow trout): 3.5 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

**BREAXIT™ EC2211A**

## Persistence and degradability

no data available

## Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air	:	10 - 30%
Water	:	30 - 50%
Soil	:	30 - 50%

## Bioaccumulative potential

no data available

## Other information

no data available

## ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION

Based on our hazard characterization, the potential environmental hazard is: Low

## Section: 13. DISPOSAL CONSIDERATIONS

Disposal methods	:	The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
Disposal considerations	:	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

## Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

### Land transport

Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Technical name(s):	:	Naphthalene, 1,2,4-Trimethylbenzene
UN/ID No.	:	UN 3082
Transport hazard class(es)	:	9
Packing group	:	III
IERG No	:	47
Hazchem Code	:	●3Z
Special precautions for user	:	Dangerous goods of Class 9 (Miscellaneous - fire risk)

## SAFETY DATA SHEET

**BREAXIT™ EC2211A**

substance, or combustible liquid) are incompatible in a placard load with any of the following:

- Class 1 Explosives
- Class 5.1 Oxidising agents
- Class 5.2 Organic peroxides

### Air transport (IATA)

UN/ID No. : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
Technical name(s) : Naphthalene, 1,2,4-Trimethylbenzene  
Transport hazard class(es) : 9  
Packing group : III

### Sea transport (IMDG/IMO)

UN/ID No. : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
Technical name(s) : Naphthalene, 1,2,4-Trimethylbenzene  
Transport hazard class(es) : 9  
Packing group : III  
Marine pollutant : Naphthalene, 1,2,4-Trimethylbenzene

## Section: 15. REGULATORY INFORMATION

Standard for the Uniform : Schedule 6  
Scheduling of Medicines and  
Poisons

### INTERNATIONAL CHEMICAL CONTROL LAWS :

#### TOXIC SUBSTANCES CONTROL ACT (TSCA)

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

#### CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA)

The substances in this preparation are listed on the Domestic Substances List (DSL), are exempt, or have been reported in accordance with the New Substances Notification Regulations.

#### AUSTRALIA

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

#### CHINA

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

#### JAPAN

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

#### KOREA

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

#### PHILIPPINES

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

# SAFETY DATA SHEET

**BREAXIT™ EC2211A**

## Section: 16. OTHER INFORMATION

### REFERENCES

Hazardous Substances Data Bank, National Library of Medicine, Bethesda, Maryland (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

Integrated Risk Information System, U.S. Environmental Protection Agency, Washington, D.C. (TOMES CPS™ CD-ROM Version),  
Micromedex, Inc., Englewood, CO.

Annual Report on Carcinogens, National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service.

Registry of Toxic Effects of Chemical Substances, National Institute for Occupational Safety and Health, Cincinnati, OH,  
(TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

The Teratogen Information System, University of Washington, Seattle, WA (TOMES CPS™ CD-ROM Version),  
Micromedex, Inc., Englewood, CO.

Revision Date : 17.06.2016  
Date of first issue : 17.06.2016  
Version Number : 1.0  
Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit [www.nalco.com](http://www.nalco.com) and request access.

Product Name **HYDROCHLORIC ACID 32% (COOGEE CHEMICALS)**

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Supplier Name** COOGEE CHEMICALS  
**Address** Cnr of Patterson and Kwinana Beach Roads, Kwinana, WA, AUSTRALIA, 6167  
**Telephone** (08) 9439 8200  
**Fax** (08) 9439 8300  
**Emergency** 1800 800 655  
**Email** businessrelations@coogee.com.au  
**Web Site** http://www.coogee.com.au

**Synonym(s)** 9178 - PRODUCT CODE • COOGEE HYDROCHLORIC ACID 32% • HCL • HYDROCHLORIC ACID 32% • HYDROCHLORIC ACID 32% (NUFARM) (FORMERLY) • MURIATIC ACID • SPIRITS OF SALTS

**Use(s)** ACIDIFIER • CHEMICAL INTERMEDIATE • LABORATORY REAGENT • PICKLING AND ANODISING METALS • SCALE REMOVER

## 2. HAZARDS IDENTIFICATION

CLASSIFIED AS HAZARDOUS ACCORDING TO ASCC CRITERIA

### RISK PHRASES

R34 Causes burns.  
R37 Irritating to respiratory system.

### SAFETY PHRASES

S1/2 Keep locked up and out of reach of children.  
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice  
S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.  
S45 In case of accident or if you feel unwell seek medical advice immediately (show the label where possible).  
S9 Keep container in a well ventilated place.

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

<b>UN No.</b>	1789	<b>DG Class</b>	8	<b>Subsidiary Risk(s)</b>	None Allocated
<b>Packing Group</b>	II	<b>Hazchem Code</b>	2R	<b>EPG</b>	8A1

## 3. COMPOSITION/ INFORMATION ON INGREDIENTS

Ingredient	Formula	CAS No.	Content
HYDROCHLORIC ACID	H-Cl	7647-01-0	32%
WATER	H <sub>2</sub> O	7732-18-5	remainder

## 4. FIRST AID MEASURES

**Eye** If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

**Inhalation** If inhaled, remove from contaminated area. To protect rescuer, use a Full-face Type B (Inorganic and acid gas) respirator or an Air-line respirator (in poorly ventilated areas). Apply artificial respiration if not breathing.

**Skin** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

**Ingestion** For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed, do not induce vomiting.

**Advice to Doctor** CORROSIVE POISONING TREATMENT: Immediate treatment preferably in a hospital is mandatory. It is also important to attempt to discover the chemical substances ingested. In treating corrosive poisoning, DO NOT INDUCE VOMITING; DO NOT ATTEMPT GASTRIC LAVAGE; and DO NOT ATTEMPT TO NEUTRALISE THE CORROSIVE SUBSTANCE. Vomiting will increase the severity of damage to the oesophagus as the corrosive substance will again come in contact with it. Attempting gastric lavage may result in perforating either the oesophagus or stomach.

Product Name **HYDROCHLORIC ACID 32% (COOGEE CHEMICALS)**

Immediately dilute the corrosive substance by having the patient drink milk or water. If the trachea has been damaged tracheostomy may be required. For oesophageal burns begin broad-spectrum antibiotics and corticosteroid therapy. Intravenous fluids will be required if oesophageal or gastric damage prevents ingestion of liquids. Long-range therapy will be directed toward preventing or treating oesophageal scars and strictures.

**First Aid Facilities** Eye wash facilities and safety shower should be available.

## 5. FIRE FIGHTING MEASURES

<b>Flammability</b>	Non flammable. May evolve toxic gases (chlorides) when heated to decomposition. May evolve flammable hydrogen gas when in contact with some metals.
<b>Fire and Explosion</b>	Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.
<b>Extinguishing</b>	Prevent contamination of drains or waterways.
<b>Hazchem Code</b>	2R

## 6. ACCIDENTAL RELEASE MEASURES

<b>Spillage</b>	Contact emergency services where appropriate. Use personal protective equipment. Clear area of all unprotected personnel. Ventilate area where possible. Contain spillage, then cover / absorb spill with sodium bicarbonate or 50 -50 mixture of sodium carbonate and calcium hydroxide. Collect for complete neutralisation and appropriate disposal.
-----------------	---

## 7. STORAGE AND HANDLING

<b>Storage</b>	Store in secured, cool, dry, well ventilated area, removed from oxidising agents, alkalis, most metals, alcohols, acids, dinitroaniline, cyanides, sulphides, heat or ignition sources and foodstuffs. Ensure containers are labelled, protected from physical damage and sealed when not in use. Check regularly for leaks or spills. Large storage areas should have appropriate ventilation systems. Also store removed from amines.
<b>Handling</b>	Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.


## 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Exposure Stds	Ingredient	Reference	TWA		STEL	
			ppm	mg/m3	ppm	mg/m3
	Hydrogen chloride (Hydrochloric acid)	ASCC (AUS)	5.0	7.5	--	--

**Biological Limits** No biological limit allocated.

**Engineering Controls** Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended. Maintain vapour levels below the recommended exposure standard.

**PPE** Wear splash-proof goggles, a PVC apron, rubber boots, full-length rubber or full-length PVC gloves, a faceshield and coveralls. Wear full-length PVC or full-length rubber gloves, splash-proof goggles, a PVC apron, rubber boots, full PVC coveralls (or better) and a faceshield. Where an inhalation risk exists, wear: a Full-face Type B (Inorganic and Acid gas) or an Air-line respirator.



## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Product Name**      **HYDROCHLORIC ACID 32% (COOGEE CHEMICALS)**

<b>Appearance</b>	COLOURLESS TO SLIGHTLY YELLOW LIQUID	<b>Solubility (Water)</b>	SOLUBLE
<b>Odour</b>	PUNGENT ODOUR	<b>Specific Gravity</b>	1.161
<b>pH</b>	< 1	<b>% Volatiles</b>	100 %
<b>Vapour Pressure</b>	18 mm Hg @ 20°C	<b>Flammability</b>	NON FLAMMABLE
<b>Vapour Density</b>	1.3 (Air = 1)	<b>Flash Point</b>	NOT RELEVANT
<b>Boiling Point</b>	109°C	<b>Upper Explosion Limit</b>	NOT RELEVANT
<b>Melting Point</b>	< -20°C	<b>Lower Explosion Limit</b>	NOT RELEVANT
<b>Evaporation Rate</b>	AS FOR WATER		

**10. STABILITY AND REACTIVITY**

**Chemical Stability** Stable under recommended conditions of storage.

**Conditions to Avoid** Avoid heat, sparks, open flames and other ignition sources.

**Material to Avoid** Incompatible with oxidising agents (eg. hypochlorites), alkalis (eg. hydroxides), most metals, acids (eg. nitric acid), alcohols, dinitroanilines, cyanides, sulphides and heat sources. Corrodes most materials when moist. Also incompatible with amines.

**Decomposition** May evolve toxic gases (chlorides) when heated to decomposition.

**Hazardous Reactions** Polymerization is not expected to occur.

**11. TOXICOLOGICAL INFORMATION**

**Health Hazard Summary** Highly corrosive. This product has the potential to cause serious adverse health effects. Use safe work practices to avoid eye or skin contact and inhalation. Over exposure may result in severe skin, eye and respiratory burns with permanent lung and tissue damage. Upon dilution, the potential for adverse health effects may be reduced.

**Eye** Highly corrosive. Contact may result in irritation, lacrimation, pain, redness, conjunctivitis and corneal burns with possible permanent damage.

**Inhalation** Toxic - corrosive. Over exposure may result in irritation of the nose and throat, coughing and bronchitis. High level exposure may result in intense thirst, ulceration, lung tissue damage, chemical pneumonitis and pulmonary oedema. Effects may be delayed.

**Skin** Highly corrosive. Contact may result in irritation, redness, pain, rash, dermatitis, blistering and severe burns. May cause discolouration of the skin. Effects may be delayed.

**Ingestion** Highly corrosive. Ingestion may result in burns to the mouth and throat, nausea, vomiting, abdominal pain and diarrhoea. Ingestion of large quantities may result in ulceration, unconsciousness, convulsions and death.

**Toxicity Data** HYDROCHLORIC ACID (7647-01-0)  
LC50 (Inhalation): 1108ppm/1 hour (human - respiratory irritation)  
LCLo (Inhalation): 1300 ppm/30 minutes (human)  
LD50 (Ingestion): 900 mg/kg (rabbit)  
LDLo (Ingestion): 81 mg/kg (man)  
TCLo (Inhalation): 450 mg/m<sup>3</sup>/1 hour (pregnant rat - teratogenic effects)

**12. ECOLOGICAL INFORMATION**

**Environment** If hydrochloric acid is spilled on soil, it will infiltrate. During its transport through soil, the acid will dissolve some of the soil material, in particular carbonates, and will be neutralised to some degree. However, significant amounts of acid are expected to remain for transport down to groundwater. Toxic to aquatic invertebrates at low levels (LC50: 1.21 ppm/96 hours).

**13. DISPOSAL CONSIDERATIONS**

**Waste Disposal** Wearing the protective equipment detailed above, neutralise to pH 6-8 by SLOW addition to a saturated sodium bicarbonate solution or similar basic solution. Dilute with excess water and flush to drain. Waste disposal should only be undertaken in a well ventilated area.

**Legislation** Dispose of in accordance with relevant local legislation.

Product Name **HYDROCHLORIC ACID 32% (COOGEE CHEMICALS)****14. TRANSPORT INFORMATION**

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

<b>Shipping Name</b>	HYDROCHLORIC ACID				
<b>UN No.</b>	1789	<b>DG Class</b>	8	<b>Subsidiary Risk(s)</b>	None Allocated
<b>Packing Group</b>	II	<b>Hazchem Code</b>	2R	<b>EPG</b>	8A1

**15. REGULATORY INFORMATION**

**Poison Schedule** Classified as a Schedule 6 (S6) Poison using the criteria in the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

**AICS** All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

**16. OTHER INFORMATION**

**Additional Information** RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

ACIDS: When mixing acids with water (diluting), caution must be taken as heat will be generated which causes violent spattering. Always add a small volume of acid to a large volume of water, NEVER the reverse.

## ABBREVIATIONS:

ADB - Air-Dry Basis.

BEI - Biological Exposure Indice(s)

CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds.

CNS - Central Nervous System.

EINECS - European INventory of Existing Commercial chemical Substances.

IARC - International Agency for Research on Cancer.

M - moles per litre, a unit of concentration.

mg/m<sup>3</sup> - Milligrams per cubic metre.

NOS - Not Otherwise Specified.

NTP - National Toxicology Program.

OSHA - Occupational Safety and Health Administration.

pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).

ppm - Parts Per Million.

RTECS - Registry of Toxic Effects of Chemical Substances.

TWA/ES - Time Weighted Average or Exposure Standard.

## HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Chem Alert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

## PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this Chem Alert report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

COLOUR RATING SYSTEM: RMT has assigned all Chem Alert reports a colour rating of Green, Amber or Red for the sole purpose of providing users with a quick and easy means of determining the hazardous nature of a product. Safe handling recommendations are provided in all Chem Alert reports so as to clearly identify how users

**Product Name**     **HYDROCHLORIC ACID 32% (COOGEE CHEMICALS)**

can control the hazards and thereby reduce the risk (or likelihood) of adverse effects. As a general guideline, a Green colour rating indicates a low hazard, an Amber colour rating indicates a moderate hazard and a Red colour rating indicates a high hazard.

While all due care has been taken by RMT in the preparation of the Colour Rating System, it is intended as a guide only and RMT does not provide any warranty in relation to the accuracy of the Colour Rating System. As far as is lawfully possible, RMT accepts no liability or responsibility whatsoever for the actions or omissions of any person in reliance on the Colour Rating System.

**Report Status**     This Chem Alert report has been independently compiled by RMT's scientific department utilising the original Material Safety Data Sheet ('MSDS') for the product provided to RMT by the manufacturer. The information is based on the latest chemical and toxicological research and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue.

This Chem Alert report does not constitute the manufacturer's original MSDS and is not intended to be a replacement for same. It is provided to subscribers of Chem Alert as a reference tool only, is not all-inclusive and does not represent any guarantee as to the properties of the product. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer.

While RMT has taken all due care to include accurate and up-to-date information in this Chem Alert report, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this Chem Alert report.

**Prepared By**     Risk Management Technologies  
5 Ventnor Ave, West Perth  
Western Australia 6005  
Phone: +61 8 9322 1711  
Fax: +61 8 9322 1794  
Email: info@rmt.com.au  
Web: www.rmt.com.au

**Last Reviewed:** 16 Jul 2010

**Date Printed:** 19 Jul 2010

**End of Report**

## SAFETY DATA SHEET

### ACETIC ACID

Product Trade Name:

Revision Date: 04-Oct-2016

Revision Number: 30

#### 1. Identification

##### 1.1. Product Identifier

Product Trade Name: ACETIC ACID  
Synonyms: None  
Chemical Family: Organic acid  
Internal ID Code: HM001728

##### 1.2 Recommended use and restrictions on use

Application: Acid  
Uses advised against: No information available

##### 1.3 Manufacturer's Name and Contact Details

###### Manufacturer/Supplier

Halliburton Energy Services Inc.  
P.O. Box 1431  
Duncan, Oklahoma 73536-0431  
Emergency Telephone: 1-866-519-4752 (US, Canada, Mexico) or 1-760-476-3962  
Halliburton Energy Services  
645 - 7th Ave SW Suite 1800  
Calgary, AB  
T2P 4G8  
Canada

###### Prepared By

Chemical Stewardship  
Telephone: 1-281-871-6107  
e-mail: fdunexchem@halliburton.com

##### 1.4. Emergency telephone number

Emergency Telephone Number: 1-866-519-4752 or 1-760-476-3962

#### 2. Hazard Identification

##### 2.1 Classification of the substance or mixture

Skin Corrosion / Irritation	Category 1 - H314
Serious Eye Damage/Irritation	Category 1 - H318
Specific Target Organ Toxicity - (Single Exposure)	Category 3 - H335
Flammable liquids.	Category 3 - H226

##### 2.2. Label Elements

###### Hazard Pictograms



**Signal Word:** Danger

**Hazard Statements**  
 H226 - Flammable liquid and vapor  
 H314 - Causes severe skin burns and eye damage  
 H318 - Causes serious eye damage  
 H335 - May cause respiratory irritation

**Precautionary Statements**

**Prevention**  
 P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
 P233 - Keep container tightly closed  
 P240 - Ground/Bond container and receiving equipment  
 P241 - Use explosion-proof electrical/ventilating/lighting/equipment  
 P242 - Use only non-sparking tools  
 P243 - Take precautionary measures against static discharge  
 P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
 P264 - Wash face, hands and any exposed skin thoroughly after handling  
 P271 - Use only outdoors or in a well-ventilated area  
 P280 - Wear protective gloves/eye protection/face protection

**Response**  
 P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting  
 P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower  
 P363 - Wash contaminated clothing before reuse  
 P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 P310 - Immediately call a POISON CENTER or doctor/physician  
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 P370 + P378 - In case of fire: Use water spray for extinction

**Storage**  
 P403 + P233 - Store in a well-ventilated place. Keep container tightly closed  
 P403 + P235 - Store in a well-ventilated place. Keep cool  
 P405 - Store locked up

**Disposal**  
 P501 - Dispose of contents/container in accordance with local/regional/national/international regulations

**2.3 Other hazards which do not result in classification**

None known

**3. Composition/information on Ingredients**

Substances	CAS Number	PERCENT (w/w)	GHS Classification - Canada	HMIRA Registry Number	Filing Date	Decision Granted Date
Acetic acid	64-19-7	30 - 40%	Skin Corr. 1A (H314)	Not applicable	Not	Not

			Eye Corr. 1 (H318) STOT SE 3 (H335) Flam. Liq. 3 (H226)		applicable	applicable
--	--	--	---	--	------------	------------

## 4. First aid measures

### 4.1. Description of first aid measures

<b>Inhalation</b>	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
<b>Eyes</b>	Immediately flush eyes with large amounts of water for at least 30 minutes. Seek prompt medical attention.
<b>Skin</b>	In case of contact, immediately flush skin with plenty of soap and water for at least 30 minutes and remove contaminated clothing, shoes and leather goods immediately. Get medical attention immediately. Remove contaminated clothing and launder before reuse.
<b>Ingestion</b>	Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical attention.

### 4.2 Most important symptoms/effects, acute and delayed

Causes severe eye irritation which may damage tissue. Causes severe skin irritation with tissue destruction. May cause respiratory irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

## 5. Fire-fighting measures

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical.

#### Extinguishing media which must not be used for safety reasons

None known.

### 5.2 Specific hazards arising from the substance or mixture

#### Special exposure hazards in a fire

Use water spray to cool fire exposed surfaces. Decomposition in fire may produce harmful gases. Do not allow runoff to enter waterways.

### 5.3 Special protective equipment and precautions for fire-fighters

#### Special protective equipment for firefighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Remove sources of ignition. Use appropriate protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing vapors. Ensure adequate ventilation. Evacuate all persons from the area. See Section 8 for additional information

### 6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas. Consult local authorities.

### 6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Neutralize with lime slurry, limestone, or soda ash. Contain spill with sand or other inert materials. Scoop up and remove.

## 7. Handling and Storage

### 7.1. Precautions for safe handling

#### Handling Precautions

Remove sources of ignition. Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment.

#### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Storage Information

Store away from alkalis. Store away from oxidizers. Store in a cool well ventilated area. Keep container closed when not in use.

## 8. Exposure Controls/Personal Protection

### 8.1 Occupational Exposure Limits

Substances	CAS Number	OSHA PEL-TWA	ACGIH TLV-TWA
Acetic acid	64-19-7	TWA: 10 ppm	TWA: 10 ppm STEL: 15 ppm

### 8.2 Appropriate engineering controls

#### Engineering Controls

Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

### 8.3 Individual protection measures, such as personal protective equipment

#### Personal Protective Equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

#### Respiratory Protection

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional.

#### Hand Protection

Chemical-resistant protective gloves (EN 374) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Nitrile gloves. (>= 0.35 mm thickness)  
This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced. Manufacturer's directions for use should be observed because of great diversity of types.

#### Skin Protection

Full protective chemical resistant clothing.

#### Eye Protection

Chemical goggles; also wear a face shield if splashing hazard exists.

#### Other Precautions

Eyewash fountains and safety showers must be easily accessible.

## 9. Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

<b>Physical State:</b> Liquid	<b>Color</b>	Clear
<b>Odor:</b> Acrid	<b>Odor Threshold:</b>	No information available

<u>Property</u> Remarks/ - Method	<u>Values</u>
<b>pH:</b>	2.9
<b>Freezing Point / Range</b>	16 °C / 62 °F
<b>Melting Point / Range</b>	No data available
<b>Boiling Point / Range</b>	117 °C / 244 °F
<b>Flash Point</b>	42 °C / 109 °F PMCC
<b>Flammability (solid, gas)</b>	No data available
Upper flammability limit	16%
Lower flammability limit	5.4%
<b>Evaporation rate</b>	No data available
<b>Vapor Pressure</b>	11.7 mmHg @ 20 C
<b>Vapor Density</b>	No data available
<b>Specific Gravity</b>	1.05
<b>Water Solubility</b>	Soluble in water
<b>Solubility in other solvents</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	No data available
<b>Autoignition Temperature</b>	No data available
<b>Decomposition Temperature</b>	No data available
<b>Viscosity</b>	No data available
<b>Explosive Properties</b>	No information available
<b>Oxidizing Properties</b>	No information available
<b>9.2. Other information</b>	
<b>Molecular Weight</b>	60.6 (g/mole)
<b>VOC Content (%)</b>	No data available

## 10. Stability and Reactivity

### 10.1. Reactivity

Not expected to be reactive.

### 10.2. Chemical stability

Stable

### 10.3. Possibility of hazardous reactions

Will Not Occur

### 10.4. Conditions to avoid

Keep away from heat, sparks and flame.

### 10.5. Incompatible materials

Strong alkalis.

### 10.6. Hazardous decomposition products

Toxic fumes. Carbon monoxide and carbon dioxide.

## 11. Toxicological Information

### 11.1 Information on likely routes of exposure

Principle Route of Exposure      Eye or skin contact, inhalation.

### 11.2 Symptoms related to the physical, chemical and toxicological characteristics

Acute Toxicity

<b>Inhalation</b>	Causes severe respiratory irritation.
<b>Eye Contact</b>	Causes severe eye burns.
<b>Skin Contact</b>	Causes severe burns.
<b>Ingestion</b>	Causes burns of the mouth, throat and stomach.

**Chronic Effects/Carcinogenicity** Prolonged, excessive exposure may cause erosion of the teeth.

### 11.3 Toxicity data

#### Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetic acid	64-19-7	No data available	1060 mg/kg-bw (rabbit)	11.4 mg/L (rat, 4 h, vapor)

Substances	CAS Number	Skin corrosion/irritation
Acetic acid	64-19-7	Corrosive to skin Extremely corrosive and destructive to tissue Skin, rabbit:

Substances	CAS Number	Serious eye damage/irritation
Acetic acid	64-19-7	Corrosive to eyes Eye, rabbit: Causes serious eye damage

Substances	CAS Number	Skin Sensitization
Acetic acid	64-19-7	Not regarded as a sensitizer.

Substances	CAS Number	Respiratory Sensitization
Acetic acid	64-19-7	No information available

Substances	CAS Number	Mutagenic Effects
Acetic acid	64-19-7	In vivo tests did not show mutagenic effects. In vitro tests did not show mutagenic effects.

Substances	CAS Number	Carcinogenic Effects
Acetic acid	64-19-7	Did not show carcinogenic effects in animal experiments

Substances	CAS Number	Reproductive toxicity
Acetic acid	64-19-7	Did not show teratogenic effects in animal experiments. Animal testing did not show any effects on fertility.

Substances	CAS Number	STOT - single exposure
Acetic acid	64-19-7	May cause respiratory irritation.

Substances	CAS Number	STOT - repeated exposure
Acetic acid	64-19-7	Not applicable due to corrosivity of the substance.

Substances	CAS Number	Aspiration hazard
Acetic acid	64-19-7	Not applicable

## 12. Ecological Information

### 12.1. Toxicity

#### Ecotoxicity effects

Product is not classified as hazardous to the environment.

#### Product Ecotoxicity Data

No data available

#### Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Acetic acid	64-19-7	EC50 (72 h) =55.22 mg/L (Anabaena) (Effect concentrations in the aquatic environment are attributable to a	LC50 (96 h) =75 mg/L (Lepomis macrochirus) LC50 (96 h) =251 mg/L (Gambusia affinis) (Effect concentrations in	NOAEC (16 h) =1150 mg/L (Pseudomonas putida)	EC50 (48 h) =65 mg/L (Daphnia magna) (Effect concentrations in the aquatic environment are attributable to a

		change in pH value.)	the aquatic environment are attributable to a change in pH value.)		change in pH value.)
--	--	----------------------	--	--	----------------------

**12.2. Persistence and degradability**

Substances	CAS Number	Persistence and Degradability
Acetic acid	64-19-7	Readily biodegradable (99% @ 7d)

**12.3. Bioaccumulative potential**

Substances	CAS Number	Log Pow
Acetic acid	64-19-7	Log Kow =-0.17

**12.4. Mobility in soil**

Substances	CAS Number	Mobility
Acetic acid	64-19-7	No information available

**12.5 Other adverse effects**

No information available

**13. Disposal Considerations****13.1. Waste treatment methods**

**Disposal methods** Disposal should be made in accordance with federal, state, and local regulations.  
**Contaminated Packaging** Follow all applicable national or local regulations.

**14. Transport Information****Canadian TDG**

**UN Number** UN2790  
**UN proper shipping name:** Acetic Acid Solution  
**Transport Hazard Class(es):** 8 (3)  
**Packing Group:** III  
**Environmental Hazards:** Not applicable

**US DOT**

**UN Number** UN2790  
**UN proper shipping name:** Acetic Acid Solution  
**Transport Hazard Class(es):** 8 (3)  
**Packing Group:** III  
**Environmental Hazards:** Not applicable  
**Reportable Quantity:** RQ (Acetic Acid - 5683 kg.)  
**NAERG:** NAERG 153

**IMDG/IMO**

**UN Number** UN2790  
**UN proper shipping name:** Acetic Acid Solution  
**Transport Hazard Class(es):** 8 (3)  
**Packing Group:** III  
**Environmental Hazards:** Not applicable  
**Reportable Quantity:** RQ (Acetic Acid - 5683 kg.)  
**EMS:** EmS F-A, S-B

**IATA/ICAO**

**UN Number** UN2790

**UN proper shipping name:** Acetic Acid Solution  
**Transport Hazard Class(es):** 8 (3)  
**Packing Group:** III  
**Environmental Hazards:** Not applicable  
**Reportable Quantity:** RQ (Acetic Acid - 5683 kg.)

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable  
**Special Precautions for User** None

## 15. Regulatory Information

### Canadian Regulations

**Canadian Domestic Substances List (DSL)** All components listed on inventory or are exempt.

### US Regulations

**US TSCA Inventory** All components listed on inventory or are exempt.

### TSCA Significant New Use Rules - S5A2

Substances	CAS Number	TSCA Significant New Use Rules - S5A2
Acetic acid	64-19-7	Not applicable

### EPA SARA Title III Extremely Hazardous Substances

Substances	CAS Number	EPA SARA Title III Extremely Hazardous Substances
Acetic acid	64-19-7	Not applicable

### EPA SARA (311,312) Hazard Class

Acute Health Hazard  
 Fire Hazard

### EPA SARA (313) Chemicals

Substances	CAS Number	Toxic Release Inventory (TRI) - Group I	Toxic Release Inventory (TRI) - Group II
Acetic acid	64-19-7	Not applicable	Not applicable

### EPA CERCLA/Superfund Reportable Spill Quantity

Substances	CAS Number	CERCLA RQ
Acetic acid	64-19-7	5000 lb 2270 kg

### EPA RCRA Hazardous Waste Classification

If product becomes a waste, it does meet the criteria of a hazardous waste as defined by the US EPA, because of:

Ignitability D001

**NFPA Ratings:** Health 2, Flammability 2, Reactivity 0  
**HMIS Ratings:** Health 2, Flammability 2, Reactivity 0

## 16. Other information

### Preparation Information

**Prepared By** Chemical Stewardship  
 Telephone: 1-281-871-6107  
 e-mail: fdunexchem@halliburton.com

---

**Revision Date:** 04-Oct-2016

**Reason for Revision** SDS sections updated:  
2

**Additional information**

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Stewardship at 1-580-251-4335.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

bw – body weight  
CAS – Chemical Abstracts Service  
EC50 – Effective Concentration 50%  
ErC50 – Effective Concentration growth rate 50%  
LC50 – Lethal Concentration 50%  
LD50 – Lethal Dose 50%  
LL50 – Lethal Loading 50%  
mg/kg – milligram/kilogram  
mg/L – milligram/liter  
NIOSH – National Institute for Occupational Safety and Health  
NTP – National Toxicology Program  
OEL – Occupational Exposure Limit  
PEL – Permissible Exposure Limit  
ppm – parts per million  
STEL – Short Term Exposure Limit  
TWA – Time-Weighted Average  
UN – United Nations  
h - hour  
mg/m<sup>3</sup> - milligram/cubic meter  
mm - millimeter  
mmHg - millimeter mercury  
w/w - weight/weight  
d - day

**Key literature references and sources for data**

[www.ChemADVISOR.com/](http://www.ChemADVISOR.com/)

**Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**End of Safety Data Sheet**



## Safety Data Sheet

BONDERITE S-AD 85 ACID INHIBITOR ADDITIVE known as  
RODINE 85 20LT

Page 1 of 7

MSDS-No. : 319615

V001.4

Date of issue: 07.07.2015

### Section 1. Identification of the substance/preparation and of the company/undertaking

**Product name:** BONDERITE S-AD 85 ACID INHIBITOR ADDITIVE known as RODINE 85  
20LT

**Intended use:** Acid inhibitor additive

**Supplier:**  
Henkel Australia Pty Ltd  
135-141 Canterbury Road  
Kilsyth, Victoria, 3137  
Australia

Phone: +61 (3) 9724 6444

**Emergency information:** 24 HOUR EMERGENCY CONTACT NUMBER: 1800 032 379

### Section 2. Hazards identification

#### Classification of the substance or mixture

Hazardous according to the criteria of Safe Work Australia.

#### GHS Classification:

<u>Hazard Class</u>	<u>Hazard Category</u>	<u>Route of Exposure</u>
Acute toxicity	Category 4	Oral
Skin corrosion	Category 1	
Serious eye damage/eye irritation	Category 1	
Skin sensitizer	Category 1	
Carcinogenicity	Category 2	
Chronic hazards to the aquatic environment	Category 3	

#### Hazard pictogram:



#### Signal word:

Danger

---

<b>Hazard statement(s):</b>	H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H412 Harmful to aquatic life with long lasting effects.
<b>Precautionary Statement(s):</b>	
<b>Prevention:</b>	P280 Wear eye protection/face protection. P280 Wear protective gloves. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P202 Do not handle until all safety precautions have been read and understood. P281 Use personal protective equipment as required. P201 Obtain special instructions before use.
<b>Response:</b>	P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338+P315 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing. Get immediate medical advice/attention. P308+P313 IF exposed or concerned: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P363 Wash contaminated clothing before reuse.
<b>Storage:</b>	P405 Store locked up.
<b>Disposal:</b>	P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations.

Classification of material C - Corrosive Xi - Irritant Xn - Harmful

**Risk phrases:**

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.  
R40 Limited evidence of a carcinogenic effect.  
R41 Risk of serious damage to eyes.  
R34 Causes burns.  
R43 May cause sensitisation by skin contact.

**Safety phrases:**

S23 Do not breathe vapour.  
S24/25 Avoid contact with skin and eyes.  
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
S27/28 After contact with skin, take off immediately all contaminated clothing, and wash the skin immediately with plenty of water and soap.  
S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.  
S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).  
S60 This material and its container must be disposed of as hazardous waste.  
S7/9 Keep container tightly closed and in a well-ventilated place.

**Dangerous Goods information:**

Classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

**Signal word:**

HAZARDOUS

**Section 3. Composition / information on ingredients****General chemical description:** Mixture**Identity of ingredients:**

Chemical ingredients	CAS-No.	Proportion
Prop-2-yn-1-ol	107-19-7	< 10 %
1,3-Diethyl-2-thiourea	105-55-5	< 5 %
	68411-63-2	10- <= 30 %
Remainder not hazardous including water~		60 %

**Section 4. First aid measures**

**Ingestion:** Do not induce vomiting.  
Call a physician immediately.

**Skin:** In case of contact, immediately remove contaminated clothing and flush skin with copious amounts of water.  
Seek medical advice.

**Eyes:** Immediately flush eyes with water for at least 15 minutes, while holding eyelids open.  
Seek medical attention at once.

**Inhalation:** Move to fresh air, consult doctor if complaint persists.

**First Aid facilities:** Eye wash and safety shower

**Medical attention and special treatment:** Treat symptomatically.

**Section 5. Fire fighting measures**

**Suitable extinguishing media:** Water fog.  
Dry chemical.  
Carbon dioxide.

**Decomposition products in case of fire::** In case of fire toxic gases can be released.  
Chlorine.  
Oxides of nitrogen.  
Oxides of sulfur.

**Special protective equipment for fire-fighters:** Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

**Hazchem code:** 2X

**Section 6. Accidental release measures**

**Personal precautions:** See advice in section 8  
Avoid skin and eye contact.

**Environmental precautions:** Do not empty into drains / surface water / ground water.

**Clean-up methods:** Remove with liquid-absorbing material (sand, peat, sawdust).  
Scrape up spilled material and place in a closed container for disposal.

Dispose of contaminated material as waste according to Section 13.

**Section 7. Handling and storage**

**Precautions for safe handling:** See advice in section 8  
Ensure that workrooms are adequately ventilated.  
Avoid breathing vapors or mists of this product.

**Conditions for safe storage:** Store in a cool, dry, well-ventilated area.  
Keep away from heat and direct sunlight.  
Must be stored in the facility for the dangerous goods

**Section 8. Exposure controls / personal protection**

**National exposure standards:**

Ingredient [Regulated substance]	form of exposure	TWA (ppm)	TWA (mg/m3)	Peak Limit. (ppm)	Peak Limit. (mg/m3)	STEL (ppm)	STEL (mg/m3)
PROPARGYL ALCOHOL 107-19-7		1	2.3	-	-	-	-

**Engineering controls:** Provide local and general exhaust ventilation to effectively remove and prevent buildup of any vapors or mists generated from the handling of this product.

**Eye protection:** Wear chemical goggles and face shield.

**Skin protection:** Use of protective coveralls and long sleeves is recommended.  
Recommended gloves include butyl rubber and neoprene.

**Respiratory protection:** If inhalation risk exists, wear a respirator or air supplied mask complying with the requirements of AS/NZS 1715 and AS/NZS 1716.

**Section 9. Physical and chemical properties**

**Appearance:** Red-brown  
dark

**Odor:** characteristic

**pH:** 0.3

**Density:** 1.05 - 1.06 g/cm3

**Solubility in water:** Miscible

**Section 10. Stability and reactivity**

**Stability:** Stable under normal conditions of temperature and pressure.

**Conditions to avoid:** Heat, flames, sparks and other sources of ignition.

<b>Incompatible materials:</b>	Alkalis. Alkali metals. Fluorine. Organic materials. Oxidizing agents.
<b>Hazardous decomposition products:</b>	In case of fire toxic gases can be released.  Chlorine. Oxides of nitrogen. Oxides of sulfur.

### Section 11. Toxicological information

<b>Health Effects:</b>	
<b>Ingestion:</b>	If ingested, severe burns of the mouth and throat may occur, as well as perforation of the esophagus and the stomach. Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea.
<b>Skin:</b>	Causes burns. May cause skin sensitization.
<b>Eyes:</b>	Contact with the eyes can cause severe burns and permanent eye damage.
<b>Inhalation:</b>	May cause respiratory tract irritation. Excessive inhalation of this material causes headache, dizziness, nausea and incoordination.
<b>Aggravated med. condition:</b>	Pre-existing skin disorders.
<b>Toxicity data:</b>	No data available.

### Section 12. Ecological information

<b>General ecological information:</b>	Do not empty into drains / surface water / ground water., Harmful to aquatic organisms., May cause long-term adverse effects in the aquatic environment.
--	--

**Toxicity:**

Hazardous components CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
Prop-2-yn-1-ol 107-19-7	LC50	4.6 mg/l	Fish	96 h	Leuciscus idus	DIN 38412-15
Prop-2-yn-1-ol 107-19-7	EC50	11 mg/l	Daphnia	24 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Prop-2-yn-1-ol 107-19-7	EC50	> 18 mg/l	Algae	8 d	Scenedesmus quadricauda	OECD Guideline 201 (Alga, Growth Inhibition Test)
Prop-2-yn-1-ol 107-19-7	EC0	< 18 mg/l	Algae	8 d	Scenedesmus quadricauda	OECD Guideline 201 (Alga, Growth Inhibition Test)
1,3-Diethyl-2-thiourea 105-55-5	EC50	56 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

**Persistence and degradability:**

Hazardous components CAS-No.	Result	Route of application	Degradability	Method
Prop-2-yn-1-ol 107-19-7		aerobic	37 %	EU Method C.4-E (Determination of the "Ready" Biodegradability Closed Bottle Test)
1,3-Diethyl-2-thiourea 105-55-5		aerobic	3 %	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)

**Bioaccumulative potential / Mobility in soil:**

Hazardous components CAS-No.	LogKow	Bioconcentration factor (BCF)	Exposure time	Species	Temperature	Method
Prop-2-yn-1-ol 107-19-7	-0.35				25 °C	OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method)
1,3-Diethyl-2-thiourea 105-55-5	0.57					OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method)

**Section 13. Disposal considerations**

- Waste disposal of product:** Collection and delivery to recycling enterprise or other registered elimination institution.
- Recommended cleanser:** Clean the packaging with water.
- Disposal for uncleaned package:** Packaging that cannot be cleaned are to be disposed of in the same manner as the product.

**Section 14. Transport information****Road and Rail Transport:**

Dangerous Goods information: Classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

UN no.: 3265

Proper shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Propargyl alcohol)

Class or division: 8

Packing group: III

Hazchem code: 2X

Emergency information: Refer to the Dangerous Goods - Initial Emergency Response Guide HB 76.

**Marine transport IMDG:**

UN no.: 3265

Proper shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Propargyl alcohol)

Class or division: 8

Packing group: III

EmS: F-A ,S-B

Seawater pollutant: -

**Air transport IATA:**

UN no.:	3265
Proper shipping name:	Corrosive liquid, acidic, organic, n.o.s. (Propargyl alcohol)
Class or division:	8
Packing group:	III
Packing instructions (passenger)	852
Packing instructions (cargo)	856

**Section 15. Regulatory information**

**SUSMP Poisons Schedule**                      None

**Section 16. Other information**

**Abbreviations/acronyms:**                      ADGC - Australian Dangerous Goods Code  
STEL - Short term exposure limit  
TWA - Time weighted average

**Reason for issue:**                                      Reviewed MSDS. Reissued with new date. involved chapters: 2,3,9,11,16

**Date of previous issue:**                                      04.07.2014

**Disclaimer:**

The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel Australia Pty. Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel Australia Pty. Limited concerning the properties of the material. The information contained in the Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel Australia Pty. Limited assumes no legal responsibility for reliance upon same. Henkel Australia Pty. Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Safety Data Sheet. This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.

## SAFETY DATA SHEET

### CITRIC ACID

Revision Date: 14-May-2015

Revision Number: 33

#### 1. Product and Company Identification

**Product Name**

Product Trade Name: CITRIC ACID

**Other Names**

Synonyms: None

Product Code: HM004421

**Recommended Use**

Recommended Use: Scale Remover; pH Control

Uses Advised Against: No information available

**Company Name, Address and Contact Details**

Manufacturer/Supplier: Halliburton New Zealand  
1 Paraite Rd,  
Bell Block, New Plymouth  
New Zealand Registration No.: 824207

E-Mail address: fdunexchem@halliburton.com

Emergency Telephone Number: +64-6-7559274

New Zealand National Poisons Centre: 0800 764 766 (24 hours)

#### 2. Hazard(s) Identification

**Statement of Hazardous Nature**

Classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulation 2001;  
Not Classified as dangerous good according to NZS 5433:2012, UN, IMDG or IATA

**Classification**

6.1E (Inhalation) Acutely Toxic Substances

6.3B Mildly irritating to the skin

8.3A Corrosive to ocular tissue

**Hazard and Precautionary Statements**

**Hazard Pictograms**



Signal Word: Danger

Hazard Statements: H316 - Causes mild skin irritation  
H318 - Causes serious eye damage  
H333 - May be harmful if inhaled

**Precautionary Statements**

Prevention: P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children  
 P103 - Read label before use  
 P104 - Read Safety Data Sheet before use.  
 P280 - Wear eye protection/face protection

**Response** P304 + P312 - IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell  
 P331 - Do NOT induce vomiting  
 P332 + P313 - If skin irritation occurs: Get medical advice/attention  
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 P310 - Immediately call a POISON CENTER or doctor/physician

**Storage** None

**Disposal** P501 - Dispose of contents/container in accordance with local/regional/national/international regulations

**Contains**

Substances	CAS Number	Substance HSNO Classification
Citric acid	77-92-9	6.1E (Inhalation) 6.3B 8.3A

**2.3. Other Hazards**

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).  
 This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

### 3. Composition and Information on Ingredients

Substances	CAS Number	PERCENT (w/w)
Citric acid	77-92-9	60 - 100%

### 4. First-Aid Measures

**Requirements for First Aid or Medical Care**

**Inhalation** If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.

**Eyes** Immediately flush eyes with large amounts of water for at least 15 minutes. Get immediate medical attention.

**Skin** For skin contact, wipe away excess material with dry towel. Then wash affected areas with plenty of water, and soap if available, for several minutes. Get medical attention if irritation occurs.

**Ingestion** Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical attention.

**Workplace Facilities Required**

None

**Relation to Health Effect****Most Important Symptoms/Effects**

Causes eye irritation. Causes eye irritation

**Medical Attention and Special Treatment****Notes to Physician**

Treat symptomatically

### 5. Fire-fighting measures

**Type of Hazard****Flammability Hazard**

Combustible dust when in finely divided and highly suspended state.

**5.1. Extinguishing media****Suitable Extinguishing Media**

Water fog, carbon dioxide, foam, dry chemical.

**Extinguishing media which must not be used for safety reasons**

None known.

**HAZCHEM Code**

Hazchem Code: None Allocated

**Special Protective Equipment and Precautions for Fire Fighters****Special Protective Equipment for Fire-Fighters**

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

**Special Exposure Hazards**

Decomposition in fire may produce harmful gases. Organic dust in the presence of an ignition source can be explosive in high concentrations. Good housekeeping practices are required to minimize this potential.

**6. Spillage, Accidental Release Measures****6.1. Personal precautions, protective equipment and emergency procedures**

Use appropriate protective equipment. Avoid creating and breathing dust. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

See Section 8 for additional information

**6.2. Environmental precautions**

Prevent from entering sewers, waterways, or low areas.

**6.3. Methods and material for containment and cleaning up**

Scoop up and remove.

**6.4. Reference to other sections**

See Section 8 and 13 for additional information.

**7. Handling and storage****7.1. Precautions for Safe Handling****Handling Precautions**

Avoid contact with eyes, skin, or clothing. Avoid creating or inhaling dust. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment.

**Handling Practices****Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

**Approved Handlers**

This product does NOT require an approved handler.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in a cool, dry location. Product has a shelf life of 60 months.

**Store Site Requirements**

No special controls required

**Packaging**

No special packaging required

**8. Exposure Controls and Personal Protection****Workplace Exposure Standards****Exposure Limits**

Substances	CAS Number	New Zealand WES	ACGIH TLV-TWA
Citric acid	77-92-9	Not applicable	Not applicable

**Engineering Controls****Engineering Controls** Use in a well ventilated area.**Personal Protective Equipment (PPE)****Respiratory Protection**

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard

<b>Hand Protection</b>	EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional. Dust/mist respirator. (N95, P2/P3)
<b>Skin Protection</b>	Chemical-resistant protective gloves (EN 374) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Nitrile gloves. (>= 0.35 mm thickness)
<b>Eye Protection</b>	This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced. Manufacturer's directions for use should be observed because of great diversity of types.
<b>Other Precautions</b>	Normal work coveralls.
<b>Hygiene Measures</b>	Chemical goggles; also wear a face shield if splashing hazard exists. None known. Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

<b>Physical State:</b> Solid	<b>Color:</b> White
<b>Odor:</b> Odorless	<b>Odor Threshold:</b> No information available

Property	Values
Remarks/ - Method	
<b>pH:</b>	1.8
<b>Freezing Point/Range</b>	No data available
<b>Melting Point/Range</b>	153 °C / 307.4 °F
<b>Boiling Point/Range</b>	Decomposes
<b>Flash Point</b>	345 °C / 653 °F
<b>upper flammability limit</b>	65
<b>lower flammability limit</b>	%
<b>Evaporation rate</b>	No data available
<b>Vapor Pressure</b>	0.00000221 Pa
<b>Vapor Density</b>	No data available
<b>Specific Gravity</b>	1.66
<b>Water Solubility</b>	Soluble in water
<b>Solubility in other solvents</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	-1.61 to -1.80
<b>Autoignition Temperature</b>	1010 °C / 1832 °F
<b>Decomposition Temperature</b>	No data available
<b>Viscosity</b>	No data available
<b>Explosive Properties</b>	No information available
<b>Oxidizing Properties</b>	No information available

### 9.2. Other information

<b>Molecular Weight</b>	192.12
<b>VOC Content (%)</b>	No data available

## 10. Stability and Reactivity

### 10.2. Chemical Stability

Stable

### 10.4. Conditions to Avoid

None anticipated

### 10.5. Incompatible Materials

Strong alkalis.

### 10.6. Hazardous Decomposition Products

Carbon monoxide and carbon dioxide.

### Hazardous Reactions

Hazardous Polymerization: Will Not Occur

## 11. Toxicological Information

### Health Effect from Likely Routes of Exposure

#### Acute Toxicity

<b>Inhalation</b> <b>Eye Contact</b> <b>Skin Contact</b> <b>Ingestion</b>	May cause mild respiratory irritation. Causes eye irritation. May cause mild skin irritation. Irritation of the mouth, throat, and stomach. May cause abdominal pain, vomiting, nausea, and diarrhea.
--	--

**Chronic Effects/Carcinogenicity** No data available to indicate product or components present at greater than 0.1% are chronic health hazards.

#### Toxicity Data

#### Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Citric acid	77-92-9	5400 mg/kg (Rat) 5790 mg/kg (Mouse) 11,700 mg/kg (Rat)	> 2000 mg/kg	No data available

Substances	CAS Number	Skin corrosion/irritation
Citric acid	77-92-9	Not irritating to skin in rabbits.

Substances	CAS Number	Eye damage/irritation
Citric acid	77-92-9	Causes severe eye irritation.

Substances	CAS Number	Skin Sensitization
Citric acid	77-92-9	Patch test on human volunteers did not demonstrate sensitization properties

Substances	CAS Number	Respiratory Sensitization
Citric acid	77-92-9	No information available

Substances	CAS Number	Mutagenic Effects
Citric acid	77-92-9	Did not show mutagenic effects in animal experiments

Substances	CAS Number	Carcinogenic Effects
Citric acid	77-92-9	Did not show carcinogenic effects in animal experiments

Substances	CAS Number	Reproductive toxicity
Citric acid	77-92-9	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments.

Substances	CAS Number	STOT - single exposure
Citric acid	77-92-9	No data of sufficient quality are available.

Substances	CAS Number	STOT - repeated exposure
Citric acid	77-92-9	No significant toxicity observed in animal studies at concentration requiring classification.

Substances	CAS Number	Aspiration hazard
Citric acid	77-92-9	No adverse health effects are expected from swallowing.

## 12. Ecological Information

### 12.1. Toxicity Ecotoxicity Effects

#### Product Ecotoxicity Data

No data available

#### Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Citric acid	77-92-9	NOEC (8d) 425 mg/L (cell density) (Scenedesmus quadricauda) LOEC (8d) >80 mg/L (Microcystis aeruginosa)	LC50 (96h) 1516 mg/L (Lepomis macrochirus) LC50 (48h) 440 mg/L (Leuciscus idus melanotus) LC50 (96h) >100 mg/L (Pimephales promelas)	TT (72h) 485 mg/L (Entosiphon sulcatum)	TLM96 100-330 ppm (Crangon crangon) EC50 (24h) 1535 mg/L (Daphnia magna) LC50 (48h) 160 mg/L (Daphnia magna) EC50 (48h) >50 mg/L (Daphnia magna)

### 12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Citric acid	77-92-9	Readily biodegradable (97% @ 28d)

### 12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Citric acid	77-92-9	-1.61 to -1.80

### 12.4. Mobility in soil

Substances	CAS Number	Mobility
Citric acid	77-92-9	No information available

### Ecotoxicity Hazard Statements

None known

### 12.6. Other adverse effects

#### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

## 13. Disposal Considerations

### 13.1. Waste treatment methods

#### Disposal Method

#### Contaminated Packaging

Bury in a licensed landfill according to federal, state, and local regulations.

Follow all applicable national or local regulations. Contaminated packaging may be disposed of by: rendering packaging incapable of containing any substance, or treating packaging to remove residual contents, or treating packaging to make sure the residual contents are no longer hazardous, or by disposing of packaging into commercial waste collection.

## 14. Transport Information

### IMDG/IMO

UN Number:	Not restricted
UN Proper Shipping Name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental Hazards:	Not applicable

### NZ 5433.1999

UN Number:	Not restricted
UN Proper Shipping Name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable

**IATA/ICAO**

**UN Number:** Not restricted  
**UN Proper Shipping Name:** Not restricted  
**Transport Hazard Class(es):** Not applicable  
**Packing Group:** Not applicable

**Special Precautions for User:** None

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:** Not applicable

**15. Regulatory Information**

**New Zealand Inventory of Chemicals** All components listed on inventory or are exempt.

**Group Name** Not Applicable  
**ERMA Register Approval Number** HSR003138

**HSNO Controls** Refer to the NZ EPA website for more information: <http://www.epa.govt.nz>

**Approved Handlers** Not Applicable

**Poisons Schedule:** None Allocated

**16. Other information**

**The following sections have been revised since the last issue of this SDS**

Not applicable

**Additional information** For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Stewardship at 1-580-251-4335.

**Key literature references and sources for data**

[www.ChemADVISOR.com/](http://www.ChemADVISOR.com/)

OSHA

ECHA C&L

NZ CCID

**Revision Date:** 14-May-2015

**Revision Note** Revision Note

SDS sections updated:

2

**Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**End of Safety Data Sheet**

## SAFETY DATA SHEET

### SODA ASH F.G.

Revision Date: 27-Jun-2016

Revision Number: 23

#### 1. Product Identifier & Identity for the Chemical

**Statement of Hazardous Nature** Hazardous according to the criteria of the 3rd Revised Edition of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS), Non-Dangerous Goods according to the criteria of ADG.

##### 1.1. Product Identifier

**Product Name** SODA ASH F.G.

##### Other means of Identification

**Synonyms** None  
**Hazardous Material Number:** HM003760

##### Recommended use of the chemical and restrictions on use

**Recommended Use** pH Control  
**Uses advised against** No information available

##### Supplier's name, address and phone number

**Manufacturer/Supplier** Halliburton/Baroid Australia Pty. Ltd.  
15 Marriott Road  
Jandakot  
WA 6164  
Australia

ACN Number: 009 000 775  
Telephone Number: 61 (08) 9455 8300  
Fax Number: 61 (08) 9455 5300

##### **Product Emergency Telephone**

Australia: + 61 1 800 686 951  
Papua New Guinea: + 61 1 800 686 951  
NewZealand: +64 800 451719

##### **Fire, Police & Ambulance - Emergency Telephone**

Australia: 000  
Papua New Guinea: 000  
New Zealand: 111

**E-mail Address** fdunexchem@halliburton.com

##### Emergency phone number

+ 61 1 800 686 951

##### **Australian Poisons Information Centre**

24 Hour Service: - 13 11 26  
Police or Fire Brigade: - 000 (exchange): - 1100

#### 2. Hazard Identification

**Statement of Hazardous Nature** Hazardous according to the criteria of the 3rd Revised Edition of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS), Non-Dangerous Goods according to the criteria of ADG.

**Classification of the hazardous chemical**

Serious Eye Damage/Irritation

Category 2 - H319

**Label elements, including precautionary statements****Hazard pictograms****Signal Word**

Warning

**Hazard Statements:**

H319 - Causes serious eye irritation

**Precautionary Statements****Prevention**

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear eye protection/face protection

**Response**

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

**Storage**

None

**Disposal**

None

**Contains****Substances**

Sodium carbonate

**CAS Number**

497-19-8

**Other hazards which do not result in classification**

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).

This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

*For the full text of the H-phrases mentioned in this Section, see Section 16*

<b>3. Composition/information on Ingredients</b>
--

Substances	CAS Number	PERCENT (w/w)	GHS Classification - Australia
Sodium carbonate	497-19-8	60 - 100%	Eye Irrit. 2 (H319)

<b>4. First aid measures</b>
------------------------------

**Description of necessary first aid measures****Inhalation**

If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.

**Eyes**

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

**Skin**

Wash with soap and water. Get medical attention if irritation persists.

**Ingestion**

Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical attention.

**Symptoms caused by exposure**

Causes eye irritation

### **Medical Attention and Special Treatment**

**Notes to Physician** Treat symptomatically

## 5. Fire Fighting Measures

### **Suitable extinguishing equipment**

#### **Suitable Extinguishing Media**

Water fog, carbon dioxide, foam, dry chemical.

#### **Extinguishing media which must not be used for safety reasons**

None known.

### **Specific hazards arising from the chemical**

#### **Special exposure hazards in a fire**

Decomposition in fire may produce harmful gases.

### **Special protective equipment and precautions for fire fighters**

#### **Special protective equipment for firefighters**

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

## 6. Accidental release measures

### **6.1. Personal precautions, protective equipment and emergency procedures**

Use appropriate protective equipment. Avoid creating and breathing dust. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

### **6.2. Environmental precautions**

Prevent from entering sewers, waterways, or low areas.

### **6.3. Methods and material for containment and cleaning up**

Scoop up and remove.

## 7. Handling and storage

### **7.1. Precautions for safe handling**

#### **Handling Precautions**

Avoid contact with eyes, skin, or clothing. Avoid creating or inhaling dust. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

### **7.2. Conditions for safe storage, including any incompatibilities**

#### **Storage Information**

Store away from acids. Store in a cool, dry location. Product has a shelf life of 36 months.

#### **Other Guidelines**

No information available

## 8. Exposure Controls/Personal Protection

### **Control parameters - exposure standards, biological monitoring**

#### **Exposure Limits**

Substances	CAS Number	Australia NOHSC	ACGIH TLV-TWA
Sodium carbonate	497-19-8	Not applicable	Not applicable

### **Appropriate engineering controls**

#### **Engineering Controls**

Use in a well ventilated area. Localized ventilation should be used to control dust levels.

**Personal protective equipment (PPE)**

<b>Personal Protective Equipment</b>	If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.
<b>Respiratory Protection</b>	If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional. Dust/mist respirator. (N95, P2/P3)
<b>Hand Protection</b>	Normal work gloves.
<b>Skin Protection</b>	Normal work coveralls.
<b>Eye Protection</b>	Dust proof goggles.
<b>Other Precautions</b>	None known.
<b>Environmental Exposure Controls</b>	Do not allow material to contaminate ground water system

<b>9. Physical and Chemical Properties</b>
--

**9.1. Information on basic physical and chemical properties**

<b>Physical State:</b>	Powder	<b>Color</b>	White to off white
<b>Odor:</b>	Odorless	<b>Odor Threshold:</b>	No information available

<u>Property</u> Remarks/ - Method	<u>Values</u>
<b>pH:</b>	11.5
<b>Freezing Point / Range</b>	No data available
<b>Melting Point / Range</b>	No data available
<b>Boiling Point / Range</b>	No data available
<b>Flash Point</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Vapor Pressure</b>	No data available
<b>Vapor Density</b>	No data available
<b>Specific Gravity</b>	2.5
<b>Water Solubility</b>	Partly soluble
<b>Solubility in other solvents</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	No data available
<b>Autoignition Temperature</b>	No data available
<b>Decomposition Temperature</b>	No data available
<b>Viscosity</b>	No data available
<b>Explosive Properties</b>	No information available
<b>Oxidizing Properties</b>	No information available

**9.2. Other information**

<b>Molecular Weight</b>	105.99 g/mol
<b>VOC Content (%)</b>	No data available

<b>10. Stability and Reactivity</b>
-------------------------------------

**10.1. Reactivity**

Not expected to be reactive.

**10.2. Chemical stability**

Stable

**10.3. Possibility of hazardous reactions**

Will Not Occur

**10.4. Conditions to avoid**

None anticipated

**10.5. Incompatible materials**

Strong acids.

**10.6. Hazardous decomposition products**

Carbon monoxide and carbon dioxide.

## 11. Toxicological Information

### Information on routes of exposure

**Principle Route of Exposure** Eye or skin contact, inhalation.

### Symptoms related to exposure

#### **Most Important Symptoms/Effects**

Causes eye irritation

### Numerical measures of toxicity

### Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium carbonate	497-19-8	4090 mg/kg (Rat) 2800 mg/kg (Rat)	2210 mg/kg (Mouse) > 2000 mg/kg (Rabbit)	2.3 mg/L (Rat) 2h

### Immediate, delayed and chronic health effects from exposure

**Inhalation** None known.  
**Eye Contact** May cause eye irritation.  
**Skin Contact** None known.  
**Ingestion** Irritation of the mouth, throat, and stomach.

**Chronic Effects/Carcinogenicity** No data available to indicate product or components present at greater than 0.1% are chronic health hazards.

### Exposure Levels

No data available

### Interactive effects

None known.

### Data limitations

No data available

Substances	CAS Number	Skin corrosion/irritation
Sodium carbonate	497-19-8	Non-irritating to the skin

Substances	CAS Number	Serious eye damage/irritation
Sodium carbonate	497-19-8	Irritating to eyes

Substances	CAS Number	Skin Sensitization
Sodium carbonate	497-19-8	Not classified

Substances	CAS Number	Respiratory Sensitization
Sodium carbonate	497-19-8	No information available

Substances	CAS Number	Mutagenic Effects
Sodium carbonate	497-19-8	In vivo tests did not show mutagenic effects.

Substances	CAS Number	Carcinogenic Effects
Sodium carbonate	497-19-8	No information available

Substances	CAS Number	Reproductive toxicity
Sodium carbonate	497-19-8	Did not show teratogenic effects in animal experiments.

Substances	CAS Number	STOT - single exposure
Sodium carbonate	497-19-8	No significant toxicity observed in animal studies at concentration requiring classification.

Substances	CAS Number	STOT - repeated exposure
Sodium carbonate	497-19-8	No significant toxicity observed in animal studies at concentration requiring classification.

Substances	CAS Number	Aspiration hazard
Sodium carbonate	497-19-8	Not applicable

## 12. Ecological Information

### Ecotoxicity

#### Product Ecotoxicity Data

No data available

#### Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Sodium carbonate	497-19-8	EC50 242 mg/L (Nitzschia)	TLM24 385 mg/L (Lepomis macrochirus) LC50 310-1220 mg/L (Pimephales promelas) LC50 (96h) 300 mg/L (Lepomis macrochirus)	No information available	EC50 265 mg/L (Daphnia magna) EC50 (48h) 200 – 227 mg/L (Ceriodaphnia sp.)

### 12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Sodium carbonate	497-19-8	The methods for determining biodegradability are not applicable to inorganic substances.

### 12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Sodium carbonate	497-19-8	No information available

### 12.4. Mobility in soil

Substances	CAS Number	Mobility
Sodium carbonate	497-19-8	No information available

### 12.6. Other adverse effects

#### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

## 13. Disposal Considerations

### Safe handling and disposal methods

Bury in a licensed landfill according to federal, state, and local regulations.

### Disposal of any contaminated packaging

Follow all applicable national or local regulations.

### Environmental regulations

Not applicable

## 14. Transport Information

### Transportation Information

UN Number	Not restricted
UN proper shipping name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental Hazards:	Not applicable

**Special precautions during transport**

None

**HazChem Code**

None Allocated

**15. Regulatory Information****Safety, health and environmental regulations specific for the product****International Inventories****Australian AICS Inventory**

All components are listed on the AICS or are subject to a relevant exemption, permit, or assessment certificate.

**New Zealand Inventory of Chemicals**

All components are listed on the NZIoC or are subject to a relevant exemption, permit, or assessment certificate.

**EINECS (European Inventory of Existing Chemical Substances)**

This product, and all its components, complies with EINECS

**US TSCA Inventory**

All components listed on inventory or are exempt.

**Canadian Domestic Substances List (DSL)**

All components listed on inventory or are exempt.

**Poisons Schedule number**

None Allocated

**International Agreements****Montreal Protocol - Ozone Depleting Substances:**

Does not apply

**Stokholm Convention - Persistent Organic Pollutants:**

Does not apply

**Rotterdam Convention - Prior Informed Consent:**

Does not apply

**Basel Convention - Hazardous Waste:**

Does not apply

**16. Other information****Date of preparation or review****Revision Date:** 27-Jun-2016**Revision Note**

SDS sections updated: 2

**Full text of H-Statements referred to under sections 2 and 3**

H319 - Causes serious eye irritation

**Additional information**

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Stewardship at 1-580-251-4335.

**Key abbreviations or acronyms used**

bw – body weight

CAS – Chemical Abstracts Service

EC50 – Effective Concentration 50%

LC50 – Lethal Concentration 50%

LD50 – Lethal Dose 50%

LL50 – Lethal Loading 50%

mg/kg – milligram/kilogram

mg/L – milligram/liter

NOEC – No Observed Effect Concentration

OEL – Occupational Exposure Limit

PBT – Persistent Bioaccumulative and Toxic

ppm – parts per million  
STEL – Short Term Exposure Limit  
TWA – Time-Weighted Average  
vPvB – very Persistent and very Bioaccumulative  
h - hour  
mg/m<sup>3</sup> - milligram/cubic meter  
mm - millimeter  
mmHg - millimeter mercury  
w/w - weight/weight  
d - day

**Key literature references and sources for data**

[www.ChemADVISOR.com/](http://www.ChemADVISOR.com/)  
NZ CCID

**Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**End of Safety Data Sheet**

## SAFETY DATA SHEET

### SODIUM BICARBONATE

Revision Date: 22-Sep-2015

Revision Number: 26

#### 1. Product Identifier & Identity for the Chemical

**Statement of Hazardous Nature** Non-Hazardous according to the criteria of the 3rd Revised Edition of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS), Non-Dangerous Goods according to the criteria of ADG.

##### 1.1. Product Identifier

**Product Name** SODIUM BICARBONATE

##### Other means of Identification

**Synonyms:** None  
**Product Code:** HM001824

##### Recommended use of the chemical and restrictions on use

**Recommended Use** Buffer  
**Uses Advised Against** No information available

##### Supplier's name, address and phone number

**Manufacturer/Supplier** Halliburton Australia Pty. Ltd.  
15 Marriott Road  
Jandakot  
WA 6164  
Australia  
  
ACN Number: 009 000 775  
Telephone Number: + 61 1 800 686 951  
Fax Number: 61 (08) 9455 5300  
**E-Mail address:** fdunexchem@halliburton.com

##### Emergency phone number

+ 61 1 800 686 951

##### **Australian Poisons Information Centre**

24 Hour Service: - 13 11 26  
Police or Fire Brigade: - 000 (exchange): - 1100

#### 2. Hazard Identification

**Statement of Hazardous Nature** Non-Hazardous according to the criteria of the 3rd Revised Edition of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS), Non-Dangerous Goods according to the criteria of ADG.

##### Classification of the hazardous chemical

Not classified

##### Label elements, including precautionary statements

##### **Hazard Pictograms**

**Signal Word** Not Hazardous

**Hazard Statements** Not Classified

**Precautionary Statements**

**Prevention** None

**Response** None

**Storage** None

**Disposal** None

**Contains**

**Substances**

Contains no hazardous substances in concentrations above cut-off values according to the competent authority

**CAS Number**

NA

**Other hazards which do not result in classification**

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).

This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

**Australia Classification**

For the full text of the H-phrases mentioned in this Section, see Section 16

**Classification** Not Classified

**Risk Phrases** None

### 3. Composition/information on Ingredients

Substances	CAS Number	PERCENT (w/w)	GHS Classification - Australia
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	60 - 100%	Not Applicable

### 4. First aid measures

**Description of necessary first aid measures**

**Inhalation** If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.

**Eyes** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

**Skin** Wash with soap and water. Get medical attention if irritation persists.

**Ingestion** Under normal conditions, first aid procedures are not required.

**Symptoms caused by exposure**

No significant hazards expected.

**Medical Attention and Special Treatment**

**Notes to Physician** Treat symptomatically

### 5. Fire Fighting Measures

**Suitable extinguishing equipment**

**Suitable Extinguishing Media**

All standard fire fighting media

**Extinguishing media which must not be used for safety reasons**

None known.

**Specific hazards arising from the chemical**

**Special Exposure Hazards**

Not applicable.

**Special protective equipment and precautions for fire fighters**

**Special Protective Equipment for Fire-Fighters**

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

**6. Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Use appropriate protective equipment. Avoid creating and breathing dust. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

**6.2. Environmental precautions**

Prevent from entering sewers, waterways, or low areas.

**6.3. Methods and material for containment and cleaning up**

Scoop up and remove.

**7. Handling and storage**

**7.1. Precautions for Safe Handling**

**Handling Precautions**

Avoid creating or inhaling dust. Avoid contact with eyes, skin, or clothing. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage Information**

Store away from acids. Store in a dry location.

**Other Guidelines**

No information available

**8. Exposure Controls/Personal Protection**

**Control parameters - exposure standards, biological monitoring**

**Exposure Limits**

Substances	CAS Number	Australia NOHSC	ACGIH TLV-TWA
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable	Not applicable

**Appropriate engineering controls**

**Engineering Controls**

A well ventilated area to control dust levels. Local exhaust ventilation should be used in areas without good cross ventilation.

**Personal protective equipment (PPE)**

**Respiratory Protection**

Not normally needed. But if significant exposures are possible then the following respirator is recommended:

Dust/mist respirator. (N95, P2/P3)

**Hand Protection**

Normal work gloves.

**Skin Protection**

Normal work coveralls.

**Eye Protection**

Wear safety glasses or goggles to protect against exposure.

**Other Precautions**

None known.

**Environmental Exposure Controls**

Do not allow material to contaminate ground water system



cut-off values according to the competent authority				
---	--	--	--	--

**Immediate, delayed and chronic health effects from exposure**

<b>Inhalation</b>	May cause mild respiratory irritation.
<b>Eye Contact</b>	May cause mild eye irritation.
<b>Skin Contact</b>	May cause mild skin irritation.
<b>Ingestion</b>	None known.

**Chronic Effects/Carcinogenicity** No data available to indicate product or components present at greater than 0.1% are chronic health hazards.

**Exposure Levels**

No data available

**Interactive effects**

None known.

**Data limitations**

No data available

Substances	CAS Number	Skin corrosion/irritation
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable.

Substances	CAS Number	Eye damage/irritation
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable.

Substances	CAS Number	Skin Sensitization
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable

Substances	CAS Number	Respiratory Sensitization
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable

Substances	CAS Number	Mutagenic Effects
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable

Substances	CAS Number	Carcinogenic Effects
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable

Substances	CAS Number	Reproductive toxicity

Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable
--	----	----------------

Substances	CAS Number	STOT - single exposure
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable

Substances	CAS Number	STOT - repeated exposure
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable

Substances	CAS Number	Aspiration hazard
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable

## 12. Ecological Information

### Ecotoxicity

#### Product Ecotoxicity Data

No data available

#### Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available	No information available	No information available	No information available

### 12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available

### 12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available

### 12.4. Mobility in soil

Substances	CAS Number	Mobility
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available

### 12.6. Other adverse effects

**Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

**13. Disposal Considerations****Safe handling and disposal methods**

Bury in a licensed landfill according to federal, state, and local regulations.

**Disposal of any contaminated packaging**

Follow all applicable national or local regulations.

**Environmental regulations**

Not applicable

**14. Transport Information****Transportation Information**

<b>UN Number:</b>	Not restricted
<b>UN Proper Shipping Name:</b>	Not restricted
<b>Transport Hazard Class(es):</b>	Not applicable
<b>Packing Group:</b>	Not applicable
<b>Environmental Hazards:</b>	Not applicable

**Special precautions during transport**

None

**HazChem Code**

None Allocated

**15. Regulatory Information****Safety, health and environmental regulations specific for the product****International Inventories**

<b>Australian AICS Inventory</b>	All components listed on inventory or are exempt.
<b>New Zealand Inventory of Chemicals</b>	All components listed on inventory or are exempt.
<b>EINECS Inventory</b>	This product, and all its components, complies with EINECS
<b>US TSCA Inventory</b>	All components listed on inventory or are exempt.
<b>Canadian DSL Inventory</b>	All components listed on inventory or are exempt.

**Poisons Schedule number**

None Allocated

**16. Other information****Date of preparation or review**

**Revision Date:** 22-Sep-2015

**Revision Note**

SDS sections updated: 2

**Full text of R-phrases referred to under Sections 2 and 3**

None

**Full text of H-Statements referred to under sections 2 and 3**

None

**Additional information**

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Stewardship at 1-580-251-4335.

**Key abbreviations or acronyms used**

bw – body weight CAS – Chemical Abstracts Service EC50 – Effective Concentration 50% LC50 – Lethal Concentration 50% LD50 – Lethal Dose 50% LL50 – Lethal Loading 50% mg/kg – milligram/kilogram mg/L – milligram/liter NOEC – No Observed Effect Concentration OEL – Occupational Exposure Limit PBT – Persistent Bioaccumulative and Toxic ppm – parts per million STEL – Short Term Exposure Limit TWA – Time-Weighted Average vPvB – very Persistent and very Bioaccumulative h - hour mg/m<sup>3</sup> - milligram/cubic meter mm - millimeter mmHg - millimeter mercury w/w - weight/weight d - day

**Key literature references and sources for data**

[www.ChemADVISOR.com/](http://www.ChemADVISOR.com/)

NZ CCID

**Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**End of Safety Data Sheet**

## SAFETY DATA SHEET

### SODIUM CHLORIDE

Revision Date: 08-Sep-2015

Revision Number: 23

#### 1. Product Identifier & Identity for the Chemical

**Statement of Hazardous Nature** Non-Hazardous according to the criteria of the 3rd Revised Edition of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS), Non-Dangerous Goods according to the criteria of ADG.

##### 1.1. Product Identifier

**Product Name** SODIUM CHLORIDE

##### Other means of Identification

**Synonyms:** None  
**Product Code:** HM001682

##### Recommended use of the chemical and restrictions on use

**Recommended Use** Additive  
**Uses Advised Against** No information available

##### Supplier's name, address and phone number

**Manufacturer/Supplier** Halliburton Australia Pty. Ltd.  
15 Marriott Road  
Jandakot  
WA 6164  
Australia  
  
ACN Number: 009 000 775  
Telephone Number: + 61 1 800 686 951  
Fax Number: 61 (08) 9455 5300  
**E-Mail address:** fdunexchem@halliburton.com

##### Emergency phone number

+ 61 1 800 686 951

##### **Australian Poisons Information Centre**

24 Hour Service: - 13 11 26  
Police or Fire Brigade: - 000 (exchange): - 1100

#### 2. Hazard Identification

**Statement of Hazardous Nature** Non-Hazardous according to the criteria of the 3rd Revised Edition of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS), Non-Dangerous Goods according to the criteria of ADG.

##### Classification of the hazardous chemical

Not classified

##### Label elements, including precautionary statements

##### **Hazard Pictograms**

**Signal Word** Not Hazardous

**Hazard Statements** Not Classified

**Precautionary Statements**

**Prevention** None

**Response** None

**Storage** None

**Disposal** None

**Contains**

**Substances**

Sodium chloride

**CAS Number**

7647-14-5

**Other hazards which do not result in classification**

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).

This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

**Australia Classification**

*For the full text of the H-phrases mentioned in this Section, see Section 16*

**Classification** Not Classified

**Risk Phrases** None

### 3. Composition/information on Ingredients

Substances	CAS Number	PERCENT (w/w)	GHS Classification - Australia
Sodium chloride	7647-14-5	60 - 100%	

### 4. First aid measures

**Description of necessary first aid measures**

**Inhalation** If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.

**Eyes** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

**Skin** Wash with soap and water. Get medical attention if irritation persists.

**Ingestion** Under normal conditions, first aid procedures are not required.

**Symptoms caused by exposure**

Causes mild eye irritation.

**Medical Attention and Special Treatment**

**Notes to Physician** Treat symptomatically

### 5. Fire Fighting Measures

**Suitable extinguishing equipment**

**Suitable Extinguishing Media**

All standard fire fighting media

**Extinguishing media which must not be used for safety reasons**

None known.

**Specific hazards arising from the chemical**

**Special Exposure Hazards**

None anticipated

**Special protective equipment and precautions for fire fighters****Special Protective Equipment for Fire-Fighters**

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

**6. Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Use appropriate protective equipment. Avoid creating and breathing dust.

**6.2. Environmental precautions**

Prevent from entering sewers, waterways, or low areas.

**6.3. Methods and material for containment and cleaning up**

Scoop up and remove.

**7. Handling and storage****7.1. Precautions for Safe Handling****Handling Precautions**

Avoid creating or inhaling dust.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

**7.2. Conditions for safe storage, including any incompatibilities****Storage Information**

Store in a cool, dry location.

**Other Guidelines**

No information available

**8. Exposure Controls/Personal Protection****Control parameters - exposure standards, biological monitoring****Exposure Limits**

Substances	CAS Number	Australia NOHSC	ACGIH TLV-TWA
Sodium chloride	7647-14-5	Not applicable	Not applicable

**Appropriate engineering controls****Engineering Controls**

Use in a well ventilated area.

**Personal protective equipment (PPE)****Respiratory Protection**

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional.

Dust/mist respirator. (N95, P2/P3)

**Hand Protection**

Normal work gloves.

**Skin Protection**

Normal work coveralls.

**Eye Protection**

Wear safety glasses or goggles to protect against exposure.

**Other Precautions**

None known.

**Environmental Exposure Controls**

No information available

**9. Physical and Chemical Properties****9.1. Information on basic physical and chemical properties**

**Physical State:** Solid  
**Odor:** Odorless

**Color:** White  
**Odor Threshold:** No information available

PropertyValuesRemarks/ - Method**pH:**

No data available

**Freezing Point/Range**

No data available

**Melting Point/Range**

801 °C / 1473.8 °F

**Boiling Point/Range**

No data available

**Flash Point**

No data available

**Evaporation rate**

No data available

**Vapor Pressure**

No data available

**Vapor Density**

No data available

**Specific Gravity**

2.16

**Water Solubility**

Very soluble

**Solubility in other solvents**

No data available

**Partition coefficient: n-octanol/water**

No data available

**Autoignition Temperature**

No data available

**Decomposition Temperature**

No data available

**Viscosity**

No data available

**Explosive Properties**

No information available

**Oxidizing Properties**

No information available

**9.2. Other information****VOC Content (%)**

No data available

## 10. Stability and Reactivity

**10.1. Reactivity**

Not expected to be reactive.

**10.2. Chemical Stability**

Stable

**10.3. Possibility of Hazardous Reactions**

Will Not Occur

**10.4. Conditions to Avoid**

None anticipated

**10.5. Incompatible Materials**

None known.

**10.6. Hazardous Decomposition Products**

None known.

## 11. Toxicological Information

**Information on routes of exposure****Principle Route of Exposure** Eye or skin contact, inhalation.**Symptoms related to exposure****Most Important Symptoms/Effects**

Causes mild eye irritation.

**Numerical measures of toxicity****Toxicology data for the components**

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium chloride	7647-14-5	3000 mg/kg (Rat) 3550 mg/kg (Rat)	>10000 mg/kg (Rabbit)	42 mg/L (Rat) 1h

**Immediate, delayed and chronic health effects from exposure****Inhalation** May cause mild respiratory irritation.**Eye Contact** Causes mild eye irritation.**Skin Contact** May cause mild skin irritation.

**Ingestion** None known.

**Chronic Effects/Carcinogenicity** No data available to indicate product or components present at greater than 0.1% are chronic health hazards.

**Exposure Levels**

No data available

**Interactive effects**

None known.

**Data limitations**

No data available

Substances	CAS Number	Skin corrosion/irritation
Sodium chloride	7647-14-5	Non-irritating to the skin (Rabbit)

Substances	CAS Number	Eye damage/irritation
Sodium chloride	7647-14-5	May cause mild eye irritation. (Rabbit)

Substances	CAS Number	Skin Sensitization
Sodium chloride	7647-14-5	No information available

Substances	CAS Number	Respiratory Sensitization
Sodium chloride	7647-14-5	No information available

Substances	CAS Number	Mutagenic Effects
Sodium chloride	7647-14-5	No information available

Substances	CAS Number	Carcinogenic Effects
Sodium chloride	7647-14-5	Did not show carcinogenic effects in animal experiments

Substances	CAS Number	Reproductive toxicity
Sodium chloride	7647-14-5	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments.

Substances	CAS Number	STOT - single exposure
Sodium chloride	7647-14-5	No information available

Substances	CAS Number	STOT - repeated exposure
Sodium chloride	7647-14-5	No significant toxicity observed in animal studies at concentration requiring classification.

Substances	CAS Number	Aspiration hazard
Sodium chloride	7647-14-5	Not applicable

## 12. Ecological Information

**Ecotoxicity**

**Product Ecotoxicity Data**

No data available

**Substance Ecotoxicity Data**

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Sodium chloride	7647-14-5	EC50 (120h) 2430 mg/L (Nitzschia sp.)	TLM96 > 1000 mg/L (Oncorhynchus mykiss) LC50 (96h) 5840 mg/L (Lepomis macrochirus) NOEC (33d) 252 mg/L (Pimephales promelas)	NOEC 5000 – 8000 mg/L (activated sludge) NOEC 292-584 mg/L (Escherichia coli)	TLM96 > 1,000,000 ppm (Mysidopsis bahia) LC50 (48h) 874-4136 mg/L (Daphnia magna) NOEC (21d) 314 mg/L (Daphnia pulex)

**12.2. Persistence and degradability**

Substances	CAS Number	Persistence and Degradability
Sodium chloride	7647-14-5	No information available

**12.3. Bioaccumulative potential**

Substances	CAS Number	Log Pow
Sodium chloride	7647-14-5	No information available

**12.4. Mobility in soil**

Substances	CAS Number	Mobility
Sodium chloride	7647-14-5	No information available

**12.6. Other adverse effects****Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

## 13. Disposal Considerations

**Safe handling and disposal methods**

Bury in a licensed landfill according to federal, state, and local regulations.

**Disposal of any contaminated packaging**

Follow all applicable national or local regulations. Contaminated packaging may be disposed of by: rendering packaging incapable of containing any substance, or treating packaging to remove residual contents, or treating packaging to make sure the residual contents are no longer hazardous, or by disposing of packaging into commercial waste collection.

**Environmental regulations**

Not applicable

## 14. Transport Information

**Transportation Information**

**UN Number:** Not restricted  
**UN Proper Shipping Name:** Not restricted  
**Transport Hazard Class(es):** Not applicable  
**Packing Group:** Not applicable  
**Environmental Hazards:** Not applicable

**Special precautions during transport**

None

**HazChem Code**

None Allocated

## 15. Regulatory Information

**Safety, health and environmental regulations specific for the product****International Inventories**

**Australian AICS Inventory** All components listed on inventory or are exempt.

**New Zealand Inventory of Chemicals** All components listed on inventory or are exempt.

**EINECS Inventory** This product, and all its components, complies with EINECS

**US TSCA Inventory** All components listed on inventory or are exempt.

**Canadian DSL Inventory** All components listed on inventory or are exempt.

**Poisons Schedule number**

---

None Allocated

<b>16. Other information</b>
------------------------------

**Date of preparation or review****Revision Date:** 08-Sep-2015**Revision Note**

SDS sections updated: 2

**Full text of R-phrases referred to under Sections 2 and 3**

None

**Full text of H-Statements referred to under sections 2 and 3**

None

**Additional information**

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Stewardship at 1-580-251-4335.

**Key abbreviations or acronyms used**

bw – body weight CAS – Chemical Abstracts Service EC50 – Effective Concentration 50% LC50 – Lethal Concentration 50% LD50 – Lethal Dose 50% LL50 – Lethal Loading 50% mg/kg – milligram/kilogram mg/L – milligram/liter NOEC – No Observed Effect Concentration OEL – Occupational Exposure Limit PBT – Persistent Bioaccumulative and Toxic ppm – parts per million STEL – Short Term Exposure Limit TWA – Time-Weighted Average vPvB – very Persistent and very Bioaccumulative h - hour mg/m<sup>3</sup> - milligram/cubic meter mm - millimeter mmHg - millimeter mercury w/w - weight/weight d - day

**Key literature references and sources for data**

[www.ChemADVISOR.com/](http://www.ChemADVISOR.com/)  
NZ CCID

**Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**End of Safety Data Sheet**

## SAFETY DATA SHEET

### POTASSIUM CHLORIDE

Revision Date: 04-Sep-2015

Revision Number: 22

#### 1. Product Identifier & Identity for the Chemical

**Statement of Hazardous Nature** Non-Hazardous according to the criteria of the 3rd Revised Edition of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS), Non-Dangerous Goods according to the criteria of ADG.

##### 1.1. Product Identifier

**Product Name** POTASSIUM CHLORIDE

##### Other means of Identification

**Synonyms:** None  
**Product Code:** HM001200

##### Recommended use of the chemical and restrictions on use

**Recommended Use** Brine  
**Uses Advised Against** No information available

##### Supplier's name, address and phone number

**Manufacturer/Supplier** Halliburton Australia Pty. Ltd.  
15 Marriott Road  
Jandakot  
WA 6164  
Australia  
  
ACN Number: 009 000 775  
Telephone Number: + 61 1 800 686 951  
Fax Number: 61 (08) 9455 5300  
**E-Mail address:** fdunexchem@halliburton.com

##### Emergency phone number

+ 61 1 800 686 951

##### **Australian Poisons Information Centre**

24 Hour Service: - 13 11 26  
Police or Fire Brigade: - 000 (exchange): - 1100

#### 2. Hazard Identification

**Statement of Hazardous Nature** Non-Hazardous according to the criteria of the 3rd Revised Edition of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS), Non-Dangerous Goods according to the criteria of ADG.

##### Classification of the hazardous chemical

Not classified

##### Label elements, including precautionary statements

##### **Hazard Pictograms**

**Signal Word** Not Hazardous

**Hazard Statements** Not Classified

**Precautionary Statements**

**Prevention** None

**Response** None

**Storage** None

**Disposal** None

**Contains**

**Substances**

Contains no hazardous substances in concentrations above cut-off values according to the competent authority

**CAS Number**

NA

**Other hazards which do not result in classification**

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).  
This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

**Australia Classification**

*For the full text of the H-phrases mentioned in this Section, see Section 16*

**Classification** Not Classified

**Risk Phrases** None

**3. Composition/information on Ingredients**

Substances	CAS Number	PERCENT (w/w)	GHS Classification - Australia
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	60 - 100%	Not Applicable

**4. First aid measures**

**Description of necessary first aid measures**

**Inhalation** If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.

**Eyes** In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.

**Skin** Wash with soap and water. Get medical attention if irritation persists.

**Ingestion** Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical attention.

**Symptoms caused by exposure**

No significant hazards expected.

**Medical Attention and Special Treatment**

**Notes to Physician** Treat symptomatically

**5. Fire Fighting Measures**

**Suitable extinguishing equipment**

**Suitable Extinguishing Media**

All standard fire fighting media

**Extinguishing media which must not be used for safety reasons**

None known.

**Specific hazards arising from the chemical**

**Special Exposure Hazards**

Not applicable.

**Special protective equipment and precautions for fire fighters**

**Special Protective Equipment for Fire-Fighters**

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

**6. Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Use appropriate protective equipment. Avoid creating and breathing dust. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

**6.2. Environmental precautions**

Prevent from entering sewers, waterways, or low areas.

**6.3. Methods and material for containment and cleaning up**

Scoop up and remove.

**7. Handling and storage**

**7.1. Precautions for Safe Handling**

**Handling Precautions**

Avoid contact with eyes, skin, or clothing. Avoid creating or inhaling dust. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage Information**

Store in a cool, dry location. Product has a shelf life of 60 months.

**Other Guidelines**

No information available

**8. Exposure Controls/Personal Protection**

**Control parameters - exposure standards, biological monitoring**

**Exposure Limits**

Substances	CAS Number	Australia NOHSC	ACGIH TLV-TWA
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable	Not applicable

**Appropriate engineering controls**

**Engineering Controls**

Use in a well ventilated area.

**Personal protective equipment (PPE)**

**Respiratory Protection**

Dust/mist respirator. (N95, P2/P3)

**Hand Protection**

Normal work gloves.

**Skin Protection**

Normal work coveralls.

**Eye Protection**

Dust proof goggles.

**Other Precautions**

None known.

**Environmental Exposure Controls**

No information available

**9. Physical and Chemical Properties**

**9.1. Information on basic physical and chemical properties**

**Physical State:** Solid      **Color:** White to gray  
**Odor:** Odorless      **Odor Threshold:** No information available

<u>Property</u>	<u>Values</u>
Remarks/ - Method	
<b>pH:</b>	~7
<b>Freezing Point/Range</b>	771 °C
<b>Melting Point/Range</b>	No data available
<b>Boiling Point/Range</b>	No data available
<b>Flash Point</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Vapor Pressure</b>	No data available
<b>Vapor Density</b>	No data available
<b>Specific Gravity</b>	1.99
<b>Water Solubility</b>	Soluble in water
<b>Solubility in other solvents</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	No data available
<b>Autoignition Temperature</b>	No data available
<b>Decomposition Temperature</b>	No data available
<b>Viscosity</b>	No data available
<b>Explosive Properties</b>	No information available
<b>Oxidizing Properties</b>	No information available

**9.2. Other information**

**Molecular Weight** 74.55  
**VOC Content (%)** No data available

**10. Stability and Reactivity**

**10.1. Reactivity**

Not expected to be reactive.

**10.2. Chemical Stability**

Stable

**10.3. Possibility of Hazardous Reactions**

Will Not Occur

**10.4. Conditions to Avoid**

None anticipated

**10.5. Incompatible Materials**

None known.

**10.6. Hazardous Decomposition Products**

None known.

**11. Toxicological Information**

**Information on routes of exposure**

**Principle Route of Exposure** Eye or skin contact, inhalation.

**Symptoms related to exposure**

**Most Important Symptoms/Effects**

No significant hazards expected.

**Numerical measures of toxicity**

**Toxicology data for the components**

<b>Substances</b>	<b>CAS Number</b>	<b>LD50 Oral</b>	<b>LD50 Dermal</b>	<b>LC50 Inhalation</b>
Contains no hazardous substances in concentrations above cut-off values according	NA	No data available	No data available	No data available

to the competent authority				
----------------------------	--	--	--	--

**Immediate, delayed and chronic health effects from exposure**

**Inhalation** May cause mild respiratory irritation.  
**Eye Contact** May cause mild eye irritation.  
**Skin Contact** May cause mild skin irritation.  
**Ingestion** May cause abdominal pain, vomiting, nausea, and diarrhea. Irritation of the mouth, throat, and stomach.

**Chronic Effects/Carcinogenicity** No data available to indicate product or components present at greater than 0.1% are chronic health hazards.

**Exposure Levels**

No data available

**Interactive effects**

Skin disorders.

**Data limitations**

No data available

Substances	CAS Number	Skin corrosion/irritation
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable.

Substances	CAS Number	Eye damage/irritation
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable.

Substances	CAS Number	Skin Sensitization
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable

Substances	CAS Number	Respiratory Sensitization
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable

Substances	CAS Number	Mutagenic Effects
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable

Substances	CAS Number	Carcinogenic Effects
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable

Substances	CAS Number	Reproductive toxicity

Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable
--	----	----------------

Substances	CAS Number	STOT - single exposure
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable

Substances	CAS Number	STOT - repeated exposure
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable

Substances	CAS Number	Aspiration hazard
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable

**12. Ecological Information**

**Ecotoxicity**

**Product Ecotoxicity Data**

No data available

**Substance Ecotoxicity Data**

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available	No information available	No information available	No information available

**12.2. Persistence and degradability**

Substances	CAS Number	Persistence and Degradability
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available

**12.3. Bioaccumulative potential**

Substances	CAS Number	Log Pow
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available

**12.4. Mobility in soil**

Substances	CAS Number	Mobility
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available

**12.6. Other adverse effects**

**Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

**13. Disposal Considerations****Safe handling and disposal methods**

Bury in a licensed landfill according to federal, state, and local regulations. Substance should NOT be deposited into a sewage facility.

**Disposal of any contaminated packaging**

Follow all applicable national or local regulations. Contaminated packaging may be disposed of by: rendering packaging incapable of containing any substance, or treating packaging to remove residual contents, or treating packaging to make sure the residual contents are no longer hazardous, or by disposing of packaging into commercial waste collection.

**Environmental regulations**

Not applicable

**14. Transport Information****Transportation Information**

<b>UN Number:</b>	Not restricted
<b>UN Proper Shipping Name:</b>	Not restricted
<b>Transport Hazard Class(es):</b>	Not applicable
<b>Packing Group:</b>	Not applicable
<b>Environmental Hazards:</b>	Not applicable

**Special precautions during transport**

None

**HazChem Code**

None Allocated

**15. Regulatory Information****Safety, health and environmental regulations specific for the product****International Inventories**

<b>Australian AICS Inventory</b>	All components listed on inventory or are exempt.
<b>New Zealand Inventory of Chemicals</b>	All components listed on inventory or are exempt.
<b>EINECS Inventory</b>	This product, and all its components, complies with EINECS
<b>US TSCA Inventory</b>	All components listed on inventory or are exempt.
<b>Canadian DSL Inventory</b>	All components listed on inventory or are exempt.

**Poisons Schedule number**

None Allocated

**16. Other information****Date of preparation or review**

**Revision Date:** 04-Sep-2015

**Revision Note**

SDS sections updated: 2

**Full text of R-phrases referred to under Sections 2 and 3**

None

---

**Full text of H-Statements referred to under sections 2 and 3**

None

**Additional information**

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Stewardship at 1-580-251-4335.

**Key abbreviations or acronyms used**

bw – body weight CAS – Chemical Abstracts Service EC50 – Effective Concentration 50% LC50 – Lethal Concentration 50% LD50 – Lethal Dose 50% LL50 – Lethal Loading 50% mg/kg – milligram/kilogram mg/L – milligram/liter NOEC – No Observed Effect Concentration OEL – Occupational Exposure Limit PBT – Persistent Bioaccumulative and Toxic ppm – parts per million STEL – Short Term Exposure Limit TWA – Time-Weighted Average vPvB – very Persistent and very Bioaccumulative h - hour mg/m<sup>3</sup> - milligram/cubic meter mm - millimeter mmHg - millimeter mercury w/w - weight/weight d - day

**Key literature references and sources for data**

[www.ChemADVISOR.com/](http://www.ChemADVISOR.com/)

NZ CCID

**Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**End of Safety Data Sheet**

## SAFETY DATA SHEET

CCTORQ

### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : CCTORQ

Other means of identification : Not applicable.

Recommended use : LUBRICANT

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : ECOLAB PTY LTD  
2 Drake Avenue  
Macquarie Park NSW 2113  
Australia  
A.B.N. 59 000 449 990  
TEL: 1300 654 224  
FAX: +61 2 8870 8680

Emergency telephone number : 1800 205 506  
International: +64 7 958 2372

Issuing date : 10.06.2016

### Section: 2. HAZARDS IDENTIFICATION

#### GHS Classification

Not a hazardous substance or mixture.

Precautionary Statements : **Prevention:**  
Wash hands thoroughly after handling.  
**Response:**  
Get medical advice/ attention if you feel unwell.  
**Storage:**  
Store in accordance with local regulations.  
**Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
Corn Oil	8001-30-7	60 - 100

### Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water. Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and plenty of water. Get medical attention if symptoms occur.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand 0800 764 766).

## SAFETY DATA SHEET

### CCTORQ

- If inhaled : Get medical attention if symptoms occur.
- Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

#### Section: 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Not flammable or combustible.
- Hazardous combustion products : Decomposition products may include the following materials: Carbon oxides
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

#### Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : No special environmental precautions required.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Do not flush into surface water or sanitary sewer system.

#### Section: 7. HANDLING AND STORAGE

- Advice on safe handling : For personal protection see section 8. Wash hands after handling.
- Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Suitable material : Keep in properly labelled containers.
- Unsuitable material : not determined

# SAFETY DATA SHEET

**CCTORQ**

## Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Exposure guidelines have not been established for this product. Available exposure limits for the substance(s) are shown below.

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Corn Oil	8001-30-7	TWA (Mist)	10 mg/m <sup>3</sup>	AU OEL
Corn Oil	8001-30-7	TWA (mist - total)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (mist - respirable)	5 mg/m <sup>3</sup>	NIOSH REL

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### Personal protective equipment

Eye protection : Safety glasses

Hand protection : Wear protective gloves.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Wash hands before breaks and immediately after handling the product.

## Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : amber

Odour : mild

Flash point : > 148.9 °C, Method: Pensky-Martens closed cup

pH : no data available

Odour Threshold : no data available

Melting point/freezing point : pour point: -17.8 °C

Initial boiling point and boiling range : no data available

Evaporation rate : no data available

Flammability (solid, gas) : no data available

Upper explosion limit : no data available

Lower explosion limit : no data available

Vapour pressure : no data available

Relative vapour density : no data available

Relative density : 0.909 - 0.939,

Density : no data available

Water solubility : insoluble

# SAFETY DATA SHEET

## CCTORQ

Solubility in other solvents	:	no data available
Partition coefficient: n-octanol/water	:	no data available
Auto-ignition temperature	:	no data available
Thermal decomposition temperature	:	no data available
Viscosity, dynamic	:	40 - 80 mPa.s (25 °C)
Viscosity, kinematic	:	no data available
Molecular weight	:	no data available
VOC	:	no data available

### Section: 10. STABILITY AND REACTIVITY

Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	None known.
Incompatible materials	:	no data available
Hazardous decomposition products	:	Decomposition products may include the following materials: Carbon oxides

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

Eyes	:	Health injuries are not known or expected under normal use.
Skin	:	Health injuries are not known or expected under normal use.
Ingestion	:	Health injuries are not known or expected under normal use.
Inhalation	:	Health injuries are not known or expected under normal use.
Chronic Exposure	:	Health injuries are not known or expected under normal use.

#### Experience with human exposure

Eye contact	:	No symptoms known or expected.
Skin contact	:	No symptoms known or expected.
Ingestion	:	No symptoms known or expected.
Inhalation	:	No symptoms known or expected.

#### Toxicity

#### Product

## SAFETY DATA SHEET

### CCTORQ

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg
Acute inhalation toxicity	:	no data available
Acute dermal toxicity	:	no data available
Skin corrosion/irritation	:	no data available
Serious eye damage/eye irritation	:	Result: Mild eye irritation
Respiratory or skin sensitization	:	no data available
Carcinogenicity	:	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
Reproductive effects	:	No toxicity to reproduction
Germ cell mutagenicity	:	Contains no ingredient listed as a mutagen
Teratogenicity	:	no data available
STOT - single exposure	:	no data available
STOT - repeated exposure	:	no data available
Aspiration toxicity	:	No aspiration toxicity classification

#### Human Hazard Characterization

Based on our hazard characterization, the potential human hazard is: Low

### Section: 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

#### Product

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

#### Persistence and degradability

no data available

#### Mobility

no data available

#### Bioaccumulative potential

no data available

#### Other information

no data available

#### ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION

# SAFETY DATA SHEET

**CCTORQ**

Based on our hazard characterization, the potential environmental hazard is: Low

## Section: 13. DISPOSAL CONSIDERATIONS

- Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

## Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

### Land transport

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

### Air transport (IATA)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

### Sea transport (IMDG/IMO)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

## Section: 15. REGULATORY INFORMATION

Standard for the Uniform Scheduling of Medicines and Poisons : No poison schedule number allocated

### INTERNATIONAL CHEMICAL CONTROL LAWS :

#### TOXIC SUBSTANCES CONTROL ACT (TSCA)

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

#### CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

#### AUSTRALIA

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

#### CHINA

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

#### JAPAN

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

# SAFETY DATA SHEET

## CCTORQ

### KOREA

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

### NEW ZEALAND

All substances in this product comply with the Hazardous Substances and New Organisms (HSNO) Act 1996, and are listed on or are exempt from the New Zealand Inventory of Chemicals.

## Section: 16. OTHER INFORMATION

### REFERENCES

Hazardous Substances Data Bank, National Library of Medicine, Bethesda, Maryland (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

Integrated Risk Information System, U.S. Environmental Protection Agency, Washington, D.C. (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

Annual Report on Carcinogens, National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service.

Registry of Toxic Effects of Chemical Substances, National Institute for Occupational Safety and Health, Cincinnati, OH, (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

The Teratogen Information System, University of Washington, Seattle, WA (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

Revision Date	: 10.06.2016
Date of first issue	: 10.06.2016
Version Number	: 1.0
Prepared By	: Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit [www.nalco.com](http://www.nalco.com) and request access.